	ell Report		
	Priller's Log	For Office Use Only:	
Mississippi Departmen	lississippi Department of Environmental Quality Office of Land and Water Resources		
	Box 2309	Well #:F156	
Driller: TITEGOTAL VENTERIAS Jackson	, MS 39225	L. S. Elevation:	
Data deilling completed:	961- 5210 1- 5228 (fax)	E1.	
(00)00		E-log #:	
State Law requires that this report be prepared by the lice			
Department at the above address within 30 days of comp		or borenote.	
(Landowner if borehole is not for a water well)		.,	
Owner Name Patrock Sibson	Latitude: 3/ ° 12 3/1	" Longitude 90° 17 51.2"	
	Method of Lat/Long (circle or	ne): Conventional Survey,	
Mailing Address: Pike 93	HOOD and Hardhald	CDC Current and CDC	
		GPS, Survey-grade GPS	
mcc. la mc	NE 1/4 NE 1/4 Sec de	$T_{\text{Wn}} \frac{3N}{N} Rng \frac{9F}{F}$	
City State Zip Code	Distance Direction	Nearest Town	
City State Zip Code	Miles	of	
Telephone No. ()			
Well / Bore	hole Data		
Date drilling started: $9-21-11$ Date drilling completed: $9-21-11$	11 Hole depth: 138	Hole diameter:	
Location of the source of any surface water used for drilling:  Method of dosing and volume of Chlorine used in drilling and devel			
Logs run (circle all applicable): No log run Electric Gamma Ray Name of organization running log(s):	Density Sonic Neutron	Other:	
Purpose of borehole (check one): Water WellGeotechnical/Geol	ogical Investigation Ground	i Source Heat Pump	
Seismic Survey Other (describe	)	*	
If drilling is not related to water well construction	n, skip the remainder of this bl	ock	
Purpose of Well (check one): HomeIndustrial Public Supply	Irrigation Fish Culture	Other:	
If a flowing well, method of flow regulation: Valve C	Other (describe)		
Static Water Level:feet above or below (circle one)	land surface Date measured:	9-21-11	
Method of Measurement (circle one) electric tape	air line other:		
Well depth: 138 Well grouted to a depth of 10 feet Type			
Casing length: 128 feet Casing diameter: 4"	inches Type of casing:		
Screen length:feet	inches Type of screen:		
	128' feet to	138 feet	
Type of completion (circle all applicable): cravel packed Under	rreamed Telescoped Oper	hole Natural Development	
Other (describe):			

Top of lap pipe or reduction in casing:

Form: OLWR-SWR-1A (04/08)

feet. If telescoped or more than one screen, describe on next page



OCT 1 7 2011



Il telescopes, show depths on sketch.	wells and boreholes, unless specifically	exemplea by regi	<u>ulations</u>
tumn (ÆVEI	Description of Formations Encountered	From (depth)	To (depth)
	Description of Portuguous Encountered	Ground Level	- Caopin
	(loy,	0	20
	skivel	70	40
	Claye	40	80
	Sand,	80	120
	rouse Sand,	120	138
		<u> </u>	
			<del> </del>
		<del> </del>	<del> </del>
			<del> </del>
			<del> </del>
		1	1
			<del>                                     </del>
		<del> </del>	<del> </del>
		<del></del>	+
			<del></del>
			<u> </u>
l l			
1-folmes viller		e property that may roperty and the we	Hoye
Pike 93			
i /	For a completed in accordance with all applications	orm: OLWR-SWR ble requirements	k-1A (04/0 of the

OCT 1 7 2011



S'	TATE WELL REPORT	For Office Use Only:
County: Pite	Part 2	
	Pump Installer's Completion Report	Aquifer:
Permit#:	office of Land and Water Resources	Well#: F15b
Driller: Przydd Wellster	P.O. Box 2309	
Date completed: 9-21-11.	Jackson, MS 39225	Elevation:
Copy information from block on Part 1	(601)961-5210 (601)961-5228 (fax)	
	U destar and Bound summi	retailer A come of Part 1 of the
This part of the report must be completed by a lice report must be attached and both parts filed with t	nsed water well contractor or a ticensea pump i he Denartment at the above address within 30 d	ays of well completion.
Well Owner Information	we	II LOCATION
Owner Name: Patrick Gilbson	1 Latitude: 31° 12′5.8′ Longitude: 90° 17′ 51.7′	
Mailing Address: Pike 93	Method of Lat/Long (check o	ne): Conventional Survey,
	USGS quad, Hand-held	GPS, Survey-grade GPS
Holmewille Ms. City State 2	NE 1/2 NE 1/4 Second	28 T 3N R9E
City State Z	Zip Code Distance Direction	Nearest Town
Telephone No. ()	Distance	Nearest Town  of
		Tuna
Pump Type Circle one		ower Type Circle one
Air Lift Jet Subme		ine Engine Natural Gas
Bucket Piston Turbin		
Centrifugal Rotary Flowi	b	(specify):
Other (specify):		r:
Date Pump Installed: 9-21-11		
Rated Pump Capacity: 20 Gallon	s Per Minute Number of Stages: _O	
Pump Test Data		leasuring Water Level
Date Well Tested:		Circle one easuring Line Seel Tape
Static Water Level (A):Feet Below	Land Surface	
	Other (specify).	
Pumping Water Level (B):Feet Below		
Drawdown [(B) - (A)]:Feet Below	<b>!</b>	shut in head:feet
Test Pumping Rate:Gallor	s Per Minute Well yielded	GPM with a drawdown of
Duration of Pump Test (minimum 4 hours):	hoursfeet after	hours of pumping
This is for (circle one): New Web	Replacement of Existing Pump Repair of	Existing Pump
I HEREBY CERTIFY that the above statements a	are true to the best of my knowledge.	
BUAN FIFTHOOULD	AG Bel SWA	
Print Name of Pump Installer and License No. (if	applicable) Signature of Pump	Form: OLWR-SWR-19 (97 09)
		LOUII. OFALCALCE

BY: OLWA