State V	Vall Dapart				
	Vell Report Part 1	For Office Use Only:			
	ent of Environmental Quality	Aquifer:			
	and Water Resources				
	Box 10631	Well #: 6-163			
Driller: Gary Rayborn P.O. Jackson,	MS 39289-0631	L. S. Elevation:			
	1)961-5210	E-log #:			
(601)3	54-6938 (fax)				
State Law requires that this report be prepared by th 30 days of completion of drilling of the well.	e driller in detail and filed v	vith the Department within			
Well Owner Information	Well Location				
Owner Name John Davis	Latitude:''	_" Longitude:'"			
Mailing Address: 103 South Spruce St	Method of Lat/Long (circle o	ne): Conventional Survey,			
	USGS quad, Hand-hele	d GPS, Survey-grade GPS			
Hammond LA 70403	14 14 Sec				
City State Zip Code Telephone No. (<u>985 507 - 7645</u>	Distance Direction	of <u>Megnolia</u>			
Wel	ll Data				
Purpose of Well (circle one Home Industrial Public Supply	Irrigation Fish Culture	Other:			
Date well drilling started: <u>5-22-06</u> Date		-23-06			
If flowing, method of flow regulation: Valve Other	(describe)				
Static Water Level: 80 feet above or below circle one					
Method of Measurement (circle one) steel tape electric ta	pe air line other:				
Hole depth: 365' Well depth: 360'	Well grouted to a depth of	feet			
Type of grout (circle one): Cement Bentonite M		DVA			
Casing length: <u>320</u> feet Casing diameter: <u>4</u> inches Type of casing: <u>PVC</u>					
Screen length: <u>40</u> feet Screen diameter: <u>4</u> inches Type of screen: <u>PVC</u>					
Screen slot size: . 010 inches Setting depth: From	n <u>320</u> feet to	<u>360</u> feet			
Type of completion (circle all applicable): Gravel packed Une	derreamed Telescoped Ope	n hole Natural Development			
Other (describe):					
Top of lap pipe or reduction in casing:feet. I	f telescoped or more than one so	creen, describe on back of page			
Logs run (circle all applicable): No log run Electric Gamma R	ay Density Sonic Neutron	Other:			
Name of organization running log(s): I certify that the well was drilled, constructed, and completed i	n accordance with all applicabl	e requirements of the Mississippi			
Department of Environmental Quality and/or the Mississippi I					
reparement of the in ownedural Quarty and or the stranger pre-					
Rayborn Drilling, Inc 0-60					
Print Name of Water Well Contractor and License No.		of Water Well Contractor			
		RECEIV			
		JUN 27 20			

۰.

۰.

006 BY: OLWR If well telescopes please sketch below and show depths.

Ground Level

	Desc	cription of Formations Encountered	d From	To
`		Clay Clay Bravel	0 40	40
		Clay	130	
		Sand	280	365
			·	
				+
			I,I,	

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) indicate direction. N T55 Magnalica Exit A gradient Station Landowner Name: John Davis

Signature of Water Well Contractor

JUN 27 2006 BY: OLWR

G-163

• •				
	STATE WI	ELL REPORT	· .	
County:	Part 2 Pump Installer's Completion Report Mississippi Department of Environmental Quality		For Office Use Only: Aquifer:	
Driller: <u>Gary Rayborn</u> Date completed: <u>5-23-06</u>	Office of Land and Water Resources P.O. Box 10631 Jackson, MS 39289-0631 (601)961-5210 (601)354-6938 (fax)		Well #: <u>G-163</u> Elevation:	
This report should be prepared by the	e pump installer in deta	il and filed with the Departme	nt within 30 days of the	
installation of pump. Well Owner Informati	on	We	ll Location	
Owner Name: John Davis	5	Latitude:	Longitude:	
Tailing Address: 103 Spruce St, South		Method of Lat/Long (circle one): Conventional Survey,		
· · · · · · · · · · · · · · · · · · ·		USGS quad, Hand-held GPS, Survey-grade GPS		
Hannond, LA 70403 City State Zip Code		1/4 1/4 Sec	Twn 2 N Rng 7 E	
City State	Zip Code	Distance Direction	Nearest Town	
Telephone No. ()		Miles	of Magnolia	
Ритр Туре	· · · · · · · · · · · · · · · · · · ·	Po	ower Type	
Circle one		0	Circle one	
Air Lift Jet	Submersible	Diesel Engine Gasoli	ine Engine Natural Gas	
Bucket Piston	Turbine	Electric Motor Hand	Tractor PTO	
Centrifugal Rotary	Flowing Well	Windmill Other	· (specify):	
Other (specify):		Horse Power Rating of Moto	<u>г. 5нР</u>	
Date Pump Installed: 5-23-	06	Setting Depth: 14'	7'feet	
Rated Pump Capacity: 60 9 48 PS		Number of Stages:		
Pump Test Data Date Well Tested: 5-23-06		Method of Measuring Water Level Circle one		
Static Water Level (A): 80 Feet Below Land Surface		P	easuring Line Steel Tape	
Pumping Water Level (B):Feet		Other (specify):		
Drawdown [(B) – (A)]:Feet Below Land Surface		For flowing well, measured	shut in head:feet	
Test Pumping Rate: 80 80 Fallons Per Minute		Well yielded	GPM with a drawdown of	
Duration of Pump Test (minimum 4 hours)	:hours	feet after	hours of pumping	
	nanto ore true to the best	of my knowledge		
I HEREBY CERTIFY that the above stater Gary Rayborn	0-60	Signature of Pump	Testellar	
Print Name of Pump Installer and License	NO. (11 applicable)	Signature of Pump		

1 -

JUN 27 2006 BY: OLWR