·····	State Well Report	
County: Pike	Part 1 – Driller's Log	For Office Use Only:
Permit #:	Mississippi Department of Environmental Quality	Aquifer:
	Office of Land and Water Resources P.O. Box 10631	Well #: 6-165
Driller LARRY ERSley	Jackson, MS 39289-0631	L. S. Elevation:
Date drilling completed: <u>4.25-0</u>		
	(601)354-6938 (fax)	E-log #:

r

c

۰.

State Law requires that this report be prepared by the lic Department at the above address within 30 days of comp	
Information on Well Owner	Well or Borehole Location
(Landowner if borehole is not for a water well)	Latitude: "Longitude: ""
Owner Name ConRAL Picou	
Mailing Address: 4027 Linberg Rd	Method of Lat/Long (circle one): Conventional Survey, USGS quad, Hand-held GPS, Survey-grade GPS
10	1/4
Alegnolis MS City State Zip Code	Distance Direction Nearest Town
•	Miles of
(clephone No. ()	
Well / Boro	
Date drilling started: 6-25 Date drilling completed: 6-8	45 Hole depth: 160 Hole diameter: 7 18
Location of the source of any surface water used for drilling: $[] \mathbf{C}_{-}$. Method of dosing and volume of Chlorine used in drilling and deve	reek Lopinient: 19A1 to every 1000
Logs run (circle all applicable): No log run Electric Gamma Ray Name of organization running log(s):	Density Sonic Neutron Other.
Purpose of borehole (check one): Water Well Geotechnical/Geo	logical Investigation Ground Source Heat Pump
Seismic Survey Other (describe If drilling is not related to water well construction	e) on, skip the remainder of this block
Purpose of Well (check one): Home Industrial Public Suppl	y Irrigation Fish Culture Other:
It a flowing well, method of flow regulation: Valve	Other (describe)
Static Water Level: <u>7</u> D feet above or below (circle one)	land surface Date measured: 6 - 25 - 06
Method of Measurement (circle one) steel tap	air line other:
Well depth: 140 Well grouted to a depth of 10 feet Typ	
Casing length: 120 feet Casing diameter. 4	inches Type of casing:
Screen length: 20 feet Screen diameter: 4	inches Type of screen: Prc
Screen slot size: 012 inches Setting depth: From	120 feet to 140 feet
Type of completion (circle all applicable): Gravel packed Under	erreamed Telescoped Open hole Natural Development
Other (describe):	n an
Top of lap pipe or reduction in casing:feet. If t	elescoped or more than one screen, describe on next page

SEP 0 1 2006 BY: OLWR

FRECENTED

G-165

. . .

	h below and show depths	Description of Formations Encountered	From
iround Level		GRAVEL	0 50
		CLAV	50 18 120 1
	•	Sard	1&0 1 140 1
		CLAY	190
			= +
			· •
			· · ·
			•
	4		
	ļ		
			· <u> </u>
			•
1			
		· · · · · · · · · · · · · · · · · · ·	

It more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location: 2) any permanent structures on the property that may aid in locating the well, 3) any roads, power lines, or other items that may aid in locating the property and the well 4) indicate direction.

ONRAd Picou ...andowner Name:

Signature of Contractor Well ₩¥ker

RECEIVED SEP 01 2006 BY: OLW R

Part 2		STATE WE	LL REPORT	
County: 11 Product Produ	L'ika			For Office Use Only
Permit #:	County: TIFE	Pump Installer's	Completion Report	For Office Use Only:
Driller: LARPH EAS/EY Dute completed: Lasson, MS 39289-0631 Convertigermation from block on Part 1 Convertigermation from block on Part 1 This part of the report must be completed by a licensed water well contractor or a licensed pump insulter. Negl Owner, A copy of Part 1 of the report must be completed by a licensed water well contractor or a licensed pump insulter. Well Well Well Well Well Well Well Well	Permit #:	Mississippi Departmen	t of Environmental Quality	Aquif er :
Driller: LARPH LASTEY Date completed: Le - 2.5 - 0.6 Core information from block on Part I Jackson, MS 39280-0631 This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part I of the report must be datached and both parts filed with the Department at the above address within 30 days of well completion. Well Owner Information Well Owner Information Well Owner Information Well Convertional Survey. Well Owner Information Latitude: City State Zip Code Latitude: City State Zip Code Discel Engine Bucket Piston Piston Turbine Bucket Piston Piston Turbine Date Pump Installed: Le - 2.5 - 0.6 Rated Pump Capacity: Callons Per Minute Pump Test Data Method of Measuring Water Level Date Well Tested: Gallons Per Minute Pumping Water Level (A): 7.0 Feet Below Land Surface For flowing well, measured shut in head: Pump Test Data Method of Measuring Line Date Well Tested: G- 2.5 </th <th></th> <th>Office of Land a</th> <th>nd Water Resources</th> <th>-</th>		Office of Land a	nd Water Resources	-
Date completed: 6-25-06 Jackson, MS 39/28/0031 Elevation: Conv information from block on Parl 1 (601)364-6938 (fax) Elevation: This part of the report must be completed by a licensed water well contractor or a licensed pump installed: A copy of Parl 1 of the report must be completion. Well Owner Information Well Owner Information Well Contractor or a licensed pump installed: Longitude: Wailing Address: Method of Lat/Long (check one): Conventional Survey. USGS quad, Hand-held GPS, Survey-grade GPS Wailing Address: Method of Lat/Long (check one): Conventional Survey. USGS quad, Hand-held GPS, Survey-grade GPS Wailing Address: Method of Lat/Long (check one): Conventional Survey. USGS quad, Hand-held GPS, Survey-grade GPS Wailing Address: Method of Lat/Long (check one): Conventional Survey. USGS quad, Hand-held GPS, Survey-grade GPS Will Check one Miles of Telephone No. (Vindmill Other (specify): Direction Nearest Town Bucket Piston Turbine Electric Moto Hand Tractor PTO Cherrifigal Rotary Flowing Well Windmill Other (specify):	Driller: LARRY CASLEY			G-11-5
Copy information from block on Part 1 Elevation:				Well #:
Copy information from block on Part 1 (001/354-6936 (LK) This part of the report must be completed by a licensed water well constructor or a licensed pump installer. A copy of Part 1 of the report must be completed by a licensed water well constructor or a licensed pump installer. A copy of Part 1 of the report must be completed by a licensed water well constructor or a licensed pump installer. A copy of Part 1 of the report must be completed by a licensed water well constructor or a licensed pump installer. A copy of Part 1 of the report must be advees address within 30 days of well completion. Well Owner Information Owner Name: Cong address with the Department at the above address within 30 days of well completion. Well Cong address:	Date completed:			Elevation:
This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion. Well Owner Information Well Cong Address: Method of LavLong (check one): Conventional Survey_grade GPS	Conv information from block on Part 1	(601)354	4-6938 (fax)	
Weil Owner Information Weil Owner Information Dwner Name: Congad Picout Vailing Address:	This part of the report must be completed	by a licensed water well (a with the Department a	contractor or a licensed pump t the above address within 30 d	installer. A copy of Part 1 of the lays of well completion.
Dwner Name: Congal Picou Mailing Address:	Well Owner Informa	tion	We	Il Location
Mailing Address:		\cap		
Mailing Address:)wner Name: ConRA	Picou	Latitude:	Longitude:
			Method of Lat/Long (check of	one): Conventional Survey,
City State Zip Code Telephone No. ()				
City State Zip Code Telephone No. (1/4 1/4 Sec	T R
Distance Direction Nearest Town Telephone No. ()	City State	Zip Code		
Pump Type Circle one Power Type Circle one Air Lift Jet Summersible Bucket Piston Turbine Bucket Piston Turbine Centrifugal Rotary Flowing Well Other (specify):		-	Distance Direction	Nearest Town
Pump Type Circle one Power Type Circle one Air Lift Jet Summersible Bucket Piston Turbine Bucket Piston Turbine Centrifugal Rotary Flowing Well Other (specify):			Miles	of
Pump Test Data Circle one Date Well Tested: 6 - 25 Static Water Level (A): 70 Feet Below Land Surface Feet Below Land Surface Drawdown [(B) - (A)]: 5 Test Pumping Rate: 1 2 Gallons Per Minute Gallons Per Minute Circle one Circle one Diesel Engine Gasoline Engine Number of Stages: 12 Other (specify):	[elephone No. ()		wines	
Pump Type Circle one Air Lift Jet Sumersible Bucket Piston Turbine Bucket Piston Turbine Contrifugal Rotary Flowing Well Other (specify):				
Circle one Circle one Air Lift Jet Jet Bucket Piston Turbine Bucket Piston Turbine Centrifugal Rotary Flowing Well Other (specify):	Pump Type			
Air Lift Jet Submersion Dieser Engine Outering of Motor Tractor PTO Bucket Piston Turbine Electric Motor Hand Tractor PTO Centrifugal Rotary Flowing Well Windmill Other (specify):				Circle one
Bucket Piston Turbine Function Bucket Piston Turbine Function Centrifugal Rotary Flowing Well Windmill Other (specify): Other (specify):	Air Lift Jet	Submersible	Diesel Engine Gasol	ine Engine Natural Gas
Other (specify): Date Pump Installed: 12 Gallons Per Minute Horse Power Rating of Motor: Horse Power Rating of Motor: 12 Setting Depth: 12 Gallons Per Minute Horse Power Rating of Motor: Horse Power Rating of Motor: Horse Power Rating of Motor: Horse Power Rating of Motor: Horse Power Rating of Motor: Horse Power Rating of Motor: Horse Power Rating of Motor: Horse Power Rating of Motor: Horse Power Rating of Motor: Horse Power Rating of Motor: Horse Power Rating of Motor: Horse Power Rating of Motor: Horse Power Rating Of Motor: Horse Power Rating Of Motor: Horse Power Rating Of Motor: Horse Power Rating Of Motor: Horse Power Rating Of Motor: Horse Power Rating Of Motor: Horse Power Rating Of Motor: Horse Power Rating Of Motor: Hors	Bucket Piston	Turbine	Electric Motor Hand	Tractor PTO
Other (specify): Date Pump Installed: 12 Gallons Per Minute Horse Power Rating of Motor: Horse Power Rating of Motor: 12 Setting Depth: 12 Gallons Per Minute Horse Power Rating of Motor: Horse Power Rating of Motor: Horse Power Rating of Motor: Horse Power Rating of Motor: Horse Power Rating of Motor: Horse Power Rating of Motor: Horse Power Rating of Motor: Horse Power Rating of Motor: Horse Power Rating of Motor: Horse Power Rating of Motor: Horse Power Rating of Motor: Horse Power Rating of Motor: Horse Power Rating Of Motor: Horse Power Rating Of Motor: Horse Power Rating Of Motor: Horse Power Rating Of Motor: Horse Power Rating Of Motor: Horse Power Rating Of Motor: Horse Power Rating Of Motor: Horse Power Rating Of Motor: Hors	() tifting 1	Flowing Well	Windmill Other	r (specify):
Date Pump Installed: 6-25-06 Setting Depth: 100 feet Rated Pump Capacity: 12 Gallons Per Minute Number of Stages: 12 Pump Test Data Method of Measuring Water Level Circle one Date Well Tested: 6-25 Air Line Electric Measuring Line Steel Tape Static Water Level (A): 70 Feet Below Land Surface Other (specify): Other (specify): Pumping Water Level (B): 15 Feet Below Land Surface For flowing well, measured shut in head: feet Drawdown [(B) - (A)]: 5 Feet Below Land Surface For flowing well, measured shut in head: feet Test Pumping Rate: 12 Gallons Per Minute Vell yielded 12 GPM with a drawdown of	centritugai Kotaty	TIONING WON		•
Date Pump Installed: 6-25-06 Setting Depth: 100 feet Rated Pump Capacity: 12 Gallons Per Minute Number of Stages: 12 Pump Test Data Method of Measuring Water Level Circle one Date Well Tested: 6-25 Air Line Electric Measuring Line Steel Tape Static Water Level (A): 70 Feet Below Land Surface Other (specify): Other (specify): Electric Measured shut in head: feet Drawdown [(B) - (A)]: 5 Feet Below Land Surface For flowing well, measured shut in head: feet Test Pumping Rate: 12 Gallons Per Minute Well yielded 12 GPM with a drawdown of	()ther (specify):		Horse Power Rating of Moto	or: (4) /
Rated Pump Capacity: 12 Gallons Per Minute Number of Stages: 12 Pump Test Data Method of Measuring Water Level Circle one Circle one Date Well Tested: 6 - 2.5 Air Line Electric Measuring Line Steel Tape Static Water Level (A): 70 Feet Below Land Surface Other (specify): Other (specify): Pumping Water Level (B): 75 Feet Below Land Surface For flowing well, measured shut in head: feet Drawdown [(B) - (A)]: 5 Feet Below Land Surface For flowing well, measured shut in head: feet Test Pumping Rate: 12 Gallons Per Minute Well yielded 12 GPM with a drawdown of	-		Setting Depth: /	00 feet
Nation 1 may equally 1 Pump Test Data Date Well Tested: 6 - 25 Date Well Tested: 6 - 25 Static Water Level (A): 70 Feet Below Land Surface Pumping Water Level (B): 75 Feet Below Land Surface Drawdown [(B) - (A)]: 5 Feet Below Land Surface Test Pumping Rate: 12 Gallons Per Minute Well yielded 12 GPM with a drawdown of			Number of Stages	12
Pump Test Data Method of Measuring Water Level Circle one Date Well Tested: 6 - 2.5 Static Water Level (A): 70 Feet Below Land Surface Air Line Pumping Water Level (B): 75 Feet Below Land Surface Other (specify): Drawdown [(B) - (A)]: 5 Feet Below Land Surface For flowing well, measured shut in head: Test Pumping Rate: 12 Gallons Per Minute Well yielded	Rated Pump Capacity: 12	Gallons Per Minute	Number of Stages.	
Date Well Tested: 6 - 2 5 Static Water Level (A): 70 Feet Below Land Surface Air Line Pumping Water Level (B): 75 Feet Below Land Surface Other (specify): Drawdown [(B) - (A)]: 5 Feet Below Land Surface For flowing well, measured shut in head: Test Pumping Rate: 12 Gallons Per Minute Well yielded				
Date Well Tested: 6 - 2.5 Static Water Level (A): 70 Feet Below Land Surface Air Line Pumping Water Level (B): 75 Feet Below Land Surface Other (specify): Drawdown [(B) - (A)]: 5 Feet Below Land Surface For flowing well, measured shut in head: Test Pumping Rate: 12 Gallons Per Minute Well yielded	Pump Test Data	1		
Static Water Level (A): 70 Feet Below Land Surface Pumping Water Level (B): 75 Feet Below Land Surface Drawdown [(B) - (A)]: 5 Feet Below Land Surface Test Pumping Rate: 12 Gallons Per Minute	•			Circle one
Static Water Level (A): 70 Feet Below Land Surface Pumping Water Level (B): 75 Feet Below Land Surface Drawdown [(B) - (A)]: 5 Feet Below Land Surface Test Pumping Rate: 12 Gallons Per Minute	Date Well Tested: 6-23		A to Line Clouting M	essuring Line Steel Tane
Pumping Water Level (B): 75 Feet Below Land Surface Drawdown [(B) - (A)]: 5 Feet Below Land Surface Test Pumping Rate: 12 Gallons Per Minute Well yielded GPM with a drawdown of	Static Water Level (A): 70 Feet Below Land Surface		Air Line Electric M	casuling thic Succi rape
Pumping Water Level (B): 75 Feet Below Land Surface Drawdown [(B) - (A)]: 5 Feet Below Land Surface Test Pumping Rate: 12 Gallons Per Minute			Other (specify):	
Test Pumping Rate: Gallons Per Minute Well yielded GPM with a drawdown of	-			
Test Pumping Rate:	Drawdown [(B) - (A)]: 5 Feet Below Land Surface		For flowing well, measured	shut in head:feet
test Pulliping Kate.			-	
			-	
Duration of Pump Test (minimum 4 hours): / hours reet alter nours of pumping			East allow	4 hours of numping
	1 Change Track (minimum A hour	s):/ hours	ieet alter	

VAREY	CASIEV	
Print Name of Pump	Installer and Licer	ise No. (if applicable)

,

Signature of Pump Installer Form: OLWRSWING