$\Omega_{\rm ele}$	STATE WELL REPORT	360
County: Vilce	Part 1	For Office Use Only:
Permit #:	Driller's Log	
Driller: James M. Wells	Mississippi Department of Environmental Quality Office of Land and Water Resources	Well #: <u><u>G200</u></u>
Date drilling completed: 7.12-18	P.O. Box 2309	Aquifer:
	Jackson, MS 39225-2309 (601)961-5210	E-Log #:
	(601)360-0535 (fax)	
State Law requires that this report in Department at the set	60	
Well Owner Informati	the prepared by the license holder responsible for the the set of	r borehole.
(Landowner if borehole is not for	Well or Boreh	ole Location
	Latitude: DFOT. JYN Long	gitude: 90° 30.304
Mailing Address:		
	Method of Lat/Long (check one):	
2015 Grady ville	USGS quad, Hand-held GPS	S, Survey-grade GPS
Il lasnolia MS	39652 SE 1/ SW 1/4, Sec 1	
State		
Telephone No. ()	Miles of of	(Nearest Town)
Date drilling started: 7-12-18 Date dr	Well / Borehole Data illing completed: 7-12-18 Hole depth: 200	
Location of the source of any surface with	Hole depth: 00	Hole diameter: 71/2
and any surrace wat	er used for drilling: N. oo `oo Coro C	
include of dosing and volume of Chlorine	used in drilling and development: <u>Granule</u>	chloring
	Electric Gamma Ray Density Sonic Neutron	Other
Name of organization running log(s):		Other:
Purpose of borehole (circle one): Water We	2	
	Groups and a conspical investigation Group	und Source Heat Pump
Seismic Su If drilling is not solated		This block RECEIVE
Purpose of Well (circle - "	to water well construction, skip the remainder of t	his block RECTOR
Home of their (circle all applicable): Hom	e Industrial Duble c.	Culture STP 19 10
Other (describe): Chicken ho	Juse	· ~ 1
If a flowing well, method of flow regulation	1: Valve Other (describe)	
Static Water Level:	OVE or Gelow land and	
	ove or below land surface Date measured:	7-12-18
Steel 1	and Electric tana www.	
well grouted to a dept	hof: // foot Time of	
Casing length: 160 feet Casing	diameter:	Cement Bentonite Mix
	, spe of cashing.	-pvc
Screep slot aires 008	diameter:inches Type of screer	: pvc
	betting depth: From (1/0)	OU feet
Type of completion (circle all applicable) Gr	avel packed Underroomed	
Other (describe):		tural Development
Top of lap pipe or reduction in casing:	feet	
If telescoped or	more than one screen, describe on next page	

.,

Form: OLWR-SWR-1A (4/13)

County:	Pike
Permit #:	

The sketch below only required for water wells

If well telescopes. show depths on sketch.

Ground Level

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
tapsoil	Ground level	1
clar	1	145
Sand	145	145 200
·		

1) the well location 2) any permanent structures on the property that may aid in locating the v 3) any roads, power lines, or other items that may aid in locating the prop 4) north arrow	well erty and the well I well Chicken Houses
	RECEIVED SEP 19 2018 BY OLWR
Landowner Name: <u>Sohn Trien</u> I HEREBY CERTIFY that the well/borehole was drilled, constructed, and requirements of the Mississippi Department of Environmental Quality ar if applicable, and state laws. <u>Sames M. Wells</u> <u>ODOD5889</u> <u>9-16-18</u> Print Name of Responsible Licensee and License No. <u>Date</u>	completed in accordance with all applicable ad the Mississippi Department of Health regulations,

Form: OLWR-SWR-1A (4/13)

County: Vike		
	Part 2	For Office Use O
Line Dance	Iler's Completion Report	Well #:
Driller: Ouries III. Wais Office of L	and and Water Resources	weil #: $C > A U C$
Date completed: 1-13-18 Jack	P.O. Box 2309 Ison, MS 39225-2309	Aquifer:
<u>Copy information from block on Part 1</u>	(601)961-5210	
	01) 360-0535 (fax)	
This part of the report must be completed by a licensed wat of the report must be attached and both parts filed with the	er well contractor or a licensed pun Department at the above address w	p installer. A copy of Par ithin 30 days of well comm
Well Owner Information	31-09-44 Well Lo	cation 40-30-
Owner Name: Irien	Latitude: 31°09. 241 Lon	gitude: <u>40°30. 30 L</u>
Mailing Address:	Method of Lat/Long (check one)	
2015 Gradyville Drive	USGS quad, Hand-held GP	•
Macnolia MS 39652	<u>SE 14 SW 14, Sec</u>	
City State Zip Code		
Telephone No. ()	(Distance) (Direction)	(Nearest Town)
Pump Ty	ype (circle one)	
Submersible Turbine Air Lift Centrifugal Flowing Well	Jet Piston Rotary Other (desi	cribe):
Date Pump Installed: 7-12-18	Rated Pump Capacity: 195	Gallons Per i
Is This Pump (circle one): New Repaired Replaceme	_	Gattons (c)
	ype (circle one)	
Electric Diesel Gasoline Natural Gas Tractor PTO Wi	ndmill Other (describe):	
Horse Power Rating of Motor: 7/2 Setting Dep	th: 180 feet Number of	f Stages:
	for Non Flowing Well	
Date Well Tested: 7-12-18		4
	Duracion of Pump rest (minimu	m 4 hours):
Static Water Level (A): 70 Foot Bolow Land Surface	Duranting Maria 18	
Static Water Level (A): <u>90</u> Feet Below Land Surface		Feet Below Land Su
Drawdown [(B) - (A)]: 103 Feet Below Land Sur	face Test Pumping Rate:	Feet Below Land Su
Drawdown [(B) - (A)]:Feet Below Land Sur Method of measurement (circle one): Steel tape Electric to	face Test Pumping Rate:	Feet Below Land Su
Drawdown [(B) - (A)]:Feet Below Land Sur Method of measurement (circle one): Steel tape Electric t Pump Test Da	face Test Pumping Rate:	Feet Below Land Su
Drawdown [(B) - (A)]:Feet Below Land Sur Method of measurement (circle one); Steel tape Electric t Pump Test Da Measured shut in head:feet.	face Test Pumping Rate: ape Air line Other (<i>describe</i>): ata for Flowing Well	Feet Below Land Su
Drawdown [(B) - (A)]:Feet Below Land Sur Method of measurement (circle one): Steel tape Electric t Pump Test Da	face Test Pumping Rate: ape Air line Other (<i>describe</i>): ata for Flowing Well	Feet Below Land Su
Drawdown [(B) - (A)]:Feet Below Land Sur Method of measurement (circle one); Steel tape Electric to Fump Test Da Measured shut in head:feet. Well yieldedGPM with a drawdown of Meter	face Test Pumping Rate: ape Air line Other (<i>describe</i>): Ita for Flowing Well feet afterhu Installation	Feet Below Land Su Gallons Per M purs of pumping
Drawdown [(B) - (A)]:Feet Below Land Sur Method of measurement (circle one); Steel tap: Electric to Pump Test Da Measured shut in head:feet. Well yieldedGPM with a drawdown of Meter Manufacturer:	face Test Pumping Rate: ape Air line Other (<i>describe</i>): ata for Flowing Well feet afterhe Installation Meter Serial Number:	Feet Below Land Su Gallons Per M Durs of pumping
Drawdown [(B) - (A)]:Feet Below Land Sur Method of measurement (circle one); Steel tape Electric to Pump Test Da Measured shut in head:feet. Well yieldedGPM with a drawdown of Meter	face Test Pumping Rate: ape Air line Other (<i>describe</i>): ata for Flowing Well feet afterhe Installation Meter Serial Number:	Feet Below Land Su Gallons Per M Durs of pumping
Drawdown [(B) - (A)]:Feet Below Land Sur Method of measurement (circle one); Steel tape Electric to Pump Test Da Measured shut in head:feet. Well yieldedGPM with a drawdown of Meter Manufacturer:	face Test Pumping Rate: ape Air line Other (<i>describe</i>): ata for Flowing Well feet afterho Installation Meter Serial Number: Type of Meter:	Feet Below Land Su Gallons Per M Durs of pumping
Drawdown [(B) - (A)]:Feet Below Land Sur Method of measurement (circle one): Steel tape Electric to Pump Test Da Measured shut in head:feet. Well yieldedGPM with a drawdown of Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier Factor (AF x .001, gal	face Test Pumping Rate: ape Air line Other (<i>describe</i>): Ita for Flowing Well feet afterhe Installation Meter Serial Number: Type of Meter: x 1000, etc):	Feet Below Land Su Gallons Per M purs of pumping
Drawdown [(B) - (A)]:Feet Below Land Sur Method of measurement (circle one): Steel tape Electric t Pump Test Da Measured shut in head:feet. Well yieldedGPM with a drawdown of Meter Manufacturer: Meter Model Number/Name:	face Test Pumping Rate:	Feet Below Land Su Gallons Per M Durs of pumping
Drawdown [(B) - (A)]:Feet Below Land Sur Method of measurement (circle one): Steel tap: Electric t Pump Test Da Measured shut in head:feet. Well yieldedGPM with a drawdown of Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier Factor (AF x .001, gal Installation Date: Meter installed by: Is This Meter (circle one): New Repaired Replacement	face Test Pumping Rate:	Feet Below Land Su Gallons Per M Durs of pumping
Drawdown [(B) - (A)]:Feet Below Land Sur Method of measurement (circle one): Steel tap: Electric t Pump Test Da Measured shut in head:feet. Well yieldedGPM with a drawdown of Meter Manufacturer: Meter Model Number/Name: Meter Model Number/Name: Totalizer Register Unit and Multiplier Factor (AF x .001, gal Installation Date: Meter installed by: Is This Meter (circle one): New Repaired Replaceme Important: By submitting the above information you are ce For agricultural wells, a list of app	face Test Pumping Rate:	Feet Below Land Su Gallons Per Mo
Drawdown [(B) - (A)]:Feet Below Land Sur Method of measurement (circle one): Steel tap: Electric t Pump Test Da Measured shut in head:feet. Well yieldedGPM with a drawdown of Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier Factor (AF x .001, gal Installation Date: Meter installed by: Is This Meter (circle one): New Repaired Replacement	face Test Pumping Rate:	Feet Below Land Su Gallons Per M Durs of pumping
Drawdown [(B) - (A)]:Feet Below Land Sur Method of measurement (circle one): Steel tap: Electric t Pump Test Da Measured shut in head:feet. Well yieldedGPM with a drawdown of Meter Manufacturer: Meter Model Number/Name: Meter Model Number/Name: Totalizer Register Unit and Multiplier Factor (AF x .001, gal Installation Date: Meter installed by: Is This Meter (circle one): New Repaired Replaceme Important: By submitting the above information you are ce For agricultural wells, a list of app	face Test Pumping Rate:	Feet Below Land Su Gallons Per M Durs of pumping

٠

۰.