County: Pike Mississip	Part 1 - Driller's Log	For Office Use Only:	
	ppi Department of Environmental Quality	Aquifer: H219	
Permit #: Of	fice of Land and Water Resources	Well #:	
Driller: Fitzgrald WellServoo	P.O. Box 2309 Jackson, MS 39225	L. S. Elevation:	
Date drilling completed: 9-1-11	(601)961- 5210		
Pate driving completed:	(601)961- 5228 (fax)	E-log #:	
State Law requires that this report be prepa	red by the license holder responsible for	the work and filed with the	
Department at the above address within 30 Information on Well Owner	days of completion of arming of the well	or borenoie.	
(Landowner if borehole is not for a water w		" Longitude: 90° . 24°, 55.3°	
wner Name lete James Ben			
ailing Address: LAllanc Rd	Method of Lat/Long (circle o	ne): Conventional Survey,	
ailing Address: - Hyllanc No	USGS quad, Hand-held	i GPS, Survey-grade GPS	
	는 사람들이 있는 사람들은 사람들이 있는 사람들이 되었습니다. 그 사람들이 가장 하는 것이 없는 사람들이 되었습니다.	Twn 2N Rng 8 E	
Magnet 14 MS City State Z	1 1 1 1 1 1 1 1 Sec 1 2	IWn	
City State Z	Distance Direction Miles		
elephone No. ()		(0)	
	Well / Borehole Data	2/4	
ate drilling started: 9-1-11 Date drilling comp	oleted: 9-1-11 Hole depth: 182	Hole diameter:	
ocation of the source of any surface water used for			
fethod of dosing and volume of Chlorine used in dr			
ogs run (circle all applicable): No log run Electric	e Gamma Ray Density Sonic Neutron	Other:	
	otechnical/Geological Investigation Groun	d Source Heat Pump	
urpose of borehole (check one): Water Well V Geo		d Source Heat Pump	
urpose of borehole (check one): Water Well Geo	Other (decoribe)		
urpose of borehole (check one): Water Well Geo Seismic Survey	Other (describe)	lock	
turpose of borehole (check one): Water Well Geo	Other (describe)	lock	
Seismic Survey	Other (describe)	lock	
Seismic Survey	Other (describe)	lock  Other:	
Seismic Survey	Other (describe)  Public Supply Irrigation Fish Culture Other (describe) ow (circle one) land surface Date measured	lock  Other:	
Seismic Survey	Other (describe)	lock  Other:	
Seismic Survey	Other (describe)  well construction, skip the remainder of this b  Public Supply Irrigation Fish Culture  Other (describe)  ow (circle one) land surface Date measured  electric tape air line other:  feet Type of grout (circle one): Neat Ce	Other:	
Seismic Survey	Other (describe)	Other:	
Seismic Survey	Other (describe)	ock  Gother:  Gother:  Gother:  Mix  Puc	
Seismic Survey	Other (describe)  well construction, skip the remainder of this b  Public Supply Irrigation Fish Culture  Other (describe)  ow (circle one) land surface Date measured  electric tape air line other:  feet Type of grout (circle one): Neat Ce  ir: inches Type of casing:  ir: inches Type of screen:	ock  Gother:  Gother:  Gother:  Mix  Puc	
Seismic Survey  If drilling is not related to water is survey  If drilling is not related to water is survey  If a flowing well, method of flow regulation: Valve  Static Water Level: 92 feet above or below  Method of Measurement (circle one) steel tape  Well depth: 89 Well grouted to a depth of 100  Casing length: 150 feet Casing diameter  Screen length: 30 feet Screen diameter  Screen slot size: 012/016/016  Secreen slot size: Setting	Other (describe)	ock  General Section of the section	
Seismic Survey  If drilling is not related to water is survey  If drilling is not related to water is survey  If drilling is not related to water is survey  Industrial  If a flowing well, method of flow regulation: Valve  Static Water Level: 92 feet above or below  Method of Measurement (circle one) steel tape  Well depth: 87 Well grouted to a depth of 10  Casing length: 157 feet Casing diameter  Screen length: 30 feet Screen diameter  Screen slot size: 012/016/016  Screen slot size: 012/016/016  Screen slot size: 012/016/016  Screen slot size: 012/016/016  Type of completion (circle all applicable): Gravel p	Other (describe)	ock  General Section of the section	
Seismic Survey	Other (describe)	Other:	

**State Well Report** 

RECEIVED

SEP 0 7 2011

BY: OLMR

The	sketch	helow	only	required	for	water wells

If well	telescopes,	show	depths	on sketch.	
-		-		-	

Ground Level.

## Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
	Ground Level	
Clay	0	20
Sand	20	60
Clay	Coe	80
ciduel	80	130
Chey	130	140
Sald	140	150
Course Sand	150	182

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location; 2) aid in locating the well; 3) any roads, power lines, or other item	any permanent structures on the property that may is that may aid in locating the property and the well;
4) a north arrow.	
	a di serie i la di serie di T
curron church Rd.	5
	PG
	A Blanc Ad
	2
	12
	· 🖟 · · · · · / · · · · · · · · · · · · ·
	and the second and the
	1 chra
	[ 7 = 5,0p
011	WE well
Landowner Name: Pele Jennys Benge	
	Form: OLWR-SWR-1A (04/08

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

Print Name of Responsible Licensee and License No.

Signature of Licensee

Permit #: Mississippi Department  Driller:	For Office Use Only:  Aquifer:  Aquifer:  Well #:
This part of the report must be completed by a licensed water well report must be attached and both parts filed with the Department a	contractor or a ticensed pump instatter. A copy of Part 1 of the title above address within 30 days of well completion.
Well Owner Information  Owner Name: Pele Serge  Mailing Address: LABlanc Rd  Magnelly Mg  City State Zip Code  Telephone No. ()	Well Location  Latitude: 31°8 31.1" Longitude: 90° 24° 55.3"  Method of Lat/Long (check one): Conventional Survey,  USGS quad, Hand-held GPS, Survey-grade GPS,
	Power Type
Air Lift Jet Submersible  Bucket Piston Turbine  Centrifugal Rotary Flowing Well  Other (specify):	Circle one Diesel Engine Gasoline Engine Natural Gas  Electric Motor Hand Tractor PTO  Windmill Other (specify):  Horse Power Rating of Motor:  Setting Depth: feet  Number of Stages:  Method of Measuring Water Level  Circle one  Air Line Electric Measuring Line Steel Tape  Other (specify):  For flowing well, measured shut in head: feet  Well yielded GPM with a drawdown of feet after hours of pumping
This is for (circle one): New Well Replacement of E	xisting Pump Repair of Existing Pump
I HEREBY CERTIFY that the above statements are true to the best bad Flylad O24.  Print Name of Pump Installer and License No. (if applicable)	Signature of Pump Installer Form: OLWR-SWR-1C (07-0