State Well Report		
Part 1 - Driller's Log For Office Use Only:		
Permit #: Mississippi Department of Environmental (Office of Land and Water Resources	Quality Aquifer:	
well # P.O. Box 10631 Well # 10		
Date drilling completed: 8-15-08 Jackson, MS 39289-0631 (601)961-5210	L. S. Elevation:	
(601)354-6938 (fax)	E-log #:	
State Law requires that this report be prepared by the license holder response	ible for the work and filed with the	
	ell er Berehole Location	
(Landowner if borehole is not for a water well) Latitude: 3/ 2	Longitude: 20° 15' 499	
Owner Name Ynn Oupre. Latitude: 31 ° /	(circle one): Conventional Survey,	
Mailing Address: 010 1744 24.		
M Ce	land-held GPS, Survey-grade GPS	
()/- (000)	ec 23 Twn 2 N Rng 9E	
Miles	rection Nearest Town	
Telephone No. ()		
Date drilling started: 8-15-08 Date drilling completed: 8-15-08 Hole depth: 12 Location of the source of any surface water used for drilling: Method of dosing and volume of Chlorine used in drilling and development: Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic No Name of organization running log(s):		
Purpose of borehole (check one): Water Well Geotechnical/Geological Investigation Seismic Survey Other (describe) If drilling is not related to mater, well construction, whin the remainder.		
Purpose of Well (check one): HomeindustrialPublic SupplyIrrigationFish	Culture Other:	
If a flowing well, method of flow regulation: Valve Other (describe)		
Static Water Level: 48 feet above or below (circle one) land surface Determe	casured: 8-15-08	
Method of Measurement (circle one) steel tape electric tape air line other	H	
Well depth: 123 Well grouted to a depth of 10 feet Type of grout (circle one): 1	Ceat Cement Bentonite Mix	
Casing length: 163 feet Casing diameter: 9" inches Type of c	asing: Pvc	
Screen length: 10 feet Screen diameter: 4" inches Type of se	creen: Puc	
Screen slot size: 1012 inches Setting depth: From 163 feet to	0 193 feet	
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped	Open hole Natural Development	
Other (describe):		
Top of lap pipe or reduction in casing:feet. If telescoped or more than	ene screen, describe on next page	

Form: OLWR-SWR-1A RECEIVED

AUG 1 9 2008

BY: OLWR

BY: OLWR

Description of formations encountered must be provided for all wells and boroholes, unless specifically exempted by regulations

If more than one screen, show location of each on sketch If more than one screen, show location of each one screen, show location of each one screen, show location of each one screen, show		Description of Formations Encountere		To (depth)
If more than one screen, show location of each on sketch teh the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) a north arrow.	1		Ground Level	
If more than one screen, show location of each on sketch that the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) a north arrow.				30
If more than one screen, show location of each on sketch that the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) a north arrow.			20	40
If more than one screen, show location of each on sketch such the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) a north arrow.		Cluy,	40	120
If more than one screen, show location of each on sketch sich the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) a north arrow.		Sould		160
If more than one screen, show location of each on sketch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) a north arrow.				1)3
ch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) a north arrow.				
ch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) a north arrow.				
tch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) a north arrow.				
tch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) a north arrow.				
tch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) a north arrow.				+
ch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) a north arrow.				+
sch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) a north arrow.			 	
tch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) a north arrow.				
tch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) a north arrow.				
tch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) a north arrow.				
tch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) a north arrow.				
tch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) a north arrow.				
tch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) a north arrow.				
tch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) a north arrow.				
tch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) a north arrow.				
tch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) a north arrow.				1
tch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) a north arrow.				1
tch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) a north arrow.				
tch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) a north arrow.				+
sch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) a north arrow.	†	\		
	4) a north arrow.	(DG:01) /	ſ	
	4) a north arrow.		e sita	
Form: OLWR-SWR-1A Ify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the	downer Name:	old Huy 24	Form: OLWF	R-SWR-1A
ify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the scippi Department of Health regulations, if applicable, and state	downer Name:	and completed in accordance with all application the Mississippi Department of Health regulation	Form: OLWF	R-SWR-1A
ify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the scippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state and Right and State Brooks Brook	iowner Name:	and completed in accordance with all applica the Mississippi Department of Health regulati 815-08 Budfyld	Form: OLWF ble requirements of ons, if applicable, an	R-SWR-1A the ed state
ify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the slippi Department of Health regulations, if applicable, and state	iowner Name:	and completed in accordance with all applica the Mississippi Department of Health regulati 815-08 Budfyld	Form: OLWF ble requirements of ons, if applicable, an	R-SWR-1A the id state

The sketch below only required for water wells

If well telescopes, show depths on sketch.

STATE WELL REPORT

Part 2 Pump Installer's Completion Report
Mississippi Department of Environmental Quality
Office of Land and Water Resources

For Office Use Only:		
Aquifer:		
Well #: _	J-148	
Elevation	•	

(601)961-5210 Copy information from block on Part 1 (601)354-6938 (fax) Elevation: This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 38 days of well completion. Well Owner Information Well Location	Date completed: 8-15-08	•	. Box 10631 MS 39289-0631	Well #:	18
This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part I of the report must be abached and both party filed with the Department at the above address within 30 days of well completion. Well Lecation Under Career I and the special party of the special party of the report must be abached and both party filed with the Department at the above address within 30 days of well completion. Well Lecation Under Career I and the special party of the		(60	(601)961-5210		
Well Owner Name: Well Owner Name: Youn Dugge Mailing Address: Old Huy 2y Method of Lat/Long (check one): Conventional Survey. USGS quad. Hand-held GPS. Survey-grade GPS. Latitude: 31 7 15.7 Longitude: 70 15 49.9 Method of Lat/Long (check one): Conventional Survey. USGS quad. Hand-held GPS. Survey-grade GPS. Latitude: 31 7 15.7 Longitude: 70 15 49.9 Method of Lat/Long (check one): Conventional Survey. USGS quad. Hand-held GPS. Survey-grade GPS. Latitude: 31 7 15.7 Longitude: 70 15 49.9 Method of Lat/Long (check one): Conventional Survey. USGS quad. Hand-held GPS. Survey-grade GPS. Latitude: 31 7 15.7 Longitude: 70 15 49.9 Method of Lat/Long (check one): Conventional Survey. USGS quad. Hand-held GPS. Survey-grade GPS. Latitude: 31 7 15.7 Longitude: 70 15 49.9 Method of Lat/Long (check one): Conventional Survey. USGS quad. Hand-held GPS. Survey-grade GPS. Latitude: 31 7 15.7 Longitude: 70 15 49.9 Method of Lat/Long (check one): Conventional Survey. USGS quad. Hand-held GPS. Survey-grade GPS. Latitude: 31 7 15.7 Longitude: 70 15 49.9 Method of Lat/Long (check one): Conventional Survey. USGS quad. Hand-held GPS. Survey-grade GPS. Latitude: 31 7 15.7 Longitude: 70 15 49.9 Method of Lat/Long (check one): Conventional Survey. USGS quad. Hand-held GPS. Survey-grade GPS. Latitude: 31 7 15.7 Longitude: 70 15 49.9 Will Leatitude: 31 7 15.7 Longitude: 70 15 49.9 Method of Lat/Long (check one): Conventional Survey. USGS quad. Hand-held GPS. Survey-grade GPS. Latitude: 31 7 15.7 Longitude: 70 15.7 Longitude	Copy information from block on Part J	(601)3	54-6938 (fax)	EseAstrou:	
Well Owner Name: Well Owner Name: Your Dugge Mailing Address: Old Huy 2y Method of Lat/Long (check one): Conventional Survey. USGS quad. Hand-held GPS. Survey-grade GPS. Latitude: 31 7 1 S. 7 Longitude: 70 IS 49, 9 Method of Lat/Long (check one): Conventional Survey. USGS quad. Hand-held GPS. Survey-grade GPS. Latitude: 31 7 IS 7 Longitude: 70 IS 49, 9 Method of Lat/Long (check one): Conventional Survey. USGS quad. Hand-held GPS. Survey-grade GPS. Latitude: 31 7 IS 7 Longitude: 70 IS 49, 9 Method of Lat/Long (check one): Conventional Survey. USGS quad. Hand-held GPS. Survey-grade GPS. Latitude: 31 7 IS 7 Longitude: 70 IS 49, 9 Method of Lat/Long (check one): Conventional Survey. USGS quad. Hand-held GPS. Survey-grade GPS. Latitude: 31 7 IS 7 Longitude: 70 IS 7 Lo	This part of the report must be complete	ted by a licensed water wel	l contractor or a licensed pi	mp installer. A copy of Part 1	of the
Owner Name: Lynn Duyne Mailing Address: O(d Hwy 2y) Method of Lat/Long (check one): Conventional Survey USGS quad Hand-held GPS Survey-grade GPS "W. Sec T. R Distance Direction Nearest Town Miles of Pump Type Circle one Air Lift Jet Submersible Bucket Piston Turbine Centrifugal Rotary Flowing Well Other (specify): Horse Power Rating of Motor: 1/2 Setting Depth: 70 feet Number of Stages: 8 Pump Test Data Date Well Tested: Static Water Level (A): Feet Below Land Surface Drawdown [(B) - (A)]: Feet Below Land Surface Gallons Per Minute Latitude: 31/7/15.2 (Longitude: 70/15/49, 9 Method of Lat/Long (check one): Conventional Survey West based: Altitude: 31/7/15.2 (Longitude: 70/15/49, 9 Method of Lat/Long (check one): Conventional Survey West based: Altitude: 31/7/15.2 (Longitude: 70/15/49, 9 Method of Lat/Long (check one): Conventional Survey Take Longitude: 70/15.2 (Longitude: 70/15/49, 9 Method of Lat/Long (check one): Conventional Survey "West based: Altitude: 31/7/15.2 (Longitude: 70/15/49, 9 Method of Lat/Long (check one): Conventional Survey West based: Altitude: 31/7/15.2 (Longitude: 70/15.2 (Longitude: 70/15. (Longitude: 70/15.2 (Longitude: 70/15. (Longitude: 70/15.2 (Longitude: 70/15. (Longitude: 70/15. (Longitude: 70/15. (Longitude:	report must be anaches and both parts	filed with the Department	at the above address within	38 days of well completion.	
Method of Lat/Long (check one): Conventional Survey					
Method of Lat/Long (check one): Conventional Survey	Owner Name: Lynn Dugi	re	Latitude: 3/07/1	5.2 " anoitude: 90° 15	14991
USGS quad	411/	. 16.1	1	-	
Tyle-City State Zip Code Wall Sec	Mailing Address: U(V 17 W	729	Method of Lat/Long (check one): Conventional Survey,		
Tyle-City State Zip Code Wall Sec			USGS quad, Hand-held GPS, Survey-grade GPS		PS
Telephone No. (Tylo-kin		i	· -	
Telephone No. (City State	e Zip Code		1 K	1
Pamp Type Circle one Air Lift Jet Submersible Diesel Engine Gasoline Engine Natural Gas Diesel Engine Gasoline Engine Natural Gas Diesel Engine Diesel Engine Gasoline Engine Natural Gas Diesel Engine Natural Gas Diesel Engine Diesel Engine Natural Gas Diesel Engine Natural Gas Diesel Engine Diesel Engine Natural Gas Diesel Engine Natural Gas Number of Stages: Diesel Engine Natural Gas Natural Gas Diesel Engine Natural Gas Natural Gas Diesel Engine Natural Gas Natural Gas Natural Gas Diesel Engine Natural Gas Natural Gas Natural Gas Diesel Engine Natural Gas Natural Gas Natural Gas Pumping Diesel Engine Natural Gas		-	Distance Directi	on Nearest Town	
Pamp Type Circle one Air Lift Jet Submersible Diesel Engine Gasoline Engine Natural Gas Bucket Piston Turbine Centrifugal Rotary Flowing Well Other (specify): Date Pump Installed: Pamp Test Gallons Per Minute Pamp Test Data Method of Measuring Water Level Circle one Number of Stages: Static Water Level (A): Feet Below Land Surface Pumping Water Level (B): Feet Below Land Surface Drawdown [(B) – (A)]: Feet Below Land Surface Gallons Per Minute Poswer Type Circle one Natural Gas Number (specify): Setting Depth: Number of Stages: Method of Measuring Water Level Circle one Air Line Electric Measuring Line Air Line Cother (specify): Test Pumping Water Level (A): Feet Below Land Surface For flowing well, measured shut in head: feet Test Pumping Rate: GPM with a drawdown of	Telephone No. ()		Miles	of	
Air Lift Jet Submersible Diesel Engine Circle one Diesel Engine Gasoline Engine Natural Gas Bucket Piston Turbine Centrifugal Rotary Flowing Well Windmill Other (specify): Horse Power Rating of Motor: Date Pump Installed:					
Air Lift Jet Submersible Diesel Engine Gasoline Engine Natural Gas				Power Type	1
Bucket Piston Turbine Centrifugal Rotary Flowing Well Windmill Other (specify): Other (specify): Date Pump Installed: \$\frac{3}{5} - 0\frac{3}{5}\$ Rated Pump Capacity: \$\frac{1}{2}\$ Gallons Per Minute Pump Test Data Pump Test Data Method of Measuring Water Level Circle one Air Line Electric Measuring Line Geet Tape Other (specify): Other (specify): Feet Below Land Surface Drawdown [(B) - (A)]: Feet Below Land Surface Test Pumping Rate: Gallons Per Minute Well yielded GPM with a drawdown of	Circle one				
Centrifugal Rotary Flowing Well Windmill Other (specify):	Air Lift Jet	Submersible	Diesel Engine Ga	soline Engine Natural	l Gas
Other (specify): Horse Power Rating of Motor: Setting Depth:	Bucket Piston	Turbine	Electric Motor H	and Tractor	РТО
Pamp Test Data Pamp Test Data Pamp Test Data Method of Measuring Water Level Circle one Air Line Electric Measuring Line Seel Tape Other (specify): Drawdown [(B) - (A)]: Feet Below Land Surface Test Pumping Rate: Gallons Per Minute Setting Depth: 70 feet Number of Stages: 8 Method of Measuring Water Level Circle one Air Line Electric Measuring Line Seel Tape Other (specify): Other (specify): Feet Below Land Surface For flowing well, measured shut in head: feet Well yielded GPM with a drawdown of	Centrifugal Rotary	Flowing Well	Windmill O	ther (specify):	
Pamp Test Data Pamp Test Data Pamp Test Data Method of Measuring Water Level Circle one Air Line Electric Measuring Line Seel Tape Other (specify): Drawdown [(B) - (A)]: Feet Below Land Surface Test Pumping Rate: Gallons Per Minute Setting Depth: 70 feet Number of Stages: 8 Method of Measuring Water Level Circle one Air Line Electric Measuring Line Seel Tape Other (specify): Other (specify): Feet Below Land Surface For flowing well, measured shut in head: feet Well yielded GPM with a drawdown of	Other (specify):		Horse Power Rating of M	otor: 1/2	
Rated Pump Capacity:	Date Pump Installed: 8-15-08	,	1		
Pump Test Data Date Well Tested:			1 _		
Date Well Tested: Static Water Level (A): Pumping Water Level (B): Feet Below Land Surface Other (specify): Drawdown [(B) - (A)]: Feet Below Land Surface For flowing well, measured shut in head: feet Well yielded GPM with a drawdown of	Rated Pump Capacity:	Gallons Per Minute	Number of Stages:		
Date Well Tested: Static Water Level (A): Pumping Water Level (B): Feet Below Land Surface Other (specify): Drawdown [(B) - (A)]: Feet Below Land Surface For flowing well, measured shut in head: feet Well yielded GPM with a drawdown of	Purso Test De		-		
Date Well Tested: Static Water Level (A): Feet Below Land Surface Pumping Water Level (B): Feet Below Land Surface Other (specify): Drawdown [(B) - (A)]: Feet Below Land Surface For flowing well, measured shut in head: feet Well yielded GPM with a drawdown of	_		Method of	Measuring Water Level	
Pumping Water Level (B):Feet Below Land Surface Drawdown [(B) - (A)]:Feet Below Land Surface Drawdown [(B) - (A)]:Feet Below Land Surface For flowing well, measured shut in head:feet Well yieldedGPM with a drawdown of	Date Well Tested:				
Pumping Water Level (B):Feet Below Land Surface Other (specify): Drawdown [(B) - (A)]:Feet Below Land Surface For flowing well, measured shut in head:feet Well yieldedGPM with a drawdown of	Static Water Level (A):Fe	et Below Land Surface	Air Line Electric	Measuring Line Steel Tay	pe)
Drawdown [(B) - (A)]:Feet Below Land Surface For flowing well, measured shut in head:feet Test Pumping Rate:Gallons Per Minute Well yieldedGPM with a drawdown of	Other (specify):				
Test Pumping Rate:Gallons Per Minute					
OT M. WILL & GLAW GOWII OI	Drawdown [(B) - (A)]:Fee	et Below Land Surface	For flowing well, measure	d shut in head:	feet
Duration of Pump Test (minimum 4 hours):hoursfeet afterhours of pumping	Test Pumping Rate:			of	
	Duration of Pump Test (minimum 4 hours	s):hours	feet afte	hours of pum	ping

I HEREBY CERTIFY that the above statements are true to the best	of my knowledge	
Brand Fitzmald Ma.	Butcheld	
Print Name of Pump Installer and License No. (if applicable)	Signature of Pump Installer	
		Form: OLWR-SWR-1B

RECEIVED

AUG 19 2008

BY: OLWR