	State Well Report			
County: Pike	Part 1 – Driller's Log	For Office Use Only:		
•	Mississippi Department of Environmental Quality Aquifer: 3163			
Permit#:	Office of Land and Water Resources P.O. Box 2309	Well #:		
•	1	L. S. Elevation:		
Date drilling completed: $3 \cdot 21 - 13$,	(601)961- 5210 (601)961- 5228 (fax)			
State I am negatives that this news] w he muce great he the license holder responsible for	E-log #:		
	rt be prepared by the license holder responsible for within 30 days of completion of drilling of the wei			
Information on Well Owner Well or Borehole Location				
	Latitude: 310. 9, 5d	Longitude: 40° 18, 41.5, 43 one): Conventional Survey,		
Owner Name GARY Nagun	Method of Lat/Long (circle of	3 42 ane): Conventional Survey		
Mailing Address: But hegeth	<u>/\c'</u>	,		
	USGS quad, Hand-hel	d GPS, Survey-grade GPS		
mel. h sa	25 1/4 Sec 5	Twn 2 N Rng 9 F		
Much M. City Sta	te Zip Code Distance Direction	Nearest Town		
Telephone No. ()	Miles	_of		
resopriorie (10.				
2 4 / 15	Well / Borehole Data			
Date drilling started: 371-13 Date dr	illing completed: 3-21-13 Hole depth: 100	Hole diameter:		
Location of the source of any surface wate Method of dosing and volume of Chlorin				
Logs run (circle all applicable): No log ru Name of organization running log(s):	Electric Gamma Ray Density Sonic Neutron	Other:		
Purpose of borehole (check one): Water W	ell Ceotechnical/Geological Investigation Groun	d Source Heat Pump		
Seismic	SurveyOther (describe)			
If drilling is not related	to water well construction, skip the remainder of this b	lock		
Purpose of Well (check one): Home 1	ndustrial Public Supply Irrigation Fish Culture	:Other:		
	on: ValveOther (describe)			
	pove or below (circle one) land surface Date measured:	2-11-12		
		<u>σσι - υν</u>		
Method of Measurement (circle one)	<u> </u>			
Well depth: 120 Well grouted to a de	epth of 10 feet Type of grout (circle one): Neat Cer	ment Bentonite Mix		
Casing length: //60 feet Casin	ng diameter: 4" inches Type of casing:	Puc		
Screen length:feet	en diameter: 4" inches Type of screen: _	Pu		
Screen slot size: O/Oinches	Setting depth: From 160 feet to 17	Dofeet		
Type of completion (circle all applicable):	Cravel packed Underreamed Telescoped Oper	n hole Natural Development		
	Other (describe):			
Top of lap pipe or reduction in casing:	feet. If telescoped or more than one scr	een. describe on next page		
		Form: OLWR-SWR-14 (04/08)		
		Form: OLWR-SWR-14 (04/08)		

'APR 30 2013

BY: OLWR

The sketch below only required	for water wells
--------------------------------	-----------------

If well	telescopes,	show	depths	on sket	ch.
	ound Level				_

<u>Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations</u>

Description of Formations Encountered	From (depth)	To (depth)
	Ground Level	
Claye	0	20
class	20	40
Sand	240	60
stace!	60	180
Sand	80	100
Clyve	100	130
(ah).	130	160
randeland	160	170
	-	
	 	
	-	-
	-	+
	+	+
	 	
	-	
	1	
	1	
		1

If more than one screen, show location of each on sketch

Company or,	u	Hay 98	7
Conary or,			h
Conary or,			
Conary or,			
Conary or,		2	
Conary or,		(F	
(onary or,		_	
(onary or,		ع	
(onary or,		ريخ ا	
(onary or,		2 (
V			
V		(conaryo	r,
		V	
The second secon		The second second	
	ame: SATY Nage	· · ·	

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

BIAL Azerala 074	3-21-13.	Restule	RECEIVED
Print Name of Responsible Licensee and License No.	Date	Signature of Licensee	APR 30 2013

BY: OLWR

Permit #: Pump Installer's Mississippi Department Office of Land a P.O. Jackson (601)	For Office Use Only: Aquifer: Aquifer: Well #: Elevation: Contractor or a licensed pump installer. A copy of Part 1 of the at the above address within 30 days of well completion. Well Location Latitude: 10 9 52.9" Longitude: 90 18 41.8" Method of Lat/Long (check one): Conventional Survey. USGS quad., Hand-held GPS., Survey-grade GPS.
M (out) MS City State Zip Code Telephone No. ()	
Pump Type Circle one Jet Submersible Bucket Piston Turbine Centrifugal Rotary Flowing Well Other (specify): Date Pump Installed: 371-13	Power Type Circle one Diesel Engine Gasoline Engine Natural Gas Electric Motor Hand Tractor PTO Windmill Other (specify): Horse Power Rating of Motor: Setting Depth: 150′ feet
Rated Pump Capacity: 12 Gallons Per Minute	Number of Stages:
Pump Test Data Date Well Tested:Feet Below Land Surface Pumping Water Level (B):Feet Below Land Surface Drawdown [(B) - (A)]:Feet Below Land Surface Test Pumping Rate:Gallons Per Minute Duration of Pump Test (minimum 4 hours):hours	Circle one Air Line Electric Measuring Line Seel Tape Other (specify): For flowing well, measured shut in head:feet Well yieldedGPM with a drawdown offeet afterhours of pumping
This is for (circle one): New Well Replacement of E	Existing Pump Repair of Existing Pump
I HEREBY CERTIFY that the above statements are true to the best Brad Edzew OFG. Print Name of Pump Installer and License No. (if applicable)	Signature of Pump Installer Form: OLWR-SWR-1C (07-09) APR 3 0 2013