	State Well Report	
County: fike.	Part 1 – Driller's Log	For Office Use Only:
Permit #	ississippi Department of Environmental Qual	lity Aquiter.
A second se	Office of Land and Water Resources	Well #: K- 186
Driller Flogerald hell Serre.	P.O. Box 10631	Well #: A - 106
Date drilling completed 7-2-05	Jackson, MS 39289-0631	L. S. Elevation:
s completed 1	(601)961-5210	
	(601)354-6938 (fax)	E-log #:
State Law requires that this report be Department at the above address wi	e prepared by the license holder responsible thin 30 days of completion of drilling of the	for the work and filed with the
		well or borehole. or Borehole Location
Latitude: "		"Longitude°
wher Name MKE Strum		
lailing Address: Scott Fund		ele one): Conventional Survey.
		held GPS, Survey-grade GPS
Chutana ms. City State	\4 \4_ Sec	2 Twn // Rng 76
City State	Zip Code Distance Direction	on Nearest Town
elephone No. ()		th of <u>Charava</u>
• · · · · · · · · · · · · · · · · ·		
	Well / Borehole Data	
ocation of the source of any surface water us lethod of dosing and volume of Chlorine us	to the annue and development.	we want to see a second of the second s
ocation of the source of any surface water us lethod of dosing and volume of Chlorine us ogs run (circle all applicable): to log run l lame of organization running log(s).	Electric Gamma Ray Density Sonic Neutro	n Other:
Action of the source of any surface water us Acthod of dosing and volume of Chlorine us logs run (circle all applicable): oo log run lame of organization running log(s): urpose of borehole (check one): Water Well Seismic Surv	Electric Gamma Ray Density Sonic Neutro Geotechnical Geological Investigation Gro	ound Source Heat Pump
ocation of the source of any surface water us lethod of dosing and volume of Chlorine us ogs run (circle all applicable): to log run I ame of organization running log(s): urpose of borehole (check one): Water Well Seismic Surv If drilling is not related to y	Electric Gamma Ray Density Sonic Neutro Geotechnical Geological Investigation Grey Other (<i>describe</i>)	ound Source Heat Pump
becation of the source of any surface water us lethod of dosing and volume of Chlorine us lethod of dosing and volume of Chlorine us logs run (circle all applicable): to log run l ame of organization running log(s): urpose of borehole (check one): Water Well Seismic Surv If drilling is not related to v urpose of Well (check one): Home Indus a flowing well, method of flow regulation: N	Electric Gamma Ray Density Sonic Neutro Geotechnical Geological Investigation Gro rey Other (<i>describe</i>) <u>vater well construction, skip the remainder of that</u> strial Public Supply Irrigation Fish Cult Valve Other (<i>describe</i>)	ound Source Heat Pump is blockOther:
beation of the source of any surface water us ethod of dosing and volume of Chlorine us ogs run (circle all applicable): of log run 1 ame of organization running log(s): urpose of borehole (check one): Water Well Seismic Surv If drilling is not related to v urpose of Well (check one): Home Indus a flowing well, method of flow regulation: N	Electric Gamma Ray Density Sonic Neutro Geotechnical Geological Investigation Gro rey Other (<i>describe</i>) <u>vater well construction, skip the remainder of that</u> strial Public Supply Irrigation Fish Cult Valve Other (<i>describe</i>)	ound Source Heat Pump is blockOther:
ocation of the source of any surface water us lethod of dosing and volume of Chlorine us ogs run (circle all applicable): o log run 1 ame of organization running log(s): urpose of borehole (check one): Water Well, Seismic Surv If drilling is not related to y urpose of Well (check one): Home Indus a flowing well, method of flow regulation: Y atic Water Level:feet above lethod of Measurement (circle one)	Electric Gamma Ray Density Sonic Neutro Geotechnical Geological Investigation Grey Other (<i>describe</i>) water well construction, skip the remainder of the strial Public Supply Irrigation Fish Cult Valve Other (describe) or below (circle one) land surface Date measure lape electric tape air line other:	ound Source Heat Pump is block tureOther: red: 2-22-05,
ocation of the source of any surface water us lethod of dosing and volume of Chlorine us ogs run (circle all applicable): o log run I ame of organization running log(s): urpose of borehole (check one): Water Well Seismic Surv If drilling is not related to v urpose of Well (check one): Home I Indus a flowing well, method of flow regulation: V atic Water Level: Zfeet above lethod of Measurement (circle one) steel to feel depth: 20 Well grouted to a depth of the source of any surface water us the source of the source of t	Electric Gamma Ray Density Sonic Neutro Geotechnical Geological Investigation Grey Other (<i>describe</i>) water well construction, skip the remainder of the strial Public Supply Irrigation Fish Cult Valve Other (describe) or below (circle one) land surface Date measure lape electric tape air line other: of feet Type of grout (circle one): Network	on Other:
ocation of the source of any surface water us hethod of dosing and volume of Chlorine us ogs run (circle all applicable): o log run I ame of organization running log(s): urpose of borehole (check one): Water Well_I Seismic Surv If drilling is not related to v urpose of Well (check one): Home I Indus a flowing well, method of flow regulation: V atic Water Level: Z feet above feet above well depth: ØO well grouted to a depth of Stell depth: GO feet Casing di	Electric Gamma Ray Density Sonic Neutro Geotechnical Geological Investigation GreyOther (describe) vater well construction, skip the remainder of the strialPublic Supply Irrigation Fish Cult ValveOther (describe) or below (circle one) land surfaceDate measure tapeelectric tape air linethere: offeetType of grout (circle one): Near immeter inchesType (construction)	on Other: ound Source Heat Pump is block tureOther: red: 2-22-05, Center Bentonite Mix
becation of the source of any surface water us tethod of dosing and volume of Chlorine us ogs run (circle all applicable): o log run I ame of organization running log(s): urpose of borehole (check one): Water Well Seismic Surv If drilling is not related to v urpose of Well (check one): Home I Indus a flowing well, method of flow regulation: V atic Water Level: 7 ethod of Measurement (circle one) steel to ethod of Measurement (circle one) steel to ethod of Measurement (circle one) steel to ethod of Measurement (circle one) steel to tell depth: 60 feet Casing di	Electric Gamma Ray Density Sonic Neutro Geotechnical Geological Investigation GreyOther (describe) vater well construction, skip the remainder of the strialPublic Supply Irrigation Fish Cult ValveOther (describe) or below (circle one) land surfaceDate measure tapeelectric tape air linethere: offeetType of grout (circle one): Near immeter inchesType (construction)	on Other: ound Source Heat Pump is block tureOther: red: 2-22-05, Center Bentonite Mix
ocation of the source of any surface water us hethod of dosing and volume of Chlorine us ogs run (circle all applicable): o log run I ame of organization running log(s): urpose of borehole (check one): Water Well_I Seismic Surv If drilling is not related to v urpose of Well (check one): Home I Indus a flowing well, method of flow regulation: V atic Water Level: 7 feet above feet above tethod of Measurement (circle one) steel to feet lepth: 60 feet Casing di creen length: 20 feet	Electric Gamma Ray Density Sonic Neutro Geotechnical Geological Investigation Gro- reyOther (describe) vater well construction, skip the remainder of the vater well construction, skip the remainder of the strialPublic Supply Irrigation Fish Cult ValveOther (describe) or below (circle one) land surfaceDate measure tape electric tape air line of feet Type of grout (circle one): Near iameter: inches Type of casing iameter: inches Type of screener	on Other: ound Source Heat Pump is block tureOther: red: 2-22-05, Center Bentonite Mix g: Auc
beation of the source of any surface water us ethod of dosing and volume of Chlorine us ogs run (circle all applicable): o log run I ame of organization running log(s): irpose of borehole (check one): Water Well (Seismic Surv If drilling is not related to v irpose of Well (check one): Home I Indus a flowing well, method of flow regulation: V atic Water Level: 7feet above ethod of Measurement (circle one) steel I ell depth: 80feet Casing di reen length: 20feet Screen di reen slot size: 01%/02 inches 55	Electric Gamma Ray Density Sonic Neutro Geotechnical Geological Investigation Grey Other (describe) water well construction, skip the remainder of the strial Public Supply Irrigation Fish Cult Valve Other (describe) or below (circle one) land surface Date measure lape electric tape air line other: of feet Type of grout (circle one): Near iameter: inches Type of screen Setting depth: From feet to	ound Source Heat Pump is block tureOther: red: 2-22-051 Cemer Bentonite Mix g: Pvc t. Pvc SUfeet
beation of the source of any surface water us ethod of dosing and volume of Chlorine us ogs run (circle all applicable): o log run la ame of organization running log(s): irpose of borehole (check one): Water Well, Seismic Surv If drilling is not related to v irpose of Well (check one): Home I Indus a flowing well, method of flow regulation: V atic Water Level: 7feet above ethod of Measurement (circle one) steel to ell depth: 80feet Casing different to a depth of ising length: 60feet Screen different to a screen different screent s	Electric Gamma Ray Density Sonic Neutro Geotechnical Geological Investigation GreyOther (describe)	en Other: ound Source Heat Pump is block tureOther: red: 2-22-05, Center Bentonite Mix g: Pvc h: Pvc feet bpen hole Natural Development
beation of the source of any surface water us tethod of dosing and volume of Chlorine us ogs run (circle all applicable): o log run I ame of organization running log(s): irpose of borehole (check one): Water Well, Seismic Surv If drilling is not related to v irpose of Well (check one): Home I Indus a flowing well, method of flow regulation: V atic Water Level: 7feet above ethod of Measurement (circle one) steel to ell depth: 80 Well grouted to a depth of asing length 60feet Screen do reen length: 20feet Screen do reen slot size: 01% 02 inches sc pe of completion (circle all applicable): Gr	Electric Gamma Ray Density Sonic Neutro Geotechnical Geological Investigation Grey Other (describe) water well construction, skip the remainder of the strial Public Supply Irrigation Fish Cult Valve Other (describe) or below (circle one) land surface Date measure lape electric tape air line other: of feet Type of grout (circle one): Near iameter: inches Type of screen Setting depth: From feet to	en Other:

F

-9

.

£

RECEIVED AUG 0 3 2005 BY: OLWR

K-106

.

Description of formations encountered must be provided for all

The sketch below only required for water wells



I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

BIAd Folzerald

024 7-22-05 Date

Print Name of Responsible Licensee and License No.

Sucel

Signature of Licensee

AUG 0 3 2005 BY: OLWR

	STATE W	ELL REPORT			
County Pike	Part 2 Pump Installer's Completion Report Mississippi Department of Environmental Quality Office of Land and Water Resources		For (For Office Use Only: Aquifer:	
Permit # Driller Flegera H hell Serve.			Aquifer:		
	P.O	P.O. Box 10631		- 101	
Date completed: 7-22-05		Jackson, MS 39289-0631 (601)961-5210		- 106	
Copy information from block on Part 1		(601)961-5210 (601)354-6938 (fax)			
This part of the report must be complete, report must be attached and both parts f	→ d by a licensed water wel iled with the Department	ll contractor or a licensed pump	p installer. A co	py of Part 1 of th	
report must be attached and both parts filed with the Department Well Owner Information		Well Location			
Owner Name: Mike Strunn. Mailing Address: Scoff Fur Rd		Latitude: Longitude: Method of Lat'Long (check one): Conventional Survey			
Charlance ms.		4 Sec 2 T/N R 7E			
City State	Zip Code	Distance Direction	Nearest 7	- Awa	
Telephone No. ()		1			
		2 Miles Noth	of Chutu	wc	
Pump Type Circle one			Power Type		
		Circle one			
Air Lift Jet	Submersible	Diesel Engine Gaso	line Engine	Natural Gas	
Bucket Piston	Turbine	Electric Motor Hand	d	Tractor PTO	
Centrifugal Rotary	Flowing Well			5	
Other (specify):	a a succession of the first state and the state of the state of the first state of the first state of the state	Horse Power Rating of Mote	or: <u>3</u>		
Date Pump Installed: 7-12-05,		Setting Depth: 50			
Rated Pump Capacity:	_Gallons Per Minute	Number of Stages:			
Pump Test Data		Mathod of M			
Date Well Tested:			leasuring Water Circle one	r Levei	
Static Water Level (A):Feet Below Land Surface		Air Line Electric Me	easuring Line	Steel Tape	
Pumping Water Level (B):Feet		Other (specify):		•	
Drawdown [(B) - (A)]: Feet					
est Pumping Rate: Gallons Per Minute		For flowing well, measured shut in head: feet			
		Well yielded GPM with a drawdown of			
Duration of Pump Test (minimum 4 hours):hours		feet afterhours of pumping			
HEREBY CERTIFY that the above statem	ients are true to the best c	of my knowledge,			
Print Name of Pump Installer and License N	024.	Broel Stread			
instance and License N	o. (it applicable)	Signature & Pump In	nstaller		

¥

a •

*

AUG 0 3 2005 BY: OLWR

્ર