State W	ell Report			
01-	Oriller's Log For Office Use Only:			
Mississinni Denartmen	t of Environmental Quality Aquifer:			
Permit #: Office of I and a	nd Water Resources Well #: L - 166			
Driller: Zitzgera d hell Server P.O. E. Jackson, M.	30X 10031			
	IS 39289-0631 L. S. Elevation:			
	961-5210 4-6938 (fax) E-log #:			
(001)33-	1-10g #.			
State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole.				
Information on Well Owner	Well or Borehole Location			
(Landowner if borehole is not for a water well)	2, 2 17 60 21 21			
Owner Name Ton Allen	Latitude: 31 · 3 · 51.7" Longitude: 90 · 26 · 2.6			
Mailing Address: Certerile Rd.	Method of Lat/Long (circle one): Conventional Survey,			
	USGS quad, Hand-held GPS, Survey-grade GPS			
	NE 1/2 5E 1/4 Sec / Twn / Rng 9 E			
City State Zip Code	Distance Direction Nearest TownMiles of			
Telephone No. ()				
Well / Bore	hole Data			
Date drilling started: 5-15 Date drilling completed: 5-15	Hole depth: 100 Hole diameter: 7"			
Location of the source of any surface water used for drilling: Method of dosing and volume of Chlorine used in drilling and devel				
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other:				
Purpose of borehole (check one): Water Well Geotechnical/Geole	ogical Investigation Ground Source Heat Pump			
Seismic Survey Other (describe)				
If drilling is not related to water well construction, skip the remainder of this block				
Purpose of Well (check one): HomeIndustrial Public Supply Irrigation Fish Culture Other:				
If a flowing well, method of flow regulation: Valve Other (describe)				
Static Water Level: 63feet above or below (circle one) land surface Date measured: 5-15-07/				
Method of Measurement (circle one) teel tape electric tape air line other:				
Well depth: 100 Well grouted to a depth of 10 feet Type of grout (circle one) Neat Cement Bentonite Mix				
Casing length:				
Screen length: Screen diameter: 4" inches Type of screen: PVC				
Screen slot size:inches	PS feet to 100 feet			
Type of completion (circle all applicable): ciravel packed Under	reamed Telescoped Open hole Natural Development			
Other (describe):				
Top of lap pipe or reduction in casing:feet. If tell	escoped or more than one screen, describe on next page			
	Form: OI WR-SWR-1A			



The sketch below only required for water wells	Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations		
f well telescopes, show depths on sketch.		CCC PICK OF TEE	HATTY IIS
Ground Level	Description of Formations Encountered		To (dept
		Ground Level	
	(luj	0	20
	Said	20	60
	gaver	60	80
	Curse Sand tyrne	80	70 c
		<u> </u>	
		 	<u> </u>
		<u> </u>	
			ļ
		 	ļ
			<u> </u>
		 	
		 	<u></u>
		 	
		 	
		 	
		 	
		 	
If more than one screen, show location of each on sketc		***************************************	
Centerulle Rd]		
		(d) L	- hel
tify that the well/borehole was drilled, constructed, and issippi Department of Environmental Quality and the	d completed in accordance with all applicable r	Form: OLWR-equirements of ti	SWR-1
	1	r applicable, and	state
al The all me -	a lat	D .	
un tresemb ord 2-	15-01 200 June	~	
Name of Responsible Licensee and License No.	,	DEC	- -
int Name of Responsible Licensee and License No.	1 . 1	Ø	

BY: OLWA

1477777

STATE WELL REPORT

County: _

Part 2

Pump Installer's Completion Report

For Office Use Only:		
Aqui	er;	
Well	#: L-166	
Eleva	tion:	

Driller: The second well server Office of Land and Water Resources P.O. Box 10631 Jackson, MS 39289-0631 (601)961-5210 (601)354-6938 (fax) This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part I of the		
report must be attached and both parts filed with the Department		
Well Owner Information	Well Location	
Owner Name: Tom Allen	Latitude: 31 03 515 Longitude: 90 26 2,6"	
Mailing Address: (enterville Ld.	Method of Lat/Long (check one): Conventional Survey,	
	USGS quad, Hand-held GPS, Survey-grade GPS	
City State Zip Code	¼ ¼ Sec T R	
	Distance Direction Nearest Town	
Telephone No. ()	Miles of	
Pump Type Circle one	Power Type	
	Circle one	
Air Lift Jet Submersible	Diesel Engine Gasoline Engine Natural Gas	
Bucket Piston Turbine	Electric Motor Hand Tractor PTO	
Centrifugal Rotary Flowing Well	Windmill Other (specify):	
Other (specify):	Horse Power Rating of Motor:	
Date Pump Installed: 5-(5-0)	Setting Depth: 93 feet	
Rated Pump Capacity: 20 Gallons Per Minute	Number of Stages:	
Pump Test Data	Method of Measuring Water Level	
Date Well Tested:	Circle one	
Static Water Level (A):Feet Below Land Surface	Air Line Electric Measuring Line Steel Tape	
	Other (specify):	
Pumping Water Level (B):Feet Below Land Surface		
Orawdown [(B) - (A)]:Feet Below Land Surface	For flowing well, measured shut in head:feet	
Test Pumping Rate:Gallons Per Minute	Well yieldedGPM with a drawdown of	
Duration of Pump Test (minimum 4 hours):hours	feet afterhours of pumping	
HEREBY CERTIFY that the above statements are true to the best Brand Figural CP4 Print Name of Pump Installer and License No. (if applicable)		

RECEIVED

MAY 2 9 2007

BY: OLWR