State We	ell Report For Office Use Only:		
	riller's Log		
Mississippi Department	of Environmental Quality Aquifer:		
Permit #: Office of Land an	d Water Resources lox 2307 Well #: L 234		
	M6 20225		
(601)9	61- 5210		
(601)961-	- 5228 (fax) E-log #:		
State Law requires that this report be prepared by the license holder responsi le for the work and filed with the			
Department at the above address within 30 days of compl	etion of drilling of the well or borehole.		
Information on Well Owner	Well or Borehole Location		
(Landowner if borehole is not for a water well)	Latitude: 31°0 , 6 Longitude: 70°20, 45 "		
Owner Name RAy Quin	00 06		
	Method of Lat/Long (circle one): Conventional Survey,		
Mailing Address: 1835 STATE/ins Kd	USGS quad, H: nd-held GPS, Survey-grade GPS		
	_		
On the ME	<u>SE 1/4 SE 1/4 Sec 36 Twn IN Rng 8E</u>		
City State Zip Code	Distance Direction Nearest Town		
	Milesof		
Telephone No. ()			
Weil / Boret	iole Data		
- Internet to the	The Hale diameter 7/2-		
Date drilling started $\frac{3}{9}/12$ Date drilling completed: $\frac{3}{9}/12$	Hole depth: //// Hole diameter//		
Location of the source of any surface water used for drilling:	otAB/e Upter		
Method of dosing and volume of Chlorine used in drilling and develo	ppment:		
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other:			
Purpose of borehole (check one): Water Well L Geotechnical/Geological Investigation Ground Source Heat Pump			
Seismic SurveyOther (describe) 	skin the remainder of this black		
If ariting is not retined to water well construction	, skip ine remanuer (runs obeck		
Purpose of Well (check one): Home <i>L</i> Industrial Public Supply	Irrigation Fish Culture Other:		
If a flowing well, method of flow regulation: Valve Ot	her (describe)		
	-lee les		
Static Water Level: 60 feet above or below (circle one) land surface Date measured: $5/4/2$			
Method of Measurement (circle one) steel tape electric tape air line othe ::			
Well depth: $/\ell^{\circ} \mathcal{O}$ Well grouted to a depth of $/\ell'$ feet Type of grout (circle one): N eat Cement Bentonite Mix			
Casing length: \mathcal{PL} feet Casing diameter: \mathcal{H} inches Type of c ising: \mathcal{PVC} Screen length: \mathcal{PV} feet Screen diameter: \mathcal{H} inches Type of si reen: \mathcal{PVC}			
Screen length: /// feet Screen diameter: // inches Type of screen: ///			
Screen slot size: $\frac{C}{C}$ inches Setting depth: From $\frac{Q}{2} - \frac{C}{2}$ freet to			
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development			
Other (describe):			
Top of lap pipe or reduction in casing:feet. If tel	escoped or more than me screen, describe on next page		
· · · · · · · · · · · · · · · · · · ·	Form: OLWR-SWR-1A (04/08		
	RECEIVE		

.

A

MAY 2 4 2012

BY: OLWR

The sketch below only required for water wells

If well defenses at the second	<u>wells and bore</u>
If well telescopes, show depths on sketch. Ground Level	Description of Fo
	-
	5
	· · · · · · · · · · · · · · · · · · ·

Description of form tions encountered must be provided for all choles unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
	Ground Level	
Telsoit	$\square O$	1
		1
SAndy Chy SANd	1	60
7, -, +9		
SAND	60	90
	1	
······································		+
		+
······		
		ļ
· · · · · · · · · · · · · · · · · · ·	1	
	1	1
		1
· · · · · · · · · · · · · · · · · · ·		+
		1

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location; 2) any perm aid in locating the well; 3) any roads, power lines, or other items that ma 4) a north arrow.	aner t structures on the property that may y aic in locating the property and the well;
Æ	Progross
K Setting	
Stateline Ro	WAShington PArish
Landowner Name: RAY Quinn	Form: OLWR-SWR-1A (04/08)

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

laws. Willie Tordan 0-508 SA/12 Print Name of Responsible Licensee and License No. Date

Me Ì Signature of Licensee

RECEIVED

MAY 2 4 2012 BY: OLWR

\bigcirc	STATE WELL REPOR'[
Driller: <u>11/1:4</u> -Jerce 4nd Date completed: <u>5/9/12-</u> <u>Copy information from block on Part 1</u> This part of the report must be completed by	i i i i i i i i i i i i i i i i i i i	<i>) days of well completion.</i> Vell Location
Owner Name: RAL BUINN Mailing Address: 183.5 Statet Osypha, MS City State Telephone No. (Ime Ime Method of Lat/Long (check USGS quad, Hand-he 14 14 14 14 14 14 14 15 Zip Code Distance Direction 14 16	of Osyika MS.
Bucket Piston To Centrifugal Rotary F Other (specify): Date Pump Installed: <u>5/9/12</u>	ubmersible Diesel Engine Gase urbine Electric Motor Han Vlowing Well Windmill Oth Horse Power Rating of Mo	er (specify): tor:/z / []feet
Pump Test Data Date Well Tested: 5/9/12 Static Water Level (A): 60° Feet Bel Feet Bel Drawdown [(B) – (A)]: Feet Bel Test Pumping Rate: 10° Gate Duration of Pump Test (minimum 4 hours): Gate	Air Line Electric M Air Line Electric M Other (specify): clow Land Surface For flowing well, rr easured allons Per Minute Well yielded	d shut in head:feet GPM with a drawdown of
I HEREBY CERTIFY that the above statemen $W'_i/i_i \in \underline{\neg}_{or} \underbrace{A}_{A} \underbrace{O}_{Print Name of Pump Installer and License No.}$	-508	Form: OLWR-SWR-1B (04/08)

.