	Vell Report  For Office Use Only:			
	1 Dowl Dwillow's Los			
Mississippi Departme	Mississippi Department of Environmental Quality Office of Land and Water Resources  Aquifer: V 139			
TAMES 1.15/15 P.O	P.O. Box 2309 Well #:			
	n, MS 39225 )961- 5210 L. S. Elevation:			
	61- 5228 (fax) E-log #:			
State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole.				
Information on Well Owner	Well or Borehole Location			
(Landowner if borehole is not for a water well)	Latitude: 31 .04 .19 " Longitud 10 18 , 44"			
Owner Name Dames Long				
Mailing Address: 2080 Hwy 575N	Method of Lat/Long (circle one): Conventional Survey,  USGS quad, Hand-held GPS, Survey-grade GPS			
	NE 14 NE 14 Sec 8 Twn IN Rng 9E			
1/1/29/18/12: 11/3 0/600				
•	Distance Direction Nearest Town  15 Miles E of Magnolia			
Telephone No. ([601) 810 - 8003				
Well / Borehole Data				
Date drilling started: 7-12-10 Date drilling completed: 7-12-10 Hole depth: 110 Hole diameter: 71/2"				
Location of the source of any surface water used for drilling:  Method of dosing and volume of Chlorine used in drilling and development:  5hack				
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other:  Name of organization running log(s):				
Purpose of borehole (check one): Water Well Geotechnical/Geological Investigation Ground Source Heat Pump				
Seismic Survey Other (describe)  If drilling is not related to water well construction, skip the remainder of this block				
Purpose of Well (check one): Home Industrial Public Supply Irrigation Fish Culture Other:				
If a flowing well, method of flow regulation: Valve Other (describe)				
Static Water Level: 70 feet above or below (circle one) land surface Date measured: 7-12-10				
Method of Measurement (circle one) steel tape electric tape air line other:				
Well depth: 110 Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cement Bentonite Mix				
Casing length: 90 feet Casing diameter: 4 inches Type of casing: 600				
Screen length: 20 feet Screen diameter: 4 inches Type of screen: 6 V C				
Screen slot size:				
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development				
Other (describe):				
Top of lap pipe or reduction in casing:feet. If telescoped or more than one screen, describe on next page				

orm: OLWR-SWR-1A (04/08)

RECEIVED

AUG 1 2 2010

BY: OLWR

II HOLL COLOSSOPES PROMISE			
Ground Level			
	·		

	From	To
Description of Formations Encountered		استنا
topsoil  sand +growe	0	
dort_		60
Sand tarave	60	110
3-1		
		-
		+
		l
	_	
		1
		1
		+
		+
	_	
		+
		l

If more than one screen, show location of each on sketch

	Hwy 48			
dia —	mwy I.	3		
	•	Hey		
			Dudley Ri	ms Rd
			Sharey 11	
		·· •	χ	
			~	

Wells

Signature of Water Well Contractor

RECEIVED

AUG 1 2 2010

BY: OLWR

## STATE WELL REPORT

Part 2

Pump Installer's Completion Report

Mississippi Department of Environmental Quality

Office of Land and Water Resources

P.O. Box 10631

Jackson, MS 39289-0631

(601)961-5210

(601)354-6938 (fax)

For Office Use Only:	
Aquifer:	M139
Well#:	
Elevation:	

Date completed: This report should be prepared by the pump installer in detail and filed with the Department within 36 days of the installation of pump. Well Location Well Owner Information Longitude: Latitude:\_ Owner Name: Method of Lat/Long (circle one): Conventional Survey, Mailing Address: USGS quad, Hand-held GPS, Survey-grade GPS Twn IN Rng 9E Nearest Town Direction Distance Telephone No. (601) 810 - 822 Power Type Pump Type Circle one Circle one Natural Gas Gasoline Engine Diesel Engine differsible **Jet** Air Lift Tractor PTO Hand Electric Motor Turbine Bucket Piston Other (specify): \_ Windmill Flowing Well Rotary Centrifugal Horse Power Rating of Motor: Other (specify): 7-12-10 feet Setting Depth: Date Pump Installed: \_ Number of Stages: Gallons Per Minute Rated Pump Capacity: Method of Measuring Water Level Pump Test Data Circle one Date Well Tested: Electric Measuring Line Air Line Feet Below Land Surface Static Water Level (A): Other (specify): Feet Below Land Surface Pumping Water Level (B): For flowing well, measured shut in head: \_\_ Feet Below Land Surface Drawdown [(B) - (A)]: GPM with a drawdown of Well yielded Gallons Per Minute Test Pumping Rate: hours of pumping Duration of Pump Test (minimum 4 hours): \_

I HEREBY CERTIFY that the above statements are true to the best of my knowledge.

JAMES WELLS 0-586

Print Name of Pump Installer and License No. (if applicable)

Signature of Pump Installer

RECEIVED

AUG 1 2 2010

BY: OLWR