

County: PONTOTOC  
 Permit #: 7AS-EN-16119  
 Driller: PARKS PARKS WELL SERVICE INC.  
 Date drilling completed: JAN 3, 2005

**Well Driller Report and Well Log**

Mississippi Department of Environmental Quality  
 Office of Land and Water Resources  
 P.O. Box 10631  
 Jackson, MS 39289-0631  
 (601)961-5210  
 (601)354-6938 (fax)

For Office Use Only:  
 Aquifer: \_\_\_\_\_  
 Well #: H-29  
 L. S. Elevation: \_\_\_\_\_  
 E-log #: \_\_\_\_\_

State Law requires that this report be prepared by the driller in detail and filed with the Department within 30 days of completion of drilling of the well.

Well Owner Information	Well Location
Owner Name: <u>GOLDLEAF FARM</u>	Latitude: _____ Longitude: _____
Mailing Address: <u>6105 MEMORIAL HWY</u> <u>SUITE C</u>	Method of Lat/Long (circle one): Conventional Survey, USGS quad, Hand-held GPS, Survey-grade GPS
<u>TAMPA</u> FL <u>33615-4557</u>	<u>NE 1/4 SW 1/4 Sec 19</u> Twn <u>10S</u> Rng <u>4E</u>
City State Zip Code	Distance Direction Nearest Town
Telephone No. <u>(813) 889-7979</u>	<u>5</u> Miles <u>SW</u> of <u>PONTOTOC</u>

**Well Data**

Purpose of Well (circle one) Home Industrial Public Supply Irrigation Fish Culture Other: \_\_\_\_\_

Date well drilling started: November 13, 2004 Date well drilling completed: December 27, 2004

If flowing, method of flow regulation: Valve \_\_\_\_\_ Other (describe) \_\_\_\_\_

Static Water Level: 173 feet above of below (circle one) land surface Date measured: 12/27/2004

Method of Measurement (circle one) steel tape electric tape air line other: \_\_\_\_\_

Hole depth: 794 Well depth: 780 Well grouted to a depth of 50<sup>ft</sup> feet  
by Jimmy

Type of grout (circle one): Cement Bentonite Mix

Casing length: 624 feet Casing diameter: 6 inches Type of casing: STEEL

Screen length: 80 feet Screen diameter: 5" inches Type of screen: STAINLESS

Screen slot size: .012 inches Setting depth: From 700 feet to 780 feet

Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development  
Other (describe): \_\_\_\_\_

Top of lap pipe or reduction in casing: 550 feet. If telescoped or more than one screen, describe on back of page

Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other: \_\_\_\_\_

Name of organization running log(s): \_\_\_\_\_

I certify that the well was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and/or the Mississippi Department of Health regulations and state laws.

Rayburn Parks 0-414 Rayburn Parks  
 Print Name of Water Well Contractor and License No. Signature of Water Well Contractor

RECEIVED  
 JAN 28 2005  
 BY: OLWF

If well telescopes please sketch below and show depths.



**STATE WELL REPORT**

**Part 2  
Pump Installer's Completion Report**

County: PONTOTOC  
 Permit #: \_\_\_\_\_  
 Driller: PARKS + PARKS WELL SERVICE INC.  
 Date completed: JAN 3, 2005

Mississippi Department of Environmental Quality  
 Office of Land and Water Resources  
 P.O. Box 10631  
 Jackson, MS 39289-0631  
 (601)961-5210  
 (601)354-6938 (fax)

**For Office Use Only:**

Aquifer: \_\_\_\_\_  
 Well #: H-29  
 Elevation: \_\_\_\_\_

**This report must be prepared by the pump installer in detail and filed with the Department within 30 days of the installation of pump. A copy of Part 1 of this report must be attached to this report.**

Well Owner Information	Well Location
Owner Name: <u>GOLDLEAF FARMS</u>	Latitude: _____ Longitude: _____
Mailing Address: <u>6105 MEMORIAL HWY SUITE C</u>	Method of Lat/Long (circle one): Conventional Survey, USGS quad, Hand-held GPS, Survey-grade GPS
<u>TAMPA, FLORIDA 33615</u>	<u>NE 1/4 SW 1/4 Sec 19 Twn 10 S Rng 4 E</u>
City State Zip Code	Distance Direction Nearest Town
Telephone No. <u>(813) 889-7979</u>	<u>3 1/2 Miles SE of PONTOTOC, MS</u>

Pump Type Circle one	Power Type Circle one
Air Lift Jet <u>Submersible</u>	Diesel Engine Gasoline Engine Natural Gas
Bucket Piston Turbine <u>Electric Motor</u>	Hand Tractor PTO
Centrifugal Rotary Flowing Well	Windmill Other (specify): _____
Other (specify): _____	Horse Power Rating of Motor: <u>20</u>
Date Pump Installed: <u>Dec 28, 2004</u>	Setting Depth: <u>315</u> feet
Rated Pump Capacity: <u>125</u> Gallons Per Minute	Number of Stages: <u>11</u>

**RECEIVED**  
**JAN 28 2005**  
**BY: OLWR**

Pump Test Data	Method of Measuring Water Level Circle one
Date Well Tested: <u>JAN 3, 2005</u>	Air Line <u>Electric Measuring Line</u> Steel Tape
Static Water Level (A): <u>173.45</u> Feet Below Land Surface	Other (specify): _____
Pumping Water Level (B): <u>249.85</u> Feet Below Land Surface	For flowing well, measured shut in head: _____ feet
Drawdown [(B) - (A)]: <u>76.40</u> Feet Below Land Surface	Well yielded <u>150</u> GPM with a drawdown of
Test Pumping Rate: <u>1.50</u> Gallons Per Minute	<u>76.40</u> feet after <u>4</u> hours of pumping
Duration of Pump Test (minimum 4 hours): <u>4</u> hours	

I HEREBY CERTIFY that the above statements are true to the best of my knowledge.

Rayburn Parks 0-414 Print Name of Pump Installer and License No. (if applicable)      Rayburn Parks Signature of Pump Installer