	•
County: PONTOTOC	
Permit#: 1975 616-16442-	Miss
Driller: PARKS + PARKS	
Date drilling completed: 9/29/09	=
State Law requires that this repor Department at the above address	t be pr within
Information on Well ((Landowner if borehole is not fo)wner
Owner Name Alanma III	or a wat

State Well Report

Part 1 - Driller's Log

Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 2307
Jackson, MS 39225

Jackson, MS 39225 (601)961- 5210 (601)961- 5228 (fax)

epared by the license holder responsible for the work and filed with the 30 days of completion of drilling of the well or borehole. Well or Borehole Location Latitude: 34° CS'(1" Longitude: 51°CC' 12" Method of Lat/Long (circle one): Conventional Survey, Mailing Address: USGS quad, Hand-held GPS, Survey-grade GPS goma, MS 38820 SE 1/4 SE 1/4 Sec 8 Twn 115 Rng 35 State Zip Code 6/2 Miles 5 Telephone No. (662) 489-835/ Well / Borehole Data Date drilling started: 6/15/09 Date drilling completed: 9/25/69 Hole depth: 1/52 Hole diameter: 1348 Location of the source of any surface water used for drilling: Method of dosing and volume of Chlorine used in drilling and development: 5PPM Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other: Name of organization running log(s): Purpose of borehole (check one): Water Well Geotechnical/Geological Investigation Ground Source Heat Pump Seismic Survey___ Other (describe) If drilling is not related to water well construction, skip the remainder of this block Purpose of Well (check one): Home ___ Industrial__ Public Supply / Irrigation__ Fish Culture ___ Other: If a flowing well, method of flow regulation: Valve ____ Other (describe) Static Water Level: 309.5 feet above or below (circle one) land surface Date measured: Method of Measurement (circle one) steel tape electric tape air line Well depth: 152 Well grouted to a depth of 1065 feet Type of grout (circle one) Neat Cement Bentonite Casing length: 1065 feet Casing diameter: /)_ Type of casing: inches Screen length: **20** feet Screen diameter: inches Type of screen: Slawless Screen slot size: _______ inches Setting depth: From 1072 feet to 1152 Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development

Other (describe):

Top of lap pipe or reduction in casing: 10/2 feet. If telescoped or more than one screen, describe on next page

Form: OLWR-SWR-1A (04/08)



The sketch below only required for water wells

<u>Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations</u>

If well telescopes, show depths on sketch.

Ground Level	7
1	12" Casing
	Cement
3	
} }	
	Top of IAP
	•
	90'-55 school Gravel pack
	gravel pack
※ 国 ※	
ii more marrone screen, s	show location of each on sketch

Description of Formations Encountered	From (depth)	To (depth)
	Ground Level	
SAND + CHAM COURSE SAND	0	182
COURSE SAND	132	213
CAU	223	431
white clay/shell	487	931
White Clay/Shell SAND + Shell	93/	1,060
SAND	6060	1160
	1	
	<u></u>	

Sketch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) a north arrow.

New well

Alternative

New Westland

New Westland

Form: OLWENWEIA (04/08)

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

Print Name of Responsible Licensee and License No.

Data

Signature of Licensee

Service Servic

OCT 2 7 2009

STATE WELL REPORT

County: PONTOTOC Permit #: Date completed: _9

Part 2

Pump Installer's Completion Report Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 2309

Jackson, MS 39225 (601)961-5210

For Office Use Only:		
Aquifer:		
Well #: _	6-52	
Elevation:		

Copy information from block on Part 1	(601)961-5228 (fax)	
This part of the report must be completed by a licensed was report must be attached and both parts filed with the Depa	ter well contractor or a licensed pump installer. A copy of Part 1 of the rtment at the above address within 30 days of well completion.	
Well Owner Information	Well Location	
Owner Name: Algoma Waten Ass	Latitude: Longitude:	
Mailing Address: P.O. Box 123	Method of Lat/Long (check one): Conventional Survey,	
AlgomA, MS 38820	USGS quad, Hand-held GPS, Survey-grade GPS	
City State Zip Code	Distance Direction Nearest Town	
Telephone No. (641) 489 - 8351	6/2 Miles _ S of PONTOTOC	
Pump Type Circle one	Power Type Circle one	
Air Lift Jet Submersible	Diesel Engine Gasoline Engine Natural Gas	
Bucket Piston Turbine	Electric Motor Hand Tractor PTO	
Centrifugal Rotary Flowing Well	Windmill Other (specify):	
Other (specify):	Horse Power Rating of Motor:	
Date Pump Installed: 16/7/09	Setting Depth:feet	
Rated Pump Capacity: 400 Gallons Per Minu	nte Number of Stages: / 8	
Pump Test Data	Method of Measuring Water Level	
Date Well Tested:	Circle one Air Line Electric Measuring Line Steel Tape	
Static Water Level (A): 3095 Feet Below Land Surfa	Air Line Electric Measuring Line Steel Tape Other (specify):	
Pumping Water Level (B), 409 Feet Below Land Surface	ce (specify).	
Drawdown [(B) - (A)]: 100 Feet Below Land Surfa		
est Pumping Rate: 490 Gallons Per Minute Well yielded 400 GPM with a drawdown of		
Duration of Pump Test (minimum 4 hours): hours feet after hours of pumping		

I HEREBY CERTIFY that the above statements are true to the best of my knowledge Print Name of Pump Installer and License No. (if applicable) Signature of Pump Installer

Form: OLWR-SWR-1B (04/08)