State W	ell Report For Office Use Only:		
County: Quitman Part 1 - D	riller's Log		
County: Mississippi Department	of Environmental Quality Aquifer:		
Permit #: OSO Office of Land a	nd Water Resources		
1 / 1 11 Vo.4 /	100X 10031		
i automini	[S 39289-0631 L. S. Elevation:		
	961-5210 4-6938 (fax) E-log#:		
(601)334	4-6938 (fax) E-log #:		
State Law requires that this report be prepared by the lice	ense holder responsible for the work and filed with the		
Department at the above address within 30 days of comp	letion of drilling of the well or borehote. Well or Borehole Location		
Information on Well Owner			
(Landowner if borehole is not for a water well)	Latitude: 34 ° 15 '50" Longitude: 90 ° 21', 14"		
Owner Name Denton Farms	i i		
	Method of Lat/Long (circle one): Conventional Survey,		
Mailing Address: Drawer 200	USGS quad, Hand-held GPS, Survey-grade GPS		
na .1. mac 286416			
marks, ms 38646	1 My NEw Sea 25 Twn 29 N Rng 2 W		
	36		
City State Zip Code	Distance Direction Nearest Town		
·	Miles WST of Marks, MI		
Telephone No. (662) 902 - 3441			
Well/Bore	shole Data		
	•		
Date drilling started: 7 188607 Date drilling completed: 141	<u>07</u> Hole depth: <u>135</u> Hole diameter: <u>16</u>		
·	Lake		
Location of the source of any surface water used for drilling: Method of dosing and volume of Chlorine used in drilling and deve	lopment:		
Method of doshig and volune of Chorne account ariting and of			
Logs run (circle all applicable): Na log run Electric Gamma Ray	Density Sonic Neutron Other:		
Name of organization running log(s):			
Purpose of borehole (check one): Water Well Geotechnical/Geo	logical Investigation Ground Source Heat Pump		
1			
Seismic Survey Other (describe)			
Purpose of Well (check one): Home Industrial Public Supply Irrigation Fish Culture Other:			
If a flowing well, method of flow regulation: Valve Other (describe)			
Static Water Level: 28 feet above or select (circle one) land surface Date measured: 7/28/07			
Method of Measurement (circle one) (seel tape electric tape air line other:			
Well depth: 135 Well grouted to a depth of All feet Type of grout (circle one): Neat Cement Bentonite Mix			
Casing length:			
Screen length: 40 feet Screen diameter: 10 inches Type of screen: PUC			
Screen slot size: OSCinches Setting depth: Fromfeet tofeet			
Type of completion (circle all applicable): Chavel packed Underreamed Telescoped Open hole Natural Development			

Other (describe):

Top of lap pipe or reduction in casing:

Form: OLWR-SWR-1A

feet. If telescoped or more than one screen, describe on next page

The sketch below only required for water wells

If well telescopes, show depths on sketch.

	Gro	und Level	
125(
135'			
40' Screen)		
Screen			

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
	Ground Level	
Gembo/Clay	Ο	18
Fine Sand	19	43
Gumba / Clay	44	46
Fine Sand.	47	55
Coarse Sand	56	75
Coarse Sand + Gravel	76	135

If more than one screen, show location of each on sketch

ketch the property layout and incl aid in locating the we 4) a north arrow.	ude the following: 1) the well location; 2) at 1l; 3) any roads, power lines, or other items	ny permanent structures on the property that may that may aid in locating the property and the well;
	•	
Marksms	Hwy 6	Clarkedale
·	lwell	, -
andowner Name:		

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

Joel Jumper 0368 7-28-07

Print Name of Responsible Licensee and License No.

RECEIVED

AUG 28 2007

BY: OLWR

6W42124 STATE WE	ELL REPORT	
County: Ocitman Permit #: 0368 Driller: Will Young Date completed: 7/28/07 Copy information from block on Part 1 This part of the report must be completed by a licensed water well report must be attached and both parts filed with the Department a Well Owner Information Owner Name: Deuten Farms Mailing Address: Deuten Farms	Latitude: 34° 15, 50 Longitude: 90° 21, 14 Method of Lat/Long (check one): Conventional Survey,	
Drawer 200 Marks, MS 38646 City State Zip Code Telephone No. (662) 902 - 3441	USGS quad, Hand-held GPS, Survey-grade GPS 1/4 1/4 Sec T R Distance Direction Nearest Town Miles C to Maxks_, MS	
Pump Type Circle one	Power Type Circle one	
Air Lift Jet Submersible	Diesel Engine Gasoline Engine Natural Gas	
Bucket Piston Turbine	Electric Motor Hand Tractor PTO	
Centrifugal Rotary Flowing Well	Windmill Other (specify):	
Other (specify):	Horse Power Rating of Motor: 40	
Date Pump Installed:	Setting Depth: 60 feet Number of Stages: 2	
Pump Test Data Date Well Tested: Static Water Level (A): Pump Test Data Feet Below Land Surface Pumping Water Level (B): Pump Test Data Feet Below Land Surface	Method of Measuring Water Level Circle one Air Line Electric Measuring Line Seel Tape Other (specify):	
Drawdown [(B) – (A)]: Feet Below Land Surface	For flowing well, measured shut in head:feet	
Test Pumping Rate:Gallons Per Minute Duration of Pump Test (minimum 4 hours):hours	Well yieldedGPM with a drawdown ofhours of pumping	
I HEREBY CERTIFY that the above statements are true to the best of my knowledge. Told June 0368 March 1968 Print Name of Pump Installer and License No. (if applicable) Signature of Pump Installer		

Form: OLWREYCE VED