County: Quitman	
Permit #: 6W 41356	
Driller: PSTS WK/1DRIlle	1
Date drilling completed: 9-30-06	Þ

## Well Driller Report and Well Log

Mississippi Department of Environmental Quality
Office of Land and Water Resources P.O. Box 10631 Jackson, MS 39289-0631 (601)961-5210 (601)354-6938 (fax)

For Office Use Only:	
Aquifer:	
Well #: <b>E</b> -68	
L. S. Elevation:	
E-log#:	

30 days of completion of drilling of the well.	driver in detail and theo with the Department within	
Well Owner Information	Well Location	
Owner Name BOR CKRSIER	Latitude: 34 ° 17 '936" Longitude: 90 ° 17 ' 393"	
Mailing Address: GOI RIUERSIAE	Method of Lat/Long (circle one): Conventional Survey,	
DRIVE	USGS quad, Mand-held GPS, Survey-grade GPS	
Mnrks ms 38646 City State Zip Code	NE 14 SEN Sec 15 Twn 28N Rng 1W	
Telephone No. (662) 326-7217	Distance Direction Nearest Town  Miles of	
Well	Data	
Well was a second of the secon	Data >	
Purpose of Well (circle one) Home Industrial Public Supply		
Date well drilling started: 9-30-06 Da	te well drilling completed: 9-30-06	
If flowing, method of flow regulation: Valve Other	ar (describe)	
Static Water Level:feet above or below (sircle or	ne) land surface Date measured: 9-30-06	
Method of Measurement (circle one) steel tape electric to	ape air line other:	
Hole depth: 100 Well depth: 100	Well grouted to a depth of feet	
Type of grout (circle one): Cement Bentonite Mix		
Casing length: 6 to feet Casing diameter: 16	inches Type of casing:	
Screen length: 40 feet Screen diameter: 16	inches Type of screen:	
Screen slot size: 050 inches Setting depth: From 6 feet to 6 feet		
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development		
Other (describe):		
Top of lap pipe or reduction in casing:feet. If telescoped or more than one screen, describe on back of page		
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other:		
Name of organization running log(s):  I certify that the well was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of		
Environmental Quality and/or the Mississippi Department of Health regulations and state laws.		
Fetz Wall Drilling	Let Sea BECEIVED	
Print Name of Water Well Contractor and License No.	Signature of Water Well Contractor 3 2006	

If well telescopes please sketch below and show depths.

BY: OLWE

Ground Level 6041	356	Description of Formations Encountered	From	To
		Clay	0	20
		LINK Shind	20	
		COIRSE SANDAGERAUM	110	100
			70	1
				1
				1
			<u> </u>	<del> </del>
	1		l	<del>                                     </del>
			<del> </del>	<del> </del>
			<del> </del>	<del>                                     </del>
			<del> </del>	<del> </del>
			<del> </del>	<del> </del>
			ļ	ļ
			<u> </u>	<u> </u>
			ļ	ļ
				<u> </u>
			<u></u>	<u> </u>

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well;		
4) indicate direction.		H <sub>3</sub> <sup>4</sup> 1N
	Bearlake	
	MPP /2 military 3	
	well and	Coldwater
		ą
		•
		Marks
Landowner Name: BOB CAR	15R	_

Signature of Water Well Contractor

RECEIVED

OCT 2 3 2006

BY: OLWF

## STATE WELL REPORT

## Part 2

## **Pump Installer's Completion Report**

Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 10631 Jackson, MS 39289-0631

For Office Use Only: Aquifer: Well #: Blevation:

	701-0210 1 £030 (5)
	i-6938 (fax) detail and fileti with the Department within 30 days of the
installation of pump. A copy of Part 1 of this report mu	
Well Owner Information	Well Location
Owner Name: BOB CHARR	Latitude: 34°17'936" Longitude: 90°/7'393"
$\alpha \in I(D)$	
Mailing Address: 90/RIDRASIds	Method of Lat/Long (circle one): Conventional Survey,
DRI'VIE	USGS quad, Hand-held GPS, Survey-grade GPS
Marils Ms 38646 City State Zip Code	
City State Zip Code	Distance Direction Nearest Town
Telephone No. (162) 326 7217	2 Miles NNW of Marks
Pump Type	Power Type
Circle one	Circle one
Air Lift Jet Submersible	Diesel Engine Gasoline Engine Natural Gas
Bucket Piston Turbine /2"	Electric Motor Hand Tractor PTO
Centrifugal Rotary Flowing Well.	Windmill Other (specify):
Other (specify):	Horse Power Rating of Motor:
Date Pump Installed: 9-30-06	Setting Depth: 60 feet
Rated Pump Capacity: 2500 Gallons Per Minute	Number of Stages:
Pump Test Data	Method of Measuring Water Level
-	Circle one
Date Well Tested: No feet	
Date Well Tested.	Air Line Electric Measuring Line Steel Tape
Static Water Level (A):Feet Below Land Surface	
Pumping Water Level (B):Feet Below Land Surface	Other (specify):
Drawdown [(B) – (A)]:Feet Below Land Surface	For flowing well, measured shut in head:feet
Test Pumping Rate: Gallons Per Minute	Well yieldedGPM with a drawdown of
Duration of Pump Test (minimum 4 hours):hours	feet afterhours of pumping

I HEREBY CERTIFY that the above statements are true to the best of my knowledge. OCT 2 3 2006 BY: OLWR Y575 W M DRILLING & Tung REPRIE Signature of Pump Installer