State	Well Report For Office Use Only:			
County Quitman Part I	- Driller's Log			
	tment of Environmental Quality Aquifer.			
Terrore and the second	P.O. Box 2309 Well # J91			
	kson, MS 39225 L. S. Elevation			
	1001)901-5210 10064 = 1320 (fee)			
	1:-105 #:			
State Law requires that this report be prepared by the Department at the above address within 30 days of c	e license holder responsible for the work and filed with the			
Department at the above address within 50 days of a	Well or Borehole Location			
(Landowner if borehole is not for a water well)	Latitude: 34 • 10 • 52" Longitude: 90 • 09 - 09			
Owner Name M + H Farms	Latitude: 391° 10 '5 22" Longitude: 70° 07			
Mailing Address: 234 Pope Crowder R	Method of Lat/Long (circle one): Conventional Survey.			
Wanting Address. 0.31 1000 0.0001	(1505 quad Franchicid Or 5) 501 vey grade (1777)			
<u> </u>	NW SW & Sec 25 Twn 27 Rng OIE			
Enid Ms 38927 City State Zip Code	Distance Direction Nearest Town Miles NW of Crowder			
Telephone No. ()				
Well / F	orchole Data			
Date drilling started: Date drilling completed:	-7-14Hole depth: 110 Hole diameter: 2lein			
Location of the source of any surface water used for drilling: Wears — Well Method of dosing and volume of Chlorine used in drilling and development:				
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other: Name of organization running log(s):				
Purpose of borehole (check one): Water Well V Geotechnical/Geological Investigation Ground Source Heat Pump				
Seismic Survey Other (descri	ibe)			
If drilling is not related to water well construction, skip the remainder of this block				
Purpose of Well (check one): Home Industrial Public Supply Irrigation Fish Culture Other:				
If a flowing well method of flow regulation: Valve Other (describe)				
Static Water Level: 5 feet above of below circle one) land surface Date measured: 7-7-14				
Method of Measurement (circle one) steel tape electric tape air line other:				
Well depth: 110 Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cement Gentonite Mix				
Casing length: 70 feet Casing diameter: 10 inches Type of casing: PUC				
Screen length: 40 feet Screen diameter: 10 inches Type of screen: PUC				
Screen slot size: 0.50 inches Setting depth: From 0 feet to 50 feet				
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development				
Other (describe):				
Top of lap pipe or reduction in casing:feet. If telescoped or more than one screen, describe on next page				

Form: OLWR-SWR-1A (04/08)

RECEIVED

JUL 22 2014



The sketch below only required for water wells

If wall talascones show denths on sketch.

<u>II wen iei</u> Grout	escopes, snow aep	ms on sacien.
Ground Level		
	10	
	30	
	20	
	20	
sur	30/	
)	30	

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
Gumbo	Ground Level	20
Gumbo	3-0	1 40
(ourse sanch	40	leo
gar	Les	80
arel	80	100
While!	100	110
3		
	<u> </u>	<u> </u>
	ļ	
	 	
	 	
	 	
		 '
	 	
	 	
	L	

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location; 2) any permanent structs aid in locating the well; 3) any roads, power lines, or other items that may aid in location 4) a north arrow.	ures on the property that may ting the property and the well;
Mw	
well	
crowder	
Landowner Name: M + H Farms	Form: OLWR-SWR-1A (04/08)

I certify that the well/borehole was drilled, constructed, and comp	leted in accordance with all applicable requirements of the
Mississippi Department of Environmental Quality and the Missis	sippi Department of Health regulations, if applicable, and state

Print Name of Responsible Licensee and License No.

Date

STATE WELL REPORT Part 2 For Office Use Only: Pump Installer's Completion Report GW. 48297 Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 2309 Date completed: Jackson, MS 39225-2309 Copy information from block on Part 1 (601)961-5210 (601) 360-0535 (fax) This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part I of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion. Well Owner Information · Well Location Latitude: 34°/0.52" Longitude: 90°09. 09" Method of Lat/Long (check one); Conventional Survey. USGS quad_____, Hand-held GPS____, Survey-grade GPS_ NW 14 SW 14. Sec 25 T 27N R DIE Pump Type (circle one) Submersible (Turbing Air Lift Centrifugal Flowing Well Jet Piston Rotary Other (describe): Rated Pump Capacity: ____ /600 Gallons Per Minute Date Pump Installed: Is This Pump (circle one): Repaired Replacement Power Type (circle one) Electric Diesel Gasoline Natural Gas Tractor PTO Windmill Other (describe): Horse Power Rating of Motor: <u>70</u> feet Number of Stages: __ Setting Depth: ___ Pump Test Data for Non Flowing Well Date Well Tested: _____ Duration of Pump Test (minimum 4 hours): ______ hours Static Water Level (A): _____ Feet Below Land Surface Pumping Water Level (B): _____ Feet Below Land Surface Method of measurement (circle one): Steel tape Electric tape Air line Other (describe):_____ Pump Test Data for Flowing Well Measured shut in head: ______feet. Well yielded ____GPM with a drawdown of _____ hours of pumping Meter Installation Meter Manufacturer: Meter Serial Number: Meter Model Number/Name: ___ __ Type of Meter: Totalizer Register Unit and Multiplier Factor (AF x .001, gal x 1000, etc):_____ Installation Date: _____ Meter installed by: ____ Is This Meter (circle one): New Repaired Replacement Important: By submitting the above information you are certifying that this meter was installed to manufacturer standards.

HEREBY CERTIFY that the above statements are true to the best of my knowledge.

Print Name of Pump Installer and License No. (if applicable)

Date

For agricultural wells, a list of approved meters is on the MDEQ website.

Signature of Pump Installer

Form: OLWR-SWR-1B (4/13)

140395