County:	Quitman
Permit #:	GW-45905 /
Driller:	Irrigation Equipment
Date drilli	ng completed: 04/20/2012

State Well Report Part 1 – Driller's Log

Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 2309
Jackson, MS 39225
(601) 961-5210
(601) 961-5228 (fax)

1		
<u> </u>	18	
	<u> </u>	<u> </u>

State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department, at the above address within 30 days of completion of drilling of the well or borehole.

<i>D</i>			of completion of drilling of the well or borehole.
(Lando)	Information on Well O wner if borehole is not fo		Well or Borehole Location
•	70 44 70 16 1	<u> </u>	Latitude: 34 ° 09 ' 36 " Longitude: 90 ° 18 ' 19 "
Mailing Address:	835 Friars Point Road		Method of Lat/Long (check one): Conventional Survey,
			☐ USGS quad, ☑ Hand-held GPS, ☐ Survey-grade GPS
	Clarksdale	Ms 38614	NE 1/4 NW 1/4 Sec 4 / Twn 26N Rng 1W
	City	State Zip code	Distance Direction Nearest Town
Telephone No.	() -		3 Miles Southwest of Lambert
		Well / B	orehole Data
Date drilling starte	ed: 04/20/2012 Date	drilling completed: 04/	20/2012 Hole depth: 122 Hole diameter: 18"
	urce of any surface water use and volume of Chlorine use		
Logs run (check all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other: Name of organization running log(s):			
Purpose of borehole (check one): Water Well Geotechnical/Geological Investigation Ground Source Heat Pump			
		c Survey	
	If drilling is not	related to water well co	onstruction, skip the remainder of this block
Purpose of Well (check one)	Industrial Public Su	pply 🛮 Irrigation 🔲 Fish Culture 🗎 Other:
If flowing, method of flow regulation: Valve Other (describe)			
Static Water Level: 22 feet above or below (check one) □ land ☑ surface Date measured: 04/28/2012			
Method of Measurement (check one) ⊠ steel tape ☐ electric tape ☐ air line ☐ other:			
Well depth: 122 Well grouted to a depth of 10 feet Type of grout (check one): Neat Cement Bentonite Mix			
Casing length: 82 feet Casing diameter: 10 inches Type of casing: PVC			
Screen length: 40 feet Screen diameter: 10 inches Type of screen: PVC			
Screen slot size:	.050 inches	Setting depth: From	83 feet to 122 feet
Type of completio	n (check all applicable):	Gravel packed 🔲	Underreamed Telescoped Open hole Natural Development
	[Other (describe):	
Top of lap pipe or	reduction in casing:	feet. <u>I</u>	f telescoped or more than one screen, describe on next page

Form POLYMP SAME (A (04/08))

MAY 2 4 2012

	<u>Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations</u>		
If well telescopes, show depths on sketch.			
Ground level	Description of Formations Encountered	From (depth) Ground level	To (depth)
	Clay	34	52
	Fine Sand & Gravel Medium Sand & Gravel	53	122
	Medium Sand & Gravei	33	122
			<u> </u>
If more than one screen, show location of each on sketch			
Sketch the property layout and include the following: 1) the value aid in locating the well; 3) any roads, power li 4) a north arrow.	well location; 2) any permanent structures ones, or other items that may aid in locating	n the property that the property and th	may he well;

Landowner Name: Betty Tedford

Form: OLWR-SWR-1A (04/08)

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state laws.

Patrick Chism 0695

05/17/2012

Date

Print Name of Responsible Licensee and License No.

Signature of Licensee

TUEIVEL

MAY 2 4 2012

BY: OLMA

STATE WELL REPORT

Part 2 **Pump Installer's Completion Report**

Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 2309 Jackson, MS 39225 (601) 961-5210 (601) 961-5228 (fax)

	For Office Use Only:	
Aquifer:		
Well #:	L78	
Elevation:		

Permit #: **GW-45905** Driller: Irrigation Equipment Date drilling completed: 04/20/2012 Copy information from block on Part 1

County: Quitman

	ter well contractor or a licensea pump installer. A copy of Part 1 of the remainder of the	
Well Owner Information	Well Location	
Owner Name: Betty Tedford	Latitude: 34 09' 36 N Longitude: 90 18' 19 W	
Mailing Address: 835 Friars Point Road	Method of Lat/Long (check one): Conventional Survey,	
	☐ USGS quad, ☒ Hand-held GPS, ☐ Survey-grade GPS	
Clarksdale Ms 38614	NE 1/4 NW 1/4 Sec 4 T 26N R 1W	
City State Zip cod		
Telephone No. () -	3 Miles Southwest of Lambert	
Telephone No.	Dambert Of Bumbert	
Pump Type	Power Type	
Check one	Check one	
☐ Air Lift ☐ Jet ☐ Submersible	☐ Diesel Engine ☐ Gasoline Engine ☐ Natural Gas	
☐ Bucket ☐ Piston ☐ Turbine	☐ Electric Motor ☐ Hand ☐ Tractor PTO	
Centrifugal Rotary Flowing Well	Windmill	
Other (specify):	Horse Power Rating of Motor: 25	
Date Pump Installed: 04/28/2012	Setting Depth: 70 feet	
Rated Pump Capacity 900+/- Gallons Per M	inute Number of Stages: 1	
Pump Test Data	Method of Measuring Water Level	
•	Check one	
Date Well Tested:	☐ Air Line ☐ Electric Measuring Line ☐ Steel Tape	
Static Water Level (A): Feet Below Land St	urface Other (specify):	
Pumping Water Level (B): Feet Below Land Su	ırface	
Drawdown [(B) - (A)]: Feet Below Land Su	rrface For flowing well, measured shut in head: feet	
Test Pumping Rate: Gallons Per Min	ute Well yielded GPM with a drawdown of	
Duration of Pump Test (minimum 4 hours):	hours feet after hours of pumping	
This is for (check one): New Well Replacement of Existing Pump Repair of Existing Pump		
I HEREBY CERTIFY that the above statements are true to the be	est of my knowledge .	
Patrick Chism Print Name of Pump Installer and License No. (if applicable) Print Name of Pump Installer and License No. (if applicable) Print Name of Pump Installer		

Form(VD) WR 25V/R-20 (07-09)