	•		
County: Scott	Well Driller Re	eport and Well Log	For Office Use Only:
Permit #:	Mississippi Department of Environmental Quality Aquifer:		
Driller: Thomas Drilling	Office of Land	Well #: 7	
Date drilling completed: 8-3-04	DO D. 10021		
Wall Carrier give . Log	(601)35 (601)35	961-5210 4-6038 (fox)	E-log #:
<i>‰</i>	*		
State Law requires that this in 30 days of completion of drill	report be prepared by the ing of the well	driller in detail and filed wit	h the Department within
Well Owner Infor	mation	Wel	Location a
Owner Name Nolen 5,5+	runk (ClydeB)	N 32 34.179 Latitude: ",	Uo 89 21.503 "Longitude: "
Mailing Address: <u>Ro.</u> Box		Method of Lat/Long (circle o	•
		USGS quad, Mand-held	PS, Survey-grade GPS
Sebactami	Mc 39359		Twn $8N$ Rng $9E$
City	M5 39359 State Zip Code		Twn // Rng / L.
Telephone No. (601) 625 - 8	65Z	Distance Direction Miles	Nearest Town of Sebastafol
	Well	Data	
Purpose of Well (circle one) Home	Industrial Public Supply	/ Irrigation Fish Culture	e Other Paultry
Date well drilling started: 8-3	-04 Da	te well drilling completed:	-3-04
If flowing, method of flow regulation:			
Static Water Level: 34 fee			red: 8-3-04
Method of Measurement (circle one)	steel tape electric ta	and the state of t	
Hole depth: 140 Well	depth: 140 1		
Type of grout (circle one): Cement	Bentonite M	ix	
Casing length: 120 feet C	asing diameter: 4'	/ inches Type of casing	<u> </u>
Screen length: 20 feet S	creen diameter: 4"	inches Type of screen	PVC Saved
		/20 feet to /	
Type of completion (circle all applicabl	e): Gravel packed Und	derreamed Telescoped O	pen hole Natural Development
	Other (describe):		
Top of lap pipe or reduction in casing:	feet. If	telescoped or more than one	screen, describe on back of page
Logs run (circle all applicable): No log	ruh Electric Gamma R	ay Density Sonic Neutron	Other:
Name of organization running log(s):			
I certify that the well was drilled, constructed, Environmental Quality and/or the Mississippi			: Mississippi Department of
••			
DAVID S. Thomas	0-147	Laud 2	RECEIV
Print Name of Water Well Contractor ar	nd License No.	Signature of	Water Well ContractSEP 0 3 20
If well telescopes please sketch below as	nd show depths.		JET U 3 Z

If well telescopes please sketch below and show depths.

BY: OLWR

Ground Level		Description of Formations Encountered	From	To
		Mixed Clar	0	10
		White SAND Lignite & Gray Clay	10	45
		LIGNITE & Gray Clay	45	84
		LINE GIAY SANA	84	1/2
		COArse White SAND	112	140
	-			
	F			
Í				
	_			
	_			
	-			
	-			
	1			
]_			
]			
	<u> </u>			
	-			

If more than one screen, show location of each on sketch

Sketch the property layout and include the	£-11	11.1	
Sketch the property layout and include the	iollowing: 1) the we	ell location; 2) any permanent st	ructures on the property that may
A) indicate direction	ly roads, power lines	s, or other items that may aid in	locating the property and the well;
4) indicate direction. 25			elev, 396
, Ven Hora		Well	0, 1, 3/6
4) indicate direction.		y . –	
		(-1	
X	1 1	\ / /	/ \
N			/
	1	1	/
] }			/
1 1	1 1	(\mathcal{X})	
		1 1	
	121	121	171
1 1	121	1 > 1	1 1
	L 1	1 1	
7			
1///	· / /.		
Landowner Name: Nolen 5.	15 Trunk		

Signature of Water Well Contractor

RECEIVED

SEP 0 3 2004

BY: OLWR

STATE WELL REPORT

Part 2

Pump Installer's Completion Report

County: Scott Date completed: 8-3-04

Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 10631

Jackson, MS 39289-0631 (601)961-5210

For Office Use Only: Aquifer: Well #: Elevation:

(601)354-6938 (fax)

ust be attached to this report. Well Location			
Latitude: 1 32 34.179 Longitude: W089 2 1.503			
Method of Lat/Long (circle one): Conventional Survey,			
USGS quad, Hand-held PS, Survey-grade GPS			
SW 1/4 NE 1/4 Sec 3 Twn 8N Rng 9E			
Distance Direction Nearest Town			
Power Type			
Circle one			
Diesel Engine Gasoline Engine Natural Gas			
Electric Motor Hand Tractor PTO			
Windmill Other (specify):			
Horse Power Rating of Motor: 12			
Setting Depth:feet			
Number of Stages:			
Method of Measuring Water Level Circle one			
Air Line Electric Measuring Line Steel Tape			
Other (specify):			
For flowing well, measured shut in head:feet			
Well yieldedGPM with a drawdown of			
6.4.0.			
feet afterhours of pumping			

Print Name of Pump Installer and License No. (if applicable) Signature of Pump Installer SEP 0 3 2004