	Shark	(ey
County:	Assaquen a	<u> </u>
Permit #:	GW-4440)5 /
Driller:	Irrigation	Equipment
Date drilli	ng completed:	04/23/2012

State Well Report Part 1 – Driller's Log

Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 2309
Jackson, MS 39225
(601) 961-5210
(601) 961-5228 (fax)

	For Office U	se Only:	
Aquifer: Well #:	Aa	<u> </u>	
L.S. Elevation	:		
E-log #:	,		

State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department, at the above address within 30 days of completion of drilling of the well or borehole.

		of completion of drilling of the well or borehole.
(Tamila	Information on Well Owner	Well or Borehole Location
	wner if borehole is not for a water well)	7
Owner Name	Albert Mahalite	Latitude: 33 ° 03 ' 06 " Longitude: 90 ° 45 ' 36 "
Mailing Address:	6500 Hwy 14 West	Method of Lat/Long (check one): Conventional Survey,
		☐ USGS quad, ☐ Hand-held GPS, ☐ Survey-grade GPS
	Rolling Fork Ms 39159	SE 14 SE 14 Sec 13 Twn 14N Rng 6W
	City State Zip code	Distance Direction Nearest Town
Telephone No.	() -	2 Miles Southeast of Delta City
	Well / Bo	orehole Data
Date drilling starte	d: 04/23/2012 Date drilling completed: 04/2	23/2012 Hole depth: 125 Hole diameter: 24"
	urce of any surface water used for drilling: Surface	
Method of dosing	and volume of Chlorine used in drilling and developm	ent: 50 PPM
	l applicable): ☑ No log run ☐ Electric ☐ Gamma ion running log(s):	Ray Density Sonic Neutron Other:
Purpose of boreho	le (check one): Water Well Geotechnical	/Geological Investigation Ground Source Heat Pump
	Seismic Survey Other (a	lescribe)
		nstruction, skip the remainder of this block
Purpose of Well (c	heck one)	
If flowing, method	of flow regulation: Valve Other (des	scribe)
	feet above or below (check one) lan	
Method of Measur	ement (check one) ⊠ steel tape □ electric tape [air line other:
Well depth: 125	Well grouted to a depth of feet	Type of grout (check one): ☐ Neat Cement ☒ Bentonite ☐ Mix
Casing length: 1	25 85 feet Casing diameter: 16	inches Type of casing: PVC
Screen length:	feet Screen diameter: 16	inches Type of screen: PVC
Screen slot size:	.050 inches Setting depth: From	<u>86</u> feet to <u>125</u> feet
Type of completion	n (check all applicable): Gravel packed U	nderreamed Telescoped Open hole Natural Development
	Other (describe):	
Top of lap pipe or a	reduction in casing: feet. If	telescoped or more than one screen, describe on next page

RECEIVED

JUN 0 8 2012

	33	To (de) 32 54 125
Clay Fine Sand & Gravel	Ground level 33	32 54
Fine Sand & Gravel	33	54
If more than one screen, show location of each on sketch ketch the property layout and include the following: 1) the well location; 2) any permanent structures on the laid in locating the well; 3) any roads, power lines, or other items that may aid in locating the pr 4) a north arrow.	property that property and the	may e well;

Form: OLWR-SWR-1A (04/08)
I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the
Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

laws.

Patrick Chism 0695

Print Name of Responsible Licensee and License No.

Landowner Name:

06/01/2012

Date

Signature of Licensee

RECEIVED

JUN 0 8 2012

BY: OLWR

Albert Mahalitc

STATE WELL REPORT

Part 2 **Pump Installer's Completion Report**

Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 2309 Jackson, MS 39225 (601) 961-5210 (601) 961-5228 (fax)

For Office Use Only:		
Aquifer:		
Well #:	A210	
Elevation:		

Date drilling completed: 04/23/2012 Copy information from block on Part 1

Driller: Irrigation Equipment

County: Issaquena Permit #: <u>GW- 44405</u>

W	ell Owner Inforn	nation	Well Location
Owner Name: Albert	Mahalite		Latitude: 33 03' 06 N Longitude: 90 45' 36 W
Mailing Address: 650	0 Hwy 14 West		Method of Lat/Long (check one): Conventional Survey,
		·	☐ USGS quad, ☒ Hand-held GPS, ☐ Survey-grade GPS
Rol	ling Fork	Ms 39159	SE 1/4 SE 1/4 Sec 13 T 14N R 6W
City		State Zip code	Distance Direction Nearest Town
Telephone No) -		2 Miles Southeast of Delta City
	Pump Type Check one		Power Type
		53	Check one
☐ Air Lift ☐ Bucket	☐ Jet ☐ Piston		Diesel Engine Gasoline Engine Natural Gas
Centrifugal	Rotary	☐ Flowing Well	Electric Motor Hand Tractor PTO
	•		Windmill Other (specify):
Other (specify): Date Pump Installed: (Horse Power Rating of Motor: 40
Rated Pump Capacity		Gallone Der Mir	Setting Depth: 70 feet
	1400.7-	Ganons I CI IVIII	ute Number of Stages: 1
	Pump Test Dat	a	Method of Measuring Water Level Check one
Date Well Tested:			☐ Air Line ☐ Electric Measuring Line ☐ Steel Tape
Static Water Level (A):		Feet Below Land Sur	face Other (specify):
Pumping Water Level (E	B):	Feet Below Land Sur	
Drawdown [(B) - (A)]:		Feet Below Land Sur	For flowing well, measured shut in head: feet
Test Pumping Rate:		Gallons Per Minu	Well yielded GPM with a drawdown of
Duration of Pump Test (minimum 4 hours):	ho	feet after hours of pumping
This is for (check o	ne): Nev	v Well Re	placement of Existing Pump Repair of Existing Pump
I HEREBY CERTIFY t	nat the above statem	ents are true to the best	of my knowledge.
Patrick Chism		Ωe	95 RECEIVE
	nstaller and License		Signature of Pump Installer