County: Sharkey	STATE WEI	rt 1	Well #: # 24'
011/ 10001	Driller		
	Mississippi Department	of Environmental Qual	
Driller: Irrigation Equipment, Inc.	Office of Land and P.O. Bo		E-Log #:
Date drilling completed: 6-23-16	Jackson, MS (601) 96	39225-2309	
	(601) 360-		
State Law requires that this report a Department at the above address w			
Well Owner Informa	tion		r Borehole Location
(Landowner if borehole is not fo	· · ·		00 EA 22 0
Owner Name: Edward Jenkins	La	ititude: <u>33 01 10.1</u>	Longitude: 90 54' 33.9'
Mailing Address: PO Box 193	M	ethod of Lat/Long (chec	k one): Conventional Surve
		•	held GPS, 🗌 Survey-grade GP
Grace MS	38745	55 xN	W 14, Sec <u>34</u> T <u>14N</u> R <u>7W</u>
City Stat	e Zip code		
Telephone No. () -	·		West of Nitta Yuma irrection) (Nearest Town)
	Weil / Boreho	ole Data	• • • • •
Date drilling started: 6-23-16	Date drilling completed: 6-2	3-16 Hole depth:	113' Hole diameter: 24
Method of dosing and volume of Chlorine Logs run (check all applicable): X No log Name of organization running log(s):	g run 🗋 Electric 🗍 Gamma	Ray 🔲 Density 🗌 Son	
Logs run (check all applicable): No log Name of organization running log(s): Purpose of borehole (check one): N W S <i>If drilling is not rela</i> Purpose of Well (check all applicable):	g run 🗌 Electric 🗌 Gamma Vater Well 📄 Geotechnica Seismic Survey 📄 Othe ated to water well constru Home 🗋 Industrial 🗋 Publi	Ray Density Son al/Geological Investigati er (describe) uction, skip the rema c Supply Irrigation D	on Ground Source Heat Pr <i>ninder of this block</i> I Fish Culture
Logs run (check all applicable): No log Name of organization running log(s): Purpose of borehole (check one): N W S <i>If drilling is not rela</i> Purpose of Well (check all applicable): Other (describe):	g run 🗌 Electric 🗌 Gamma Vater Well 📄 Geotechnica Seismic Survey 📄 Othe ated to water well constru- I Home 🗋 Industrial 🗋 Publi n: Valve	Ray Density Son al/Geological Investigati er (describe) uction, skip the rema c Supply Irrigation D Other (describe)	on Ground Source Heat Pa <i>ninder of this block</i> I Fish Culture
Logs run (check all applicable): No log Name of organization running log(s): Purpose of borehole (check one): No S <i>If drilling is not rela</i> Purpose of Well (check all applicable): Other (describe): If a flowing well, method of flow regulation	g run 🗌 Electric 🗌 Gamma /ater Well 📄 Geotechnica Seismic Survey 📄 Othe ated to water well constru- Home 🗋 Industrial 🗋 Publi n: Valve (Seet [] above or 🖾 below] la (check one)	Ray □ Density □ Son al/Geological Investigati er (<i>describe</i>)	on Ground Source Heat Pr <i>ninder of this block</i> I Fish Culture measured: <u>6-26-16</u>
Logs run (check all applicable): No log Name of organization running log(s): Purpose of borehole (check one): No <i>If drilling is not rela</i> Purpose of Well (check all applicable): Other (describe): If a flowing well, method of flow regulation Static Water Level: <u>12</u> f	g run 🗌 Electric 🗌 Gamma //ater Well 📄 Geotechnica Seismic Survey 📄 Other <i>ated to water well constru</i> Home 🗋 Industrial 🗌 Publicant n: Valve (Seet [] above or 🖾 below] la (check one) Steel tape 🗋 Electric tape []	Ray Density Son al/Geological Investigati er (<i>describe</i>) <i>uction, skip the rema</i> c Supply Irrigation Other (describe) and surface Date r	on Ground Source Heat Pa <i>ainder of this block</i> I Fish Culture measured: <u>6-26-16</u> scribe)
Logs run (check all applicable): No log Name of organization running log(s): Purpose of borehole (check one): No <i>If drilling is not rela</i> Purpose of Well (check all applicable): Other (describe): If a flowing well, method of flow regulation Static Water Level: <u>12</u> f Method of Measurement (check one) No	g run 🗌 Electric 🗌 Gamma /ater Well 📄 Geotechnica Seismic Survey 📄 Othe ated to water well constru- Home 🗋 Industrial 🗋 Publi n: Valve (feet [] above or 🖾 below] la (check one) Steel tape 🗋 Electric tape [] depth of: _10 feet T	Ray □ Density □ Son al/Geological Investigati er (<i>describe</i>)	on Ground Source Heat Pr inder of this block Fish Culture measured: <u>6-26-16</u> scribe) Culture Bentonite
Logs run (check all applicable): No log Name of organization running log(s): Purpose of borehole (check one): <i>If drilling is not rela If drilling is not rela</i> Purpose of Well (check all applicable): Other (describe): If a flowing well, method of flow regulation Static Water Level: <u>12</u> f Method of Measurement (check one) Well depth: <u>113'</u> Well grouted to a	g run 🗌 Electric 🗌 Gamma //ater Well 📄 Geotechnica Seismic Survey 📄 Other <i>ated to water well constru</i> Home 🗋 Industrial 🗌 Publit n: Valve (feet [] above or 🖾 below] la (check one) Steel tape 🗋 Electric tape [] depth of: _10 feet T Casing diameter: _16	Ray Density Son Al/Geological Investigati er (<i>describe</i>) <i>uction, skip the rema</i> c Supply Irrigation Other (describe) And surface Air line Other: (<i>des</i> ype of grout (<i>check one</i>) inches Typ	on ☐ Ground Source Heat Pa ainder of this block I Fish Culture measured: <u>6-26-16</u> scribe)): ☐ Neat Cement ⊠ Bentonite be of casing: <u>PVC</u>
Logs run (check all applicable): No log Name of organization running log(s): Purpose of borehole (check one): <i>If drilling is not rela If drilling is not rela</i> Purpose of Well (check all applicable): Other (describe): If a flowing well, method of flow regulation Static Water Level: <u>12</u> f Method of Measurement (check one) Well depth: <u>113'</u> Well grouted to a Casing length: <u>82</u> feet	g run 🗌 Electric 🗌 Gamma Vater Well 📄 Geotechnica Seismic Survey 📄 Othe ated to water well constru- Home 🗋 Industrial 🗋 Publi n: Valve (ieet [] above or 🖾 below] la (check one) Steel tape 🗋 Electric tape [] depth of: 10 feet T Casing diameter: 16 Screen diameter: 16	Ray Density Son al/Geological Investigati er (<i>describe</i>) <i>uction, skip the rema</i> c Supply Irrigation Other (describe) and surface Date r Air line Other: (<i>des</i> ype of grout (<i>check one</i>) inches Typ inches Typ	on ☐ Ground Source Heat Pa ainder of this block I Fish Culture measured: 6-26-16 scribe)): ☐ Neat Cement ⊠ Bentonite be of casing: <u>PVC</u> be of screen: <u>PVC</u>
Logs run (check all applicable): No log Name of organization running log(s): Purpose of borehole (check one): <i>If drilling is not rela If drilling is not rela</i> Purpose of Well (check all applicable): Other (describe): If a flowing well, method of flow regulation Static Water Level: <u>12</u> f Method of Measurement (check one) Well depth: <u>113'</u> Well grouted to a Casing length: <u>82</u> feet Screen length: <u>31</u> feet	g run ☐ Electric ☐ Gamma /ater Well ☐ Geotechnica Seismic Survey ☐ Othe ated to water well constru- Home ☐ Industrial ☐ Publi n: Valve (feet [] above or ⊠ below] la (check one) Steel tape ☐ Electric tape [] depth of: 10 feet T Casing diameter: 16 Screen diameter: 16 nches Setting depth: Fro	Ray □ Density □ Son al/Geological Investigati er (describe)	on ☐ Ground Source Heat Pa ainder of this block Fish Culture measured: 6-26-16 scribe) : ☐ Neat Cement ⊠ Bentonite be of casing: <u>PVC</u> be of screen: <u>PVC</u> feet to <u>99</u>
Logs run (check all applicable): No log Name of organization running log(s): Purpose of borehole (check one): If drilling is not related in the second se	g run ☐ Electric ☐ Gamma /ater Well ☐ Geotechnica Seismic Survey ☐ Othe ated to water well constru- Home ☐ Industrial ☐ Publi n: Valve (feet [] above or ⊠ below] la (check one) Steel tape ☐ Electric tape [] depth of: 10 feet T Casing diameter: 16 Screen diameter: 16 nches Setting depth: Fro	Ray □ Density □ Son al/Geological Investigati er (describe)	on ☐ Ground Source Heat Pr inder of this block I Fish Culture measured: 6-26-16 scribe)): ☐ Neat Cement ⊠ Bentonite be of casing: PVC be of screen: PVC _ feet to 99 ☐ Natural Development
Logs run (check all applicable): No log Name of organization running log(s): Purpose of borehole (check one): If drilling is not related in the second se	g run ☐ Electric ☐ Gamma /ater Well ☐ Geotechnica Seismic Survey ☐ Othe ated to water well constru- ated to water well constru-	Ray □ Density □ Son al/Geological Investigati er (describe)	on ☐ Ground Source Heat Pr inder of this block I Fish Culture measured: 6-26-16 scribe)): ☐ Neat Cement ⊠ Bentonite be of casing: PVC be of screen: PVC _ feet to 99 ☐ Natural Development
Logs run (check all applicable): ⊠ No log Name of organization running log(s): Purpose of borehole (check one): ⊠ W □ S <i>If drilling is not related</i> Purpose of Well (check all applicable): □ □ Other (describe):	g run ☐ Electric ☐ Gamma /ater Well ☐ Geotechnica Seismic Survey ☐ Othe ated to water well constru- ated to water well constru-	Ray □ Density □ Son al/Geological Investigati er (describe)	on ☐ Ground Source Heat Pr ainder of this block I Fish Culture measured: 6-26-16 scribe) : ☐ Neat Cement ⊠ Bentonite be of casing: PVC pe of screen: PVC feet to 99 ☐ Natural Development PCCC

• t

County: Sharkey Permit #: GW-49324	Fo Well #:	or Office Use (A A 4 7	Only:
The sketch below only required for water wells I well telescopes, show depths on sketch.	Description of formations encountered mu and boreholes, unless specifically exempted	st be provided for al by regulations	ll wells
	Description of Formations Encountered	From (depth)	To (dept
Ground level	Clay	Ground level	32
	Fine Sand	33	58
	Fine Sand & Gravel	59	67
	Med. Sand & Gravel	68	99
	Fine Sand	100	113
			Ι
			1
	99		
			1
			+
	······································		
			<u> </u>
			<u> </u>
	· · · · · · · · · · · · · · · · · · ·		ļ
	· · · · · · · · · · · · · · · · · · ·		
	· · · · · · · · · · · · · · · · · · ·		
			I
f more than one screen, show location of each on sketch			
ketch the property layout and include the following:			· · · ·
1) the well location			
 any permanent structures on the property that ma 3) any roads, power lines, or other items that may a 	ay aid in locating the well		
4) a north arrow	io in locating the property and the well		

Landowner Name:		
I HEREBY CERTIFY that the well/borehole was drilled, co requirements of the Mississippi Department of Environmer if applicable, and state laws. 0695		
Print Name of Responsible Licensee and License No.	Date	Signature of License
		Form: OLWR-SWR-1A (4/13) SEP 072016

By OLWR

• •

÷

County: Sharkey	STATE WELL REPORT Part 2	For Office Use Only: Well #: 4347
Permit #: GW-49324	Pump Installer's Completion Report	
Driller: Irrigation Equipment, Inc.	Mississippi Department of Environmental Quality Office of Land and Water Resources	Aquifer:
Date drilling completed: 6-23-16	P.O. Box 2309	
Copy information from block on Part 1	Jackson, MS 39225-2309 (601) 961-5210	
	(601) 360-0535 (fax)	
	d by a licensed water well contractor or a licensed pum	
of the report must be attached and both j Well Owner Informa	parts filed with the Department at the above address wi tion We	thin 30 days of well completion. Ell Location
Owner Name: Edward Jenkins	Latitude: 33 01' 16.1"	Longitude: 90 54' 33.9"
Mailing Address: PO Box 193	Method of Lat/Long (check	one): 🔲 Conventional Survey,
•		eld GPS, 🔲 Survey-grade GPS
Grace MS		_ ¼, Sec <u>34</u> T <u>14N</u> R <u>7W</u>
City State		74, Sec <u>34</u> 1 <u>1414</u> K <u>777</u>
Telephone No. () -		est of Nitta Yuma (Nearest Town)
· · · · · · · · · · · · · · · · · · ·		Clony (Nearest Towny
	Pump Type (check one)	- Other (describe):
	Centrifugal C Flowing Well D Jet D Piston C Rotary	• • •
	Rated Pump Capacity: 2100+	Gallons Per Minute
Is This Pump (check one): 🛛 New 🗌 Re	Power Type (check one)	<u> </u>
Flectric 🖾 Diesel 🗖 Gasoline 🗖 Natur	ral Gas 🔲 Tractor PTO 🗌 Windmill 🗍 Other (describe	a).
	Setting Depth: 70 feet 1	-
	Pump Test Data for Non Flowing Well	
Date Well Tested:	Pump Test Data for Non Flowing Well Duration of Pump Test (min	imum 4 hours): Hou
Date Well Tested: Static Water Level (A): Fe	Pump Test Data for Non Flowing Well	imum 4 hours): Hou
Date Well Tested: Static Water Level (A): Fe Drawdown [(B) - (A)]:	Pump Test Data for Non Flowing Well Duration of Pump Test (minimetric field of Pump Test) Set Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate:	imum 4 hours): Hou Feet Below Land Surfac Gallons Per Minu
Date Well Tested: Static Water Level (A): Fe Drawdown [(B) - (A)]:	Pump Test Data for Non Flowing Well Duration of Pump Test (mini- Det Below Land Surface Pumping Water Level (B):	imum 4 hours): Hou Feet Below Land Surfac Gallons Per Minu
Date Well Tested: Static Water Level (A): Fe Drawdown [(B) - (A)]:	Pump Test Data for Non Flowing Well Duration of Pump Test (mini- eet Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape [] Electric tape [] Air line [] Other (descrift	imum 4 hours): Hou Feet Below Land Surfac Gallons Per Minu
Date Well Tested: Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement (<i>check one</i>): Measured shut in head:	Pump Test Data for Non Flowing Well Duration of Pump Test (minimeter bet Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Pump Test Data for Flowing Well Feet	imum 4 hours): Hou Feet Below Land Surfac Gallons Per Minu be):
Date Well Tested: Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement (<i>check one</i>): Measured shut in head:	Pump Test Data for Non Flowing Well	imum 4 hours): Hou Feet Below Land Surfac Gallons Per Minu be):
Date Well Tested: Fe Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement <i>(check one):</i> [] Measured shut in head: Well yielded GPM with a	Pump Test Data for Non Flowing Well Duration of Pump Test (minimetrial bet Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape [] Electric tape [] Air line [] Other (descrifted) Pump Test Data for Flowing Well	imum 4 hours): Hou Feet Below Land Surfac Gallons Per Minu be): hours of pumping
Date Well Tested:	Pump Test Data for Non Flowing Well Duration of Pump Test (mini- bet Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape [] Electric tape [] Air line [] Other (descrifted of the second of the s	imum 4 hours): Hou Feet Below Land Surfac Gallons Per Minu be): hours of pumping
Date Well Tested: Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement (check one): Measured shut in head: Well yielded Well yielded GPM with and the set of th	Pump Test Data for Non Flowing Well	imum 4 hours): Hou Feet Below Land Surfac Gallons Per Minu be): hours of pumping
Date Well Tested:	Pump Test Data for Non Flowing Well Duration of Pump Test (mini- bet Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape [] Electric tape [] Air line [] Other (descrifted a drawdown of feet after Feet a drawdown of feet after Meter Installation Type of Meter: Type of Meter: tor (AF x .001, gal x 1000, etc):	imum 4 hours): Hou Feet Below Land Surfac Gallons Per Minu be): hours of pumping
Date Well Tested:	Pump Test Data for Non Flowing Well Duration of Pump Test (minimetrial beet Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Other (descrifted) Pump Test Data for Flowing Well Feet a drawdown of	imum 4 hours): Hou Feet Below Land Surfac Gallons Per Minu be): hours of pumping
Date Well Tested: Static Water Level (A): Fe Drawdown [(B) - (A)]:	Pump Test Data for Non Flowing Well	imum 4 hours): Hou Feet Below Land Surfac Gallons Per Minu hours of pumping
Date Well Tested: Static Water Level (A): Fe Drawdown [(B) - (A)]:	Pump Test Data for Non Flowing Well Duration of Pump Test (minimetrial beet Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Other (descrifted) Pump Test Data for Flowing Well Feet a drawdown of	imum 4 hours): Hou Feet Below Land Surfac Gallons Per Minu De): hours of pumping alled to manufacturer standards.
Date Well Tested: Static Water Level (A): Fe Drawdown [(B) - (A)]:	Pump Test Data for Non Flowing Well Duration of Pump Test (minited in the provided in the pro	imum 4 hours): Hou Feet Below Land Surfa Gallons Per Minu be): hours of pumping alled to manufacturer standards.
Date Well Tested: Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement (check one): Measured shut in head: Well yielded GPM with in the end: Important: By submitting the above state I HEREBY CERTIFY that the above state	Pump Test Data for Non Flowing Well	imum 4 hours): Hou Feet Below Land Surfac Gallons Per Minu De): hours of pumping alled to manufacturer standards.
Date Well Tested: Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement (check one): Method of measurement (check one): Measured shut in head: Well yielded GPM with in Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier Fact Installation Date: Is This Meter (check one): New Re Important: By submitting the above For agricu I HEREBY CERTIFY that the above state 0695	Pump Test Data for Non Flowing Well	inum 4 hours): Hou Feet Below Land Surfac Gallons Per Minu be): hours of pumping hours of pumping alled to manufacturer standards. website.
Date Well Tested: Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement (check one): Meter Manufacturer: Well yielded GPM with in the end: Important: By submitting the above state I HEREBY CERTIFY that the above state	Pump Test Data for Non Flowing Well	inum 4 hours): Hou Feet Below Land Surfac Gallons Per Minu be): hours of pumping hours of pumping alled to manufacturer standards. website.
Date Well Tested: Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement (check one): Method of measurement (check one): Measured shut in head: Well yielded GPM with in Meter Manufacturer: Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier Fact Installation Date: Is This Meter (check one): New Re Important: By submitting the above For agricu I HEREBY CERTIFY that the above state 0695	Pump Test Data for Non Flowing Well	inum 4 hours): Hou Feet Below Land Surfac Gallons Per Minu be): hours of pumping hours of pumping alled to manufacturer standards. website.
Date Well Tested: Static Water Level (A): Fe Drawdown [(B) - (A)]:	Pump Test Data for Non Flowing Well	imum 4 hours): Hou Feet Below Land Surfac Gallons Per Minu be): hours of pumping hours of pumping alled to manufacturer standards. website.

• • 1