	STATE WELL REPORT	For Office Use Only:
County: Sharkey	Part 1	Well #:B157
Permit #: GW-46923 🗸	Driller's Log Mississippi Department of Environmental Quality	Aquifer:
Driller: Irrigation Equipment	Office of Land and Water Resources	E-Log #:
Date drilling completed: 09/10/2013	P.O. Box 2309	
	Jackson, MS 39225-2309 (601) 961-5210 (601) 360-0535 (fax)	
State Law requires that this report	be prepared by the license holder responsible f	for the work and filed with the
Department at the above address w Well Owner Informa	within 30 days of completion of drilling of the w	<i>vell or borehole.</i> Borehole Location
(Landowner if borehole is not fo		Borenoie Location
Owner Name: Howle Planting Co.	Latitude: 33 00' 58.6 N	Longitude: 90 42' 15.3 W
Mailing Address: 137 Jefferson St.	Method of Lat/Long (check	one): 🔲 Conventional Survey,
	USGS quad, 🛛 Hand-h	eld GPS, 🔲 Survey-grade GPS
Anguilla Ms City Stat		4, Sec <u>34</u> T <u>14 N</u> R <u>5 W</u>
Telephone No. () -		theast of <b>Delta City</b> ection) (Nearest Town)
ny yang dan salah sa	Well / Borehole Data	
Date drilling started: 09/10/2013	Date drilling completed: 09/10/2013 Hole depth: 1	Hole diameter: 24"
Location of the source of any surface wa	ter used for drilling: Surface Water	
Method of docing and volume of Chloring	e used in drilling and development: 50 PPM	
weated of dosing and volume of childrine		
-	g run 🗌 Electric 🗋 Gamma Ray 🗌 Density 🗋 Sonic	Neutron Other:
-	<b>-</b>	Neutron Other:
Logs run (check all applicable): 🛛 No log Name of organization running log(s): Purpose of borehole (check one): 🖾 W	g run 🗌 Electric 🗌 Gamma Ray 🗌 Density 🗋 Sonic /ater Well 🔹 🗍 Geotechnical/Geological Investigation	
Logs run (check all applicable): 🛛 No log Name of organization running log(s): Purpose of borehole (check one): 🕅 W	g run 🗌 Electric 🔲 Gamma Ray 🗌 Density 🔲 Sonic	
Logs run (check all applicable): 🛛 No log Name of organization running log(s): Purpose of borehole (check one): 🖾 W	g run  Electric  Gamma Ray  Density  Sonic	Ground Source Heat Pump
Logs run (check all applicable): 🛛 No log Name of organization running log(s): Purpose of borehole (check one): 🖾 W 🗆 S <i>If drilling is not rel</i> a	g run 🗌 Electric 🗌 Gamma Ray 🗌 Density 🗌 Sonic /ater Well 🔹 Geotechnical/Geological Investigation Seismic Survey 🔹 Other ( <b>describe</b> )	n Ground Source Heat Pump
Logs run (check all applicable): X No log Name of organization running log(s): Purpose of borehole (check one): X W C S <i>If drilling is not rel</i> Purpose of Well (check all applicable): C	g run 🗌 Electric 🗌 Gamma Ray 🗌 Density 🗌 Sonic /ater Well 🔹 Geotechnical/Geological Investigation Seismic Survey 🔹 Other ( <b>describe</b> ) ated to water well construction, skip the remain	n Ground Source Heat Pump
Logs run (check all applicable): X No log Name of organization running log(s): Purpose of borehole (check one): X W C S <i>If drilling is not rel</i> Purpose of Well (check all applicable): C Other (describe):	g run 🗌 Electric 🗌 Gamma Ray 🗌 Density 🗌 Sonic /ater Well 🔹 Geotechnical/Geological Investigation Seismic Survey 📄 Other ( <i>describe</i> ) <i>ated to water well construction, skip the remain</i>	n Ground Source Heat Pump Inder of this block Fish Culture
Logs run (check all applicable):	g run   Electric   Gamma Ray   Density   Sonic /ater Well   Geotechnical/Geological Investigation Seismic Survey   Other ( <i>describe</i> ) <i>ated to water well construction, skip the remain</i>	n Ground Source Heat Pump Inder of this block Fish Culture
Logs run (check all applicable): No log Name of organization running log(s): Purpose of borehole (check one): No If drilling is not related Purpose of Well (check all applicable): Other (describe): If a flowing well, method of flow regulation Static Water Level:f	g run 🗌 Electric 🗌 Gamma Ray 🗌 Density 🗌 Sonic /ater Well 🔹 Geotechnical/Geological Investigation Seismic Survey 📄 Other ( <i>describe</i> ) <i>ated to water well construction, skip the remain</i> Home 🗌 Industrial 🗋 Public Supply 🖾 Irrigation 🗋 F n: Valve Other (describe) reet [ above or 🖾 below] land surface Date me	a Ground Source Heat Pump Inder of this block Fish Culture easured: 09/11/2013
Logs run (check all applicable):	g run 🗆 Electric 🗋 Gamma Ray 🗋 Density 🗋 Sonic /ater Well 📄 Geotechnical/Geological Investigation Seismic Survey 📄 Other (describe) ated to water well construction, skip the remain Home 🗋 Industrial 🗋 Public Supply 🖾 Irrigation 🗋 f n: Valve Other (describe) feet [] above or 🖾 below] land surface Date me (check one)	n Ground Source Heat Pump Inder of this block Fish Culture easured: 09/11/2013 ribe)
Logs run (check all applicable):	g run 🗌 Electric 🗌 Gamma Ray 🗌 Density 🗌 Sonic //ater Well 🔹 Geotechnical/Geological Investigation Seismic Survey 📄 Other (describe) <i>ated to water well construction, skip the remain</i> Home 🗌 Industrial 🗋 Public Supply 🖾 Irrigation 🗋 f n: Valve Other (describe) ne Valve Other (describe) feet [] above or 🖾 below] land surface Date me (check one) Steel tape 🗋 Electric tape 🗋 Air line 🗌 Other: (describe) depth of: _10 feet Type of grout (check one):	n Ground Source Heat Pump Inder of this block Fish Culture easured: 09/11/2013 ribe)
Logs run (check all applicable):	g run 🗌 Electric 🗌 Gamma Ray 🗌 Density 🗌 Sonic //ater Well 🔹 Geotechnical/Geological Investigation Seismic Survey 📄 Other (describe) <i>ated to water well construction, skip the remain</i> Home 🗌 Industrial 🗋 Public Supply 🖾 Irrigation 🗋 f n: Valve Other (describe) ne Valve Other (describe) feet [] above or 🖾 below] land surface Date me (check one) Steel tape 🗋 Electric tape 🗋 Air line 🗌 Other: (describe) depth of: _10 feet Type of grout (check one):	a ☐ Ground Source Heat Pump ander of this block Fish Culture easured: 09/11/2013 ribe) ☐ Neat Cement ⊠ Bentonite ☐ Mix of casing:
Logs run (check all applicable):	g run Electric   G Geotechnical/Geological Investigation   Vater Well Geotechnical/Geological Investigation   Seismic Survey Other (describe)   ated to water well construction, skip the remain   Home Industrial   Public Supply Irrigation   Home Industrial   Other (describe)   n: Valve   Other (describe)   n: Valve   Other (describe)   Steel [ other]   Steel tape   Electric tape   Air line   Other: (descride)   Geoteck one)   Steel tape   Electric tape   Air line   Other: (descride)   Geotechnical/Geological Investigation	a Ground Source Heat Pump ander of this block  Fish Culture  easured: 09/11/2013  ribe)  Neat Cement 🖾 Bentonite 🗆 Mix of casing: PVC of screen: PVC
Logs run (check all applicable):  No log Name of organization running log(s): Purpose of borehole (check one):           If drilling is not related to a flowing well, method of flow regulation         Static Water Level: 25'         Method of Measurement (check one)          Well depth: 123         Well depth: 6         Screen length: 40         Screen slot size: .050         in         Type of completion (check all applicable):	g run Electric   G Geotechnical/Geological Investigation   Seismic Survey Other (describe)   ated to water well construction, skip the remain   Home Industrial   Public Supply Irrigation   Home Industrial   Other (describe)   n: Valve   Other (describe)   feet [] above or   below] land surface   Date me   (check one)   Steel tape   Electric tape   Air line   Other: (describe)   Casing diameter:   16   inches   Type	a ☐ Ground Source Heat Pump ander of this block Fish Culture easured: 09/11/2013 ribe) ☐ Neat Cement ⊠ Bentonite ☐ Mix of casing: PVC of screen: PVC feet to 123 feet
Logs run (check all applicable):  No log Name of organization running log(s): Purpose of borehole (check one):  If drilling is not rela If drilling is not rela Urpose of Well (check all applicable):  Other (describe): If a flowing well, method of flow regulation Static Water Level: 25' Method of Measurement (check one)  Well depth: 123 Well grouted to a Casing length: 83 Green length: 40 Greet Screen slot size: .050	g run Electric   G Geotechnical/Geological Investigation   Seismic Survey Other (describe)   ated to water well construction, skip the remain   Home Industrial   Public Supply Irrigation   Home Industrial   Public Supply Irrigation   F Check one)   Steel tape   Electric tape Air line   Other: (describe)   Casing diameter: 16   inches Setting depth:   From 84	n ☐ Ground Source Heat Pump mder of this block Fish Culture easured: 09/11/2013 mbe) ☐ Neat Cement ⊠ Bentonite ☐ Mix of casing: PVC of screen: PVC feet to 123 feet Natural Development HECEN
Logs run (check all applicable):  No log Name of organization running log(s): Purpose of borehole (check one):           If drilling is not related to a flowing well, method of flow regulation         Static Water Level: 25'         Method of Measurement (check one)          Well depth: 123         Well grouted to a         Casing length: 40         Screen length: 40         feet         Screen slot size: .050         in	g run Electric   G gamma Ray Density   Vater Well Geotechnical/Geological Investigation   Seismic Survey Other (describe)   ated to water well construction, skip the remain   Home Industrial   Home Industrial   Public Supply Irrigation   F Irrigation   In: Valve   Valve Other (describe)   In: Valve   Other (describe)   In: Valve   Other (describe)   In: Valve   Other (describe)   In: Valve   Other (describe)   In: Valve   Other (describe)   In: Valve   In: Valve   Other (describe)   In: Valve   In: Valve   In: Valve   In: Other (describe)   In: Other (describe)   In: Industrial   In: Valve   In: Valve   In: Other (describe)   In: Industrial   In: Valve   In: Industrial   In: Industrial   In: Industrial   In: Industrial <td>a ☐ Ground Source Heat Pump ander of this block Fish Culture easured: 09/11/2013 ribe) ☐ Neat Cement ⊠ Bentonite ☐ Mix of casing: PVC of screen: PVC feet to 123 feet</td>	a ☐ Ground Source Heat Pump ander of this block Fish Culture easured: 09/11/2013 ribe) ☐ Neat Cement ⊠ Bentonite ☐ Mix of casing: PVC of screen: PVC feet to 123 feet

		r Office Use	Only:
ounty: Sharkey	Well #:	BIST	
ermit #: GW-46923			·
e sketch below only required for water wells	Description of formations encountered mus	t be provided for a	ll wells
well telescopes, show depths on sketch.	and boreholes, unless specifically exempted		
	Description of Formations Encountered	From (depth)	To (depth)
round level	Clay	Ground level	20
	Fine Sand	21	29
	Fine Sand & Gravel	30	53
	Medium Sand & Gravel	54	123

If more than one screen, show location of each on sketch

۱

•

	ut and include the following:	· · · · · · · · · · · · · · · · · · ·	
1) the well location 2) any permanent s	tructures on the property that ma	av aid in locating the well	
3) any roads, power	r lines, or other items that may a	id in locating the property	and the well
4) a north arrow		3 ··· · · · · · · · · · · · · · · · · ·	
Landowner Name:	Howle Planting Co.		
		<u> </u>	
			Form: OLWR-SWR-1A (04/08)
requirements of the Miss	i the weil/borenole was offiled, co	onstructed, and complete	d in accordance with all applicable sissippi Department of Health regulations,
if applicable, and state la	WS.		ssepti peparinent of riealth regulations,
Patrick Chism	0695	09/25/2013	Par manus area
Print Name of Responsi	ble Licensee and License No.	Date	Signature of Licensee
			Form: OLWR-SWR-1A (4/13)

	STATE WELL REPORT	For Office Use Only:
County: Sharkey	Part 2	Well#: <u>Bis7</u>
Permit #: GW-46923	Pump Installer's Completion Repo Mississippi Department of Environmental Qu	
Driller: Irrigation Equipment	Office of Land and Water Resources	Aquifer:
Date drilling completed: 09/10/2013	P.O. Box 2309 Jackson, MS 39225-2309	
Copy information from block on Part 1	(601) 961-5210	
	(601) 360-0535 (fax)	
This part of the report must be completed	d by a licensed water well contractor or a licensed	pump installer. A copy of Part 1
of the report must be attached and both p Well Owner informat	parts filed with the Department at the above addres	s within 30 days of well completion. Well Location
Owner Name: Howle Planting Co.	Latitude: 33 00' 58.6	N Longitude: _90 42' 15.3 W
Mailing Address:137 Jefferson Street	t Method of Lat/Long (che	ck one): 🔲 Conventional Survey,
	🗌 USGS quad, 🛛 Han	d-held GPS, 🗋 Survey-grade GPS
Anguilla Ms City State		<u>N</u> ¼, Sec <u>34</u> T <u>14 N</u> R <u>5 W</u>
Telephone No. ( ) -		outheast of Delta City
		(Direction) (Nearest Town)
	Pump Type (check one)	
	Centrifugal 🗍 Flowing Well 🗌 Jet 🗌 Piston 🗌 Rot	
	Rated Pump Capacity: 25	Gallons Per Minute
ls This Pump (check one): 🛛 New 🗌 Re	Paired I Replacement Power Type (check one)	
🗆 Flectric 🕅 Diesel 🗖 Gasoline 🗖 Natur	ral Gas 🔲 Tractor PTO 🗌 Windmill 🗌 Other (des	crihe).
	Setting Depth: 70 fee	
		et Number of Stages
	Pump Test Data for Non Flowing Well	
Date Well Tested	Pump Test Data for Non Flowing Well	minimum 4 hours):
	Duration of Pump Test (	minimum 4 hours): Hours
Static Water Level (A): Fe	Duration of Pump Test ( et Below Land Surface Pumping Water Level (E	B): Feet Below Land Surface
Static Water Level (A): Fer Drawdown [(B) - (A)]:	Duration of Pump Test ( et Below Land Surface Pumping Water Level (E Feet Below Land Surface Test Pumping Rate:	B): Feet Below Land Surface Gallons Per Minute
Static Water Level (A): Fer Drawdown [(B) - (A)]:	Duration of Pump Test ( et Below Land Surface Pumping Water Level (E Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Other (des	B): Feet Below Land Surface Gallons Per Minute
Static Water Level (A): Fee Drawdown [(B) - (A)]: Method of measurement <i>(check one)</i> : 🔲 S	Duration of Pump Test ( et Below Land Surface Pumping Water Level (E Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Other (de: Pump Test Data for Flowing Well	B): Feet Below Land Surface Gallons Per Minute
Static Water Level (A): Fee Drawdown [(B) - (A)]: Method of measurement <i>(check one)</i> : 🛛 S	Duration of Pump Test ( et Below Land Surface Pumping Water Level (E Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Other (de: Pump Test Data for Flowing Well	B): Feet Below Land Surface Gallons Per Minute
Static Water Level (A): Fee Drawdown [(B) - (A)]: Method of measurement <i>(check one)</i> : D S	Duration of Pump Test ( et Below Land Surface Pumping Water Level (E Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Other (de: Pump Test Data for Flowing Well Feet	B): Feet Below Land Surface Gallons Per Minute scribe):
Static Water Level (A): Fee Drawdown [(B) - (A)]: Method of measurement <i>(check one)</i> : D S	Duration of Pump Test ( et Below Land Surface Pumping Water Level (E Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Other (de: Pump Test Data for Flowing Well	B): Feet Below Land Surface Gallons Per Minute scribe):
Static Water Level (A): Fee Drawdown [(B) - (A)]: Method of measurement <i>(check one)</i> : D S	Duration of Pump Test ( et Below Land Surface Pumping Water Level (E Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Other (de: Pump Test Data for Flowing Well Feet	B): Feet Below Land Surface Gallons Per Minute scribe):
Static Water Level (A): Fer Drawdown [(B) - (A)]: Method of measurement <i>(check one)</i> : D S Measured shut in head: Well yielded GPM with a Meter Manufacturer: None Installed	Duration of Pump Test ( tet Below Land Surface Pumping Water Level (E Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Other (dest Pump Test Data for Flowing Well Feet a drawdown offeet after Meter Installation Meter Serial Number	B): Feet Below Land Surface Gallons Per Minute scribe): hours of pumping
Static Water Level (A): Fer Drawdown [(B) - (A)]: Method of measurement <i>(check one)</i> : S Measured shut in head: Well yielded GPM with a Meter Manufacturer: None Installed	Duration of Pump Test ( tet Below Land Surface Pumping Water Level (E Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Other (dest Pump Test Data for Flowing Well Feet a drawdown offeet after Meter Installation Meter Serial Number	B): Feet Below Land Surface Gallons Per Minute scribe): hours of pumping
Static Water Level (A): Fer Drawdown [(B) - (A)]: Method of measurement <i>(check one)</i> : D S Measured shut in head: Well yielded GPM with a Meter Manufacturer: <u>None Installed</u> Meter Model Number/Name:	Duration of Pump Test ( tet Below Land Surface Pumping Water Level (E Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Other (de: Pump Test Data for Flowing Well Feet a drawdown offeet after Meter Installation Meter Serial Number Type of Meter:	B): Feet Below Land Surface Gallons Per Minute scribe): Gallons of pumping
Static Water Level (A): Fer Drawdown [(B) - (A)]: Method of measurement (check one): [] S Measured shut in head: Well yielded GPM with a Meter Manufacturer: <u>None Installed</u> Meter Model Number/Name: Fotalizer Register Unit and Multiplier Factor	Duration of Pump Test ( tet Below Land Surface Pumping Water Level (E Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Other (dest Pump Test Data for Flowing Well Feet a drawdown of feet after Meter Installation Meter Serial Number Type of Meter: or (AF x .001, gal x 1000, etc):	B): Feet Below Land Surface Gallons Per Minute scribe): Gallons of pumping
Static Water Level (A): Fee Drawdown [(B) - (A)]: Method of measurement <i>(check one)</i> : S Measured shut in head: Well yielded GPM with a Meter Manufacturer: GPM with a Meter Model Number/Name: Totalizer Register Unit and Multiplier Factor Installation Date:	Duration of Pump Test ( tet Below Land Surface Pumping Water Level (E Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Other (dest Pump Test Data for Flowing Well Feet a drawdown of feet after Meter Installation Meter Serial Number Type of Meter: or (AF x .001, gal x 1000, etc): Meter installed by:	B): Feet Below Land Surface Gallons Per Minute scribe): Gallons of pumping
Static Water Level (A): Fer Drawdown [(B) - (A)]: Method of measurement (check one): [] S Measured shut in head: Mell yielded GPM with a Meter Manufacturer: GPM with a Meter Model Number/Name: Totalizer Register Unit and Multiplier Factor Installation Date: s This Meter (check one): [] New [] Reg	Duration of Pump Test ( tet Below Land Surface Pumping Water Level (E Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Other (de: Pump Test Data for Flowing Well Feet a drawdown of feet after Meter Installation Meter Serial Number Type of Meter: or (AF x .001, gal x 1000, etc): Meter installed by: paired Replacement	): Feet Below Land Surface Gallons Per Minute scribe): hours of pumping hours of pumping
Static Water Level (A):       Fer         Drawdown [(B) - (A)]:         Method of measurement (check one): □ \$         Meter Manufacturer:         Meter Manufacturer:         Meter Model Number/Name:         Totalizer Register Unit and Multiplier Factor         Installation Date:         Is This Meter (check one): □ New □ Rep         Important: By submitting the above it	Duration of Pump Test ( tet Below Land Surface Pumping Water Level (E Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Other (dest Pump Test Data for Flowing Well Feet a drawdown of feet after Meter Installation Meter Serial Number Type of Meter: or (AF x .001, gal x 1000, etc): Meter installed by: paired Replacement information you are certifying that this meter was	B): Feet Below Land Surface Gallons Per Minute scribe): hours of pumping
Static Water Level (A): Fer Drawdown [(B) - (A)]: Method of measurement (check one): [] S Measured shut in head: Well yielded GPM with a Meter Manufacturer: <u>None Installed</u> Meter Model Number/Name: Totalizer Register Unit and Multiplier Factor Installation Date: Is This Meter (check one): [] New [] Rep Important: By submitting the above it	Duration of Pump Test ( tet Below Land Surface Pumping Water Level (E Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Other (de: Pump Test Data for Flowing Well Feet a drawdown of feet after Meter Installation Meter Serial Number Type of Meter: or (AF x .001, gal x 1000, etc): Meter installed by: paired Replacement	B): Feet Below Land Surface Gallons Per Minute scribe): hours of pumping
Static Water Level (A): Fee Drawdown [(B) - (A)]: Method of measurement (check one): D S Measured shut in head: Well yielded GPM with a Meter Manufacturer: GPM with a Meter Model Number/Name: Totalizer Register Unit and Multiplier Factor Installation Date: Is This Meter (check one): D New D Rep Important: By submitting the above i For agricult	Duration of Pump Test ( tet Below Land Surface Pumping Water Level (E Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Other (dest Pump Test Data for Flowing Well Feet a drawdown of feet after Meter Installation Meter Serial Number Type of Meter: or (AF x .001, gal x 1000, etc): Meter installed by: paired Replacement information you are certifying that this meter was	B): Feet Below Land Surface Gallons Per Minute scribe): hours of pumping
Static Water Level (A): Fer Drawdown [(B) - (A)]: Method of measurement (check one): □ S Measured shut in head: Well yielded GPM with a Meter Manufacturer: GPM with a Meter Model Number/Name: Totalizer Register Unit and Multiplier Factor Installation Date: Is This Meter (check one): □ New □ Rep <i>Important: By submitting the above i</i> <i>For agriculi</i> I HEREBY CERTIFY that the above state	Duration of Pump Test ( tet Below Land Surface Pumping Water Level (E Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Other (dest Pump Test Data for Flowing Well Feet a drawdown of feet after Meter Installation Meter Serial Number Type of Meter: or (AF x .001, gal x 1000, etc): Meter installed by: paired Replacement information you are certifying that this meter was a furnal wells, a list of approved meters is on the MDD ements are true to the best of my knowledge.	B): Feet Below Land Surface Gallons Per Minute scribe): hours of pumping
Static Water Level (A): Fee Drawdown [(B) - (A)]: Method of measurement (check one): [] S Measured shut in head: Well yielded GPM with a Meter Manufacturer: GPM with a Meter Model Number/Name: Totalizer Register Unit and Multiplier Factor Installation Date: Is This Meter (check one): [] New [] Rep Important: By submitting the above in For agricult HEREBY CERTIFY that the above state Patrick Chism	Duration of Pump Test ( tet Below Land Surface Pumping Water Level (E Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Other (dest Pump Test Data for Flowing Well Feet a drawdown of feet after Meter Installation Meter Serial Number Type of Meter: or (AF x .001, gal x 1000, etc): Meter installed by: paired Replacement information you are certifying that this meter was a furnal wells, a list of approved meters is on the MDD ements are true to the best of my knowledge. 0695 09/25/2013	B): Feet Below Land Surface Gallons Per Minute scribe): hours of pumping hours of pumping installed to manufacturer standards. SQ website.
Static Water Level (A): Fee Drawdown [(B) - (A)]: Method of measurement (check one): [] S Measured shut in head: Well yielded GPM with a Meter Manufacturer: <u>None Installed</u> Meter Model Number/Name: Totalizer Register Unit and Multiplier Factor Installation Date: Is This Meter (check one): [] New [] Rep <i>Important: By submitting the above i</i> <i>For agriculi</i> HEREBY CERTIFY that the above state	Duration of Pump Test ( tet Below Land Surface Pumping Water Level (E Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Other (dest Pump Test Data for Flowing Well Feet a drawdown of feet after Meter Installation Meter Serial Number Type of Meter: or (AF x .001, gal x 1000, etc): Meter installed by: paired Replacement information you are certifying that this meter was a furnal wells, a list of approved meters is on the MDD ements are true to the best of my knowledge. 0695 09/25/2013	B): Feet Below Land Surface Gallons Per Minute scribe): hours of pumping
Static Water Level (A): Fee Drawdown [(B) - (A)]: Method of measurement (check one): [] S Measured shut in head: Mell yielded GPM with a Meter Manufacturer: GPM with a Meter Model Number/Name: Meter Model Number/Name: Totalizer Register Unit and Multiplier Factor Installation Date: s This Meter (check one): [] New [] Reg Important: By submitting the above in For agricula HEREBY CERTIFY that the above state Patrick Chism	Duration of Pump Test ( tet Below Land Surface Pumping Water Level (E Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Other (dest Pump Test Data for Flowing Well Feet a drawdown of feet after Meter Installation Meter Serial Number Type of Meter: or (AF x .001, gal x 1000, etc): Meter installed by: paired Replacement information you are certifying that this meter was a furnal wells, a list of approved meters is on the MDD ements are true to the best of my knowledge. 0695 09/25/2013	B): Feet Below Land Surface Gallons Per Minute scribe): hours of pumping hours of pumping installed to manufacturer standards. Signature of Pump Installer,
Static Water Level (A): Fee Drawdown [(B) - (A)]: Method of measurement (check one): [] S Measured shut in head: Well yielded GPM with a Meter Manufacturer: GPM with a Meter Model Number/Name: Totalizer Register Unit and Multiplier Factor Installation Date: s This Meter (check one): [] New [] Rep Important: By submitting the above in For agricula HEREBY CERTIFY that the above state Patrick Chism	Duration of Pump Test ( tet Below Land Surface Pumping Water Level (E Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Other (dest Pump Test Data for Flowing Well Feet a drawdown of feet after Meter Installation Meter Serial Number Type of Meter: or (AF x .001, gal x 1000, etc): Meter installed by: paired Replacement information you are certifying that this meter was a furnal wells, a list of approved meters is on the MDD ements are true to the best of my knowledge. 0695 09/25/2013	B): Feet Below Land Surface Gallons Per Minute scribe): hours of pumping hours of pumping installed to manufacturer standards. Signature of Pump Installer,