Stere Hunter	PIVOT-GARLAND LAWRENCE	
State W	ell Report For Office Use Only:	
	art l	
Mississippi Departmen	t of Environmental Quality Aquifer: nd Water Resources Wall #: C - 1 5 5	
	nd Water Resources Sox 10631 Well #: C - 155	
Driller: J. NEWCOPIE O 1 Jackson, M	IS 39289-0631 L. S. Elevation:	
	961-5210 4-6938 (fax) E-log #:	
· · · · · · · · · · · · · · · · · · ·		
State Law requires that this report be prepared by the	driller in detail and filed with the Department within	
30 days of completion of drilling of the well. Well Owner Information	Well Location	
Owner Name (LAURENCE	Latitude: 33 . 00 . 02" Longitude 090 . 50 . 34"	
Mailing Address: 40 DELTA PINE	Method of Lat/Long (circle one): Conventional Survey,	
LAND MGMT, LIC	USGS quad Hand-held GPS Survey-grade GPS	
Po30x 5669	HW SW & Sec 5 TWN 13 N Rng 6W	
City PECNICE, MS. 38704	Distance Direction Nearest Town 2.5 Miles N of ANQUILA	
Telephone No(662) - 820 - 8686		
	Data	
Purpose of Well (circle one) Home Industrial Public Supply	Irrigation Fish Culture Other:	
Date well drilling started: 10-12-06 Date	e well drilling completed: 10-12-06	
If flowing, method of flow regulation: Valve Other	(describe)	
Static Water Level:feet above or below (circle one) land surface Date measured:	
Method of Measurement (circle one) steel tape electric tap	pe air line other:	
Hole depth: Well depth: Well grouted to a depth of feet		
Type of grout (circle one): Cement Bentonite Mi	ix	
Casing length: 70 feet Casing diameter: 16 inches Type of casing: 170		
Screen length: 30 feet Screen diameter: 16 inches Type of screen: 10		
Screen slot size: 050 inches Setting depth: From 70 feet to 100 feet		
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development		
Other (describe):		
Top of lap pipe or reduction in casing:feet. If telescoped or more than one screen, describe on back of page		
Logs run (circle all applicable). No log run Electric Gamma Ray Density Sonic Neutron Other:		
Name of organization running log(s):		
I certify that the well was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi		
Department of Environmental Quality and/or the Mississippi Department of Health regulations and state laws.		

Print Name of Water Well Contractor and License No.

RECEIVED

Signature of Water Well Contractor

OCT 27 2006

Ground Level	·
30'	16'' CASing 70'

Description of Formations Encountered	From	To
TOP Soil	0	10
Mix CIAY	10	38
Fine Sand	38	70
COArse Sund - grave	70	10
	•	
	 -	-
	-	
	-	
	-	
	1	

If more than one screen, show location of each on sketch

Sketch the property layout and include the follow aid in locating the well; 3) any road 4) indicate direction.	ds, power lines, or other items that	ermanent structures on the may aid in locating the pro	property that may perty and the well;
† OT + + D	Cementary Begins Cotto Gir	~ W)`	WittA,
West		wy Gl	++
Landowner Name:			₩ <u>~</u>
Landowner Name:			

Signature of Water Well Contractor

STATE WELL REPORT

Driller: Date completed: 10-

Print Name of Pump Installer and License No. (if applicable)

Part 2 Pump Installer's Completion Report

Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 10631 Jackson, MS 39289-0631 (601)961-5210

(601)354-6938 (fax)

I	for Office Use Only:
Aquifer	
Well #:	C-155
Elevation	on:

This report should be prepared by the pump installer in detail and filed with the Department within 30 days of the installation of pump.			
Well Owner Information	Well Location		
Owner Name: GayLow Lauxence	Latitude\$33-00-02 Longitude\$\frac{90-50-34}{}		
Mailing Address: C/O DELTA TIVE	Method of Lat/Long (circle one): Conventional Survey,		
LAND MANGEMENT, LIC	USGS quad, Hand-held GPS, Survey-grade GPS		
PO 120 3 989	NW1/4 SLU Sec 5 TWN 3N Rng 6W		
State State Zip Code State, Ws. 38704	Distance Direction Nearest Town		
Telephone Nde 62 - 820 - 8686	25 Miles N of ANQUICA		
Pump Type	Power Type		
Circle one	Circle one		
Air Lift Jet Submersible	Diesel Engine Gasoline Engine Natural Gas		
Bucket Piston Turbine	Electric Motor Hand Tractor PTO		
Centrifugal Rotary Flowing Well	Windmill Other (specify):		
Other (specify):	Horse Power Rating of Motor:		
Date Pump Installed: 0-14-06	Setting Depth: 60 feet		
Rated Pump Capacity: 2000 Gallons Per Minute	Number of Stages:		
Pump Test Data	Makal sw		
Date Well Tested:	Method of Measuring Water Level Circle one		
Static Water Level (A). Feet Below Land Surface	Air Line Electric Measuring Line Steel Tape		
Pumping Water Level (B): Feet Below Land Surface	Other (specify):		
Drawdown [(B) - (A)]:Feet Below Land Surface	For flowing well, measured shut in head:feet		
Test Pumping Rate:Gallons Per Minute ~	Well yieldedGPM with a drawdown of		
Duration of Pump Test (minimum 4 hours):hours	feet afterhours of pumping		
I HEREBY CERTIFY that the above statements are true to the best of	of my knowledge		

Signature of Pump Installer

OCT 27 2003

BY: OLWR