
State V	Vell Report	
	Driller's Log	For Office Use Only:
	ent of Environmental Quality	Aquifer: C 201
Permit #: U V T T 1 1/4 V Office of Land	and Water Resources	
	. Box 2309	Well #:
Jackso	on, MS 39225	L. S. Elevation:
)961- 5210 61- 5228 (fax)	L. S. Lievation.
	, ,	E-log #:
State Law requires that this report be prepared by the li	cense holder responsible for	the work and filed with the
Depuriment at the above address within 30 days of con	pletion of drilling of the well	or borehole.
Information on Well Owner		rehole Location
(Landowner if borehole is not for a water well)	32.5/ 447	
Owner Name Helena Partners		" Longitude: 90 ° 5/ '455"
Mailing Address: Drick Rodgers	Method of Lat/Long (circle or	ne): Conventional Survey,
P.O. Box 247		GPS, Survey-grade GPS
Rolling Fork Ms. 39159 City State Zip Code	SE 1/2/ 1/ Sec 25	Twn 131 Rng 7W
City State Zip Code	Distance Direction	Negrest Town of Rolling Fork
Telephone No. ()	Miles /Y	of Kolling Fork
	rehole Data	
Date drilling started: 6-27-11 Date drilling completed: 6-27	7-// Hole depth: 122	Hole diameter: 24"
Location of the source of any surface water used for drilling: Method of dosing and volume of Chlorine used in drilling and deve	Surface Water	
Logs run (circle all applicable) No log run Electric Gamma Ray Name of organization running log(s):	y Density Sonic Neutron	Other:
Purpose of borehole (check one): Water Well Geotechnical/Geo	logical Investigation Ground	Source Heat Pump
Seismic Survey Other (describ	ما	
If drilling is not related to water well constructi	e) on. skip the remainder of this blo	rck
Purpose of Well (check one): Home Industrial Public Suppl		Other:
If a flowing well, method of flow regulation: Valve		
Static Water Level:feet above of below (circle one)	land surface Date measured:_	6-28-11
Method of Measurement (circle one) steel tape electric tape	e air line other:	
Well depth: 122 Well grouted to a depth of 10 feet Typ	e of grout (circle one): Neat Cem	ent Bentonite Mix
Casing length: 82 feet Casing diameter: 16	inches Type of casing:	PVC
Screen length: 40 feet Screen diameter: 16	inches Type of screen:	PVC
Screen slot size: Setting depth: From	83 feet to	<u> </u>
Type of completion (circle all applicable): Gravel packed Under	rreamed Telescoped Open	hole Natural Development

Other (describe):

feet. If telescoped or more than one screen, describe on next page

Top of lap pipe or reduction in casing: _

Form: OLWR-SWR-1A (04/08)



The sketch below only required for water wells f well telescopes, show depths on sketch.	<u>Description</u> wells and b	Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations		
Ground Level	Description of	f Formations Encountered	From (depth)	To (depth)
	Clay		Ground Level	
	Fine Sa	and	34	54
	Fine So	nd + Grave	35	68
	Medium	Sand & Gravel	69	122
	<u> </u>			
			<u> </u>	
]			 	-
<u> </u>			+	
				
				+
-			 	<u> </u>
-				
			-	

			1	† -
				1
andowner Name: Helong Partner ertify that the well/borehole was drilled, constructed ssissippi Department of Environmental Quality and vs. Patrick M. Chism 0695 int Name of Responsible Licensee and License No.	l, and completed in acco	dance with all applicable nen of Health regulations.	if applicable, an	the
me rame of responsible Licensee and License No.	Date	Signature of Licens	1 M.C.	
			AUG	7 3 20

. 3

STATE W	ELL REPORT
Country Theory Have	Part 2
Permit # GW - 45314 Pump Installer	s Completion Report Aquifer:
Irrigation Equipment Mississippi Departmen	nt of Environmental Quality
Driller:	and Water Resources Box 2309 Well #:
	3.60.0000
	n, MS 39225)961-5210
~ • • • • • • • • • • • • • • • • • • •	51-5228 (fax)
This part of the appearance to the second se	
This part of the report must be completed by a licensed water well	contractor or a licensed pump installer. A copy of Part 1 of the
report must be attached and both parts filed with the Department . Well Owner Information	within 30 days of well completion. Well Location
	Well Location
Owner Name: Heleng Partners	Latitude:Longitude:
Mailing Address: Drick Rodgers	Method of Lat/Long (check one): Conventional Survey,
P.O. Box 247	USGS quad, Hand-held GPS, Survey-grade GPS
Rolling Fork Ms. 39159 City State Zip Code	4 Sec 25 T 13N R 7W
City State Zip Code	1
Telephone No. ()	Distance Direction of Rolling Fork
Telephone 140.	Miles _/Y of _/////
Pump Type Circle one	Power Type Circle one
Air Lift Jet Submersible	Diesel Engine Gasoline Engine Natural Gas
Bucket Piston Turbine	Electric Motor Hand Tractor PTO
Centrifugal Rotary Flowing Well	Windmill Other (specify):
041(4 n
	Horse Power Rating of Motor:
	Horse Power Rating of Motor: 6eet
Date Pump Installed: 6-28-11	
Date Pump Installed: 6-28-11 Rated Pump Capacity: 2500 = Gallons Per Minute	Setting Depth:
Date Pump Installed: 6-28-11 Rated Pump Capacity: 2500 ± Gallons Per Minute Pump Test Data	Setting Depth:
Date Pump Installed: 6-28-11 Rated Pump Capacity: 2500 = Gallons Per Minute Pump Test Data	Setting Depth:
Pump Test Data Pate Well Tested: 6-28-11 Gallons Per Minute Pump Test Data	Setting Depth:
Pump Test Data Pump Test Data Pate Well Tested: Static Water Level (A): Feet Below Land Surface	Setting Depth:
Date Pump Installed: 6-28-11 Rated Pump Capacity: 2500 = Gallons Per Minute Pump Test Data Date Well Tested: Feet Below Land Surface	Setting Depth:
Pump Test Data Pump Test Data Pump Test Below Land Surface Pumping Water Level (B): Feet Below Land Surface	Setting Depth:
Pump Test Data Pump Test Data Date Well Tested: Static Water Level (A): Pump Test Below Land Surface Pumping Water Level (B): Feet Below Land Surface Drawdown [(B) – (A)]: Feet Below Land Surface	Setting Depth:
Pump Test Data Pump Test Data Date Well Tested: Static Water Level (A): Pump Test Below Land Surface Pumping Water Level (B): Feet Below Land Surface Drawdown [(B) – (A)]: Feet Below Land Surface Gallons Per Minute	Setting Depth:
Pump Test Data Pump Test Data Date Well Tested: Static Water Level (A): Pump Test Below Land Surface Pumping Water Level (B): Feet Below Land Surface Drawdown [(B) – (A)]: Feet Below Land Surface Gallons Per Minute	Setting Depth:
Pump Test Data Date Pump Capacity:	Setting Depth:
Pump Test Data Date Well Tested: Static Water Level (A): Pump Test Below Land Surface Pumping Water Level (B): Feet Below Land Surface Drawdown [(B) – (A)]: Test Pumping Rate: Gallons Per Minute Duration of Pump Test (minimum 4 hours): hours	Setting Depth:
Date Well Tested:	Setting Depth:
Pump Test Data Date Well Tested: Static Water Level (A): Pumping Water Level (B): Feet Below Land Surface Drawdown [(B) – (A)]: Test Pumping Rate: Gallons Per Minute Gallons Per Minute Duration of Pump Test (minimum 4 hours): hours	Setting Depth:
Pump Test Data Pump Test Data Date Well Tested: Static Water Level (A): Pump Test Below Land Surface Pumping Water Level (B): Feet Below Land Surface Drawdown [(B) – (A)]: Feet Below Land Surface Test Pumping Rate: Gallons Per Minute Duration of Pump Test (minimum 4 hours): hours This is for (circle one): New Well Replacement of Ex	Setting Depth:
Pump Test Data Pump Test Data Date Well Tested: Static Water Level (A): Peet Below Land Surface Pumping Water Level (B): Feet Below Land Surface Drawdown [(B) – (A)]: Feet Below Land Surface Test Pumping Rate: Gallons Per Minute Duration of Pump Test (minimum 4 hours): This is for (circle one): New Well Replacement of Ex I HEREBY CERTIFY that the above statements are true to the best of	Setting Depth:

AUG 0 3 2011