County: Sharkey Part 1 – Dominia GW-46011 Mississippi Department		Well Report Driller's Log	For Office Use Only: Aquifer: Q/7		
		ent of Environmental Quality	Well #:		
Permit #: OW-40011 Office of Land a			and Water Resources	L.S. Elevation:	
			. Box 2309 on, MS 39225	E-log #:	
			) 961-5210	E-10g #.	
			61-5228 (fax)		
			l by the license holder responsib ys of completion of drilling of th	le for the work and filed with the he well or borehole.	
(I an day	Information on		Well or	Borehole Location	
( <i>Lanao</i> ) Owner Name	Greer Inc.	s not for a water well)	Latitude: 32 ° 58 ' 1	8 " Longitude: 90 ° 51 ' 21	
Mailing Address:	<b>F.U. DUX 550</b>		Method of Lat/Long (check one		
			- 1 / - /	and-held GPS, Survey-grade GPS	
	Anguilla	Ms 38721	$-   \underline{NE} \frac{14}{5W} \frac{SW}{4} \frac{14}{5W}$	<u>18</u> Twn <u>13N</u> Rng <u>6W</u>	
	City	State Zip code	Distance Direction	n Nearest Town	
Telephone No.	() -		<u> </u>	of Anguilla	
		Well /	Borehole Data		
Data drilling starts	ed: 05/08/2012	Date drilling completed: 0		5 Hole diameter: 18"	
		Date drining completed.			
	<b>C</b> . <b>C</b>				
Location of the so		vater used for drilling: <u>Surfa</u> rine used in drilling and develo			
Location of the so Method of dosing Logs run (check al	and volume of Chlor	rine used in drilling and develo	pment: 50 PPM	Neutron Other:	
Location of the so Method of dosing Logs run (check al Name of organizat	and volume of Chlor Il applicable): 🛛 N	ine used in drilling and develo	pment: <b>50 PPM</b> nma Ray 🗋 Density 🛄 Sonic 🛄	Neutron  Other: Ground Source Heat Pump	
Location of the so Method of dosing Logs run (check al Name of organizat	and volume of Chlor Il applicable): X N ion running log(s): le (check one): X	vine used in drilling and develo	pment: 50 PPM		
Location of the so Method of dosing Logs run (check al Name of organizat	and volume of Chlor Il applicable): X N ion running log(s): le (check one): X	ine used in drilling and develo o log run 🔲 Electric 📄 Gan Water Well 📄 Geotechni Seismic Survey 🗌 Othe	pment: <b>50 PPM</b> nma Ray 🗋 Density 🛄 Sonic 🛄	Ground Source Heat Pump	
Location of the so Method of dosing Logs run (check al Name of organizat Purpose of boreho	and volume of Chlor Il applicable): 🖾 N ion running log(s): le (check one): 🖾 If drilling	ine used in drilling and develo o log run 🔲 Electric 📄 Gan Water Well 📄 Geotechni Seismic Survey 🗌 Othe	pment: 50 PPM	Ground Source Heat Pump	
Location of the so Method of dosing Logs run (check al Name of organizat Purpose of boreho Purpose of Well (c	and volume of Chlor II applicable): X N ion running log(s): Ie (check one): X If drilling check one) Hon	rine used in drilling and develo o log run [] Electric [] Gan Water Well [] Geotechni Seismic Survey [] Othe <i>is not related to water well</i> ne [] Industrial [] Public	pment: <u>50 PPM</u> ama Ray Density Sonic ical/Geological Investigation ar ( <i>describe</i> ) <i>construction, skip the remainde</i> Supply Irrigation Fish Cu	Ground Source Heat Pump  r of this block  Iture  Other:	
Location of the so Method of dosing Logs run (check al Name of organizat Purpose of boreho Purpose of Well (c f flowing, method	and volume of Chlor II applicable): X N ion running log(s): Ie (check one): X If drilling check one) Hon I of flow regulation:	rine used in drilling and develo o log run 📋 Electric 📄 Gan Water Well 📄 Geotechni Seismic Survey 📄 Othe <i>is not related to water well</i> ne 📄 Industrial 📄 Public Valve Other of	pment: <u>50 PPM</u> ama Ray □ Density □ Sonic □ ical/Geological Investigation □ art ( <i>describe</i> ) <i>construction, skip the remainde</i> Supply ⊠ Irrigation □ Fish Cu (describe)	Ground Source Heat Pump	
Location of the so Method of dosing Logs run (check al Name of organizat Purpose of boreho Purpose of Well (of f flowing, method Static Water Level	and volume of Chlor II applicable):  No. Ii applicable):  No. Ii (check one):  Ii (check one):  Ii (check one)  Ii (check o	rine used in drilling and develo o log run Electric Gan Water Well Geotechni Seismic Survey Othe <i>is not related to water well</i> ne Industrial Public Valve Other ( bove or below (check one)	pment:       50 PPM         nma Ray       Density       Sonic         ical/Geological Investigation	Ground Source Heat Pump	
Location of the so Method of dosing Logs run (check al Name of organizat Purpose of boreho Purpose of Well (c f flowing, method Static Water Level Method of Measur	and volume of Chlor II applicable):  N N N N N N N N N N N N N N N N N N N	rine used in drilling and develo o log run Electric Gan Water Well Geotechni Seismic Survey Other is not related to water well ne Industrial Public Valve Other bove or below (check one) G Steel tape electric tape	pment:       50 PPM         nma Ray       Density       Sonic         ical/Geological Investigation	Ground Source Heat Pump	
Location of the so Method of dosing Logs run (check al Name of organizat Purpose of boreho Purpose of Well (c f flowing, method Static Water Level Method of Measur Well depth: <u>125</u>	and volume of Chlor Il applicable): X N ion running log(s): Il (check one): I If drilling theck one) I Hon I of flow regulation: : 23 feet a rement (check one) Well grouted	rine used in drilling and develo o log run Electric Gan Water Well Geotechni Seismic Survey Other is not related to water well ne Industrial Public Valve Other bove or below (check one) Cher Seisteel tape electric tape it to a depth of 10 feet	pment: <u>50 PPM</u> ma Ray □ Density □ Sonic □ ical/Geological Investigation □ or ( <i>describe</i> ) <i>construction, skip the remainde</i> Supply ⊠ Irrigation □ Fish Cu (describe) land ⊠ surface Date measured: □ air line □ other: Type of grout (check one): □	Ground Source Heat Pump	
Location of the so Method of dosing Logs run (check al Name of organizat Purpose of boreho Purpose of Well (c f flowing, method Static Water Level Method of Measur Well depth: <u>125</u> Casing length: <u></u>	and volume of Chlor Il applicable): X N ion running log(s): le (check one): If drilling theck one) Hon l of flow regulation: 23 feet a rement (check one) Well grouted 85 feet	rine used in drilling and develo o log run Electric Gan Water Well Geotechnic Seismic Survey Other is not related to water well he Industrial Public Valve Other ( bove or below (check one) Cher is steel tape electric tape to a depth of 10 feet Casing diameter: 10	pment: <u>50 PPM</u> ma Ray □ Density □ Sonic □ ical/Geological Investigation □ construction, skip the remainde Supply ⊠ Irrigation □ Fish Cu (describe) land ⊠ surface Date measured: □ air line □ other: Type of grout (check one): □ inches Type of ca	Ground Source Heat Pump	
Location of the so Method of dosing Logs run (check al Name of organizat Purpose of boreho Purpose of boreho Curpose of Well (c f flowing, method Static Water Level Method of Measur Well depth: <u>125</u> Casing length: <u>4</u>	and volume of Chlor Il applicable): X N ion running log(s): le (check one): If drilling theck one) Hon l of flow regulation: 23 feet a rement (check one) Well grouted 85 feet	rine used in drilling and develo o log run Electric Gan Water Well Geotechni Seismic Survey Other is not related to water well he Industrial Public Valve Other bove or below (check one) G Steel tape electric tape to a depth of 10 feet Casing diameter: 10 Screen diameter: 10	pment: <u>50 PPM</u> ma Ray □ Density □ Sonic □ ical/Geological Investigation □ construction, skip the remainde Supply ⊠ Irrigation □ Fish Cu (describe) land ⊠ surface Date measured: □ air line □ other: Type of grout (check one): □ inches Type of so	Ground Source Heat Pump	
Location of the so Method of dosing Logs run (check al Name of organizat Purpose of boreho Purpose of boreho Curpose of Well (c f flowing, method Static Water Level Method of Measur Well depth: <u>125</u> Casing length: <u>4</u> Screen length: <u>4</u> Screen slot size:	and volume of Chlor II applicable): X N ion running log(s): Ie (check one): If drilling theck one) Hon I of flow regulation: 23 feet a rement (check one) Well grouted 85 feet 40 feet	rine used in drilling and develo o log run Electric Gan Water Well Geotechni Seismic Survey Other is not related to water well he Industrial Public Valve Other bove or below (check one) G Steel tape electric tape to a depth of 10 feet Casing diameter: 10 Screen diameter: 10 inches Setting depth: Fro	pment: <u>50 PPM</u> ma Ray □ Density □ Sonic □ ical/Geological Investigation □ construction, skip the remainde Supply ⊠ Irrigation □ Fish Cu (describe) land ⊠ surface Date measured: □ air line □ other: Type of grout (check one): □ inches Type of ca inches Type of so m <u>86</u> feet to <u>1</u> 2	Ground Source Heat Pump	
Location of the so Method of dosing Logs run (check al Name of organizat Purpose of boreho Purpose of boreho Curpose of Well (c f flowing, method Static Water Level Method of Measur Well depth: <u>125</u> Casing length: <u>4</u> Screen length: <u>4</u> Screen slot size:	and volume of Chlor II applicable): X N ion running log(s): Ie (check one): If drilling theck one) Hon I of flow regulation: 23 feet a rement (check one) Well grouted 85 feet 40 feet	rine used in drilling and develo o log run Electric Gan Water Well Geotechni Seismic Survey Other is not related to water well he Industrial Public Valve Other bove or below (check one) G Steel tape electric tape to a depth of 10 feet Casing diameter: 10 Screen diameter: 10 inches Setting depth: Fro	pment: <u>50 PPM</u> ma Ray □ Density □ Sonic □ ical/Geological Investigation □ construction, skip the remainde Supply ⊠ Irrigation □ Fish Cu (describe) land ⊠ surface Date measured: □ air line □ other: Type of grout (check one): □ inches Type of ca inches Type of so m <u>86</u> feet to <u>1</u> 2	Ground Source Heat Pump	
Location of the so Method of dosing Logs run (check al Name of organizat Purpose of boreho Purpose of boreho Curpose of Well (c f flowing, method Static Water Level Method of Measur Well depth: <u>125</u> Casing length: <u>4</u> Screen length: <u>4</u> Screen slot size:	and volume of Chlor II applicable): X N ion running log(s): Ie (check one): If drilling theck one) Hon I of flow regulation: 23 feet a rement (check one) Well grouted 85 feet 40 feet	rine used in drilling and develo o log run Electric Gan Water Well Geotechni Seismic Survey Other is not related to water well he Industrial Public Valve Other bove or below (check one) G Steel tape electric tape to a depth of 10 feet Casing diameter: 10 Screen diameter: 10 inches Setting depth: Fro he: Gravel packed	pment: <u>50 PPM</u> ma Ray □ Density □ Sonic □ ical/Geological Investigation □ construction, skip the remainde Supply ⊠ Irrigation □ Fish Cu (describe) land ⊠ surface Date measured: □ air line □ other: Type of grout (check one): □ inches Type of ca inches Type of so m <u>86</u> feet to <u>1</u> 2	Ground Source Heat Pump	
Location of the so Method of dosing Logs run (check al Name of organizat Purpose of boreho Purpose of boreho Purpose of Well (c If flowing, method Static Water Level Method of Measur Well depth: <u>125</u> Casing length: <u>4</u> Screen length: <u>4</u> Screen slot size:	and volume of Chlor II applicable): X N ion running log(s): Ie (check one): If drilling theck one) Hon I of flow regulation: 23 feet a tement (check one) Well grouted 85 feet 40 feet .050 n (check all applicab	rine used in drilling and develo o log run Electric Gan Water Well Geotechni Seismic Survey Other is not related to water well he Industrial Public Valve Other bove or below (check one) G Steel tape electric tape to a depth of 10 feet Casing diameter: 10 Screen diameter: 10 inches Setting depth: Fro le): Gravel packed G Other (describe): _	pment: <u>50 PPM</u> ma Ray □ Density □ Sonic □ ical/Geological Investigation □ or ( <i>describe</i> ) <i>construction, skip the remainde</i> Supply ⊠ Irrigation □ Fish Cu (describe) land ⊠ surface Date measured: □ air line □ other: Type of grout (check one): □ inches Type of ca inches Type of so m <u>86</u> feet to <u>12</u> ] Underreamed □ Telescoped	Ground Source Heat Pump	

MAY 3 0 2012

BY: OLWR

· · ·

## The sketch below only required for water wells

If well telescopes, show depths on sketch.

Ground level

٠.

٠,

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
Clay	Ground level	
Fine Sand	35	52
Fine Sand & Gravel	53	69
Medium Sand & Gravel	70	125
		r –
• · · · · · · · · · · · · · · · · · · ·		

If more than one screen, show location of each on sketch

	$\frown$	Form: OLWR-SWR-1A (04/08)
ed, constructed, and completed in ac al Quality and the Mississinni Dena	cordance with all applicable requestions if a	lirements of the
Zamuel and ene mississikhi nehai	ement of freath regulations, if a	ppiicaule, and state
	ed, constructed, and completed in ac tal Quality and the Mississippi Depa	ed, constructed, and completed in accordance with all applicable requ tal Quality and the Mississippi Department of Heath regulations, if a

MAY 3 0 2012

BY: OLWR

## STATE WELL REPORT

County:	Sharkey
Permit #:	GW-46011
Driller:	Irrigation Equipment
Date drilli	ing completed: 05/08/2012
	formation from block on Part 1

۰.

## Part 2 Pump Installer's Completion Report

Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 2309 Jackson, MS 39225 (601) 961-5210 (601) 961-5228 (fax)


For Office Use Only:		
Aquifer:		
	C217	
Well #:	Call	
Elevation:		

BY: OLWR

This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion.

Well Location				
Latitude: 32 58' 18 N Longitude: 90 51' 21 W				
Method of Lat/Long (check one): Conventional Survey,				
USGS quad, 🛛 Hand-held GPS, 🗌 Survey-grade GPS				
NE 1/4 SW 1/4 Sec 18 T 13N R 6W				
Distance Direction Nearest Town				
1 Miles West of Anguilla				
Power Type Check one				
Diesel Engine Gasoline Engine Natural Gas				
Electric Motor Hand Tractor PTO				
Windmill Other (specify):				
Horse Power Rating of Motor: 10				
Setting Depth: 70 feet				
Number of Stages: 1				
Method of Measuring Water Level Check one				
Air Line Electric Measuring Line Steel Tape				
Other (specify):				
For flowing well, measured shut in head: feet				
Well yielded GPM with a drawdown of				
feet after hours of pumping				
This is for (check one): New Well Replacement of Existing Pump Repair of Existing Pump				
I HEREBY CERTIFY that the above statements are true to the best of my knowledge.       RECEIVED         Patrick Chism       0695				
Signature of Pump Installer				





RECEIVED

MAY 3 0 2012

BY: OLWR