CEJ SMITH #2

State V	Vell Report			
1	Driller's Log	For Office Use Only:		
Mississippi Departme	nt of Environmental Quality	Aquifer: \$\int 53\$		
P.O	nd Water Resources Box 2309	Well #:		
1	n, MS 39225	L. S. Elevation:		
	961- 5210 1- 5228 (fax)	E-log #:		
State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole.				
Information on Well Owner		rehole Location		
(Landowner if borehole is not for a water well)	Latitude: 33 . 00 . 17	" Longitude: 90 · 41 · 12 "		
Owner Name Card Jsmith Farms		i		
Mailing Address: PO. Box 534	Method of Lat/Long (circle on	e): Conventional Survey, GPS, Survey-grade GPS		
Anguilla M5 3872 SW State Zip Code Distance Direction				
City State Zip Code	Distance Direction Miles N.W.	Nearest Town		
Telephone No. ()				
Well / Borehole Data				
Date drilling started: 4.27.12 Date drilling completed: 4.27.12 Hole depth: 112 Hole diameter: 20"				
Location of the source of any surface water used for drilling:	bueth			
Method of dosing and volume of Chlorine used in drilling and deve	lopment: CHLORINE TAI	>LETS		
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other: Name of organization running log(s):				
Purpose of borehole (check one): Water Well Geotechnical/Geological Investigation Ground Source Heat Pump				
Seismic Survey Other (describe)				
If drilling is not related to water well construction, skip the remainder of this block				
Purpose of Well (check one): Home Industrial Public Supply Irrigation Y Fish Culture Other:				
If a flowing well, method of flow regulation: Valve Other (describe)				
Static Water Level:feet above or below (circle one) land surface Date measured:				
Method of Measurement (circle one) steel tape electric tape air line other:				
Well depth: Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cement Bentonite Mix				
Casing length: Casing diameter: 10 inches Type of casing: P.V.C.				
Screen length: 30 feet Screen diameter: 10 inches Type of screen: P.V.C.				
Screen slot size:				
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development				
Other (describe):				
Top of lap pipe or reduction in casing:feet. If telescoped or more than one screen, describe on next page				

Form: OLWR-SVRECENVED

JUN 1 8 2012

BY: OLWR

The sketch below only required for water wells

80LF 10'casine	Description of Formations Encountered TOP SOIL CLAY, MED./CDAPSE SAND COARSE SAND COARSE SAND COARSE SAND FEBISUES BOTTO M	From (depth) Ground Level	To (depth lo 10 50 70 85 110 112
	CLAY, MED./CDARSE SAND COARSE SAND COARSE SAND/PEBBLES	10 50	50 70 85
	coarse sand rebbles	50	70 85
	coarse sand rebbles	110	
	BOTTOM	11.3	112
		110	112
			
		1	
<u> </u>			
-		<u> </u>	
1/20,=			
30 F			
10" suezen			
Ψ			
- - 			
		<u> </u>	
SEE	MHC		
andowner Name:			
	P.,	OLWR-SWR-1A	(04/09)
and Cr. that the mall/hand blance dutiled a section 4.1			
ertify that the well/borehole was drilled, constructed, and com ssissippi Department of Environmental Quality and the Missis s.		-	
- 1 A 1 177C			
OHN NEWCOME U.115 9.21.4	1012 /LALIN. 1	_	

<u>Description of formations encountered must be provided for all</u> wells and boreholes, unless specifically exempted by regulations

county: Sharkey	Part 2 Pump Installer's Completion Report issippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 2309 Jackson, MS 39225 (601)961-5210 (601)961-5228 (fax)	For Office Use Only: Aquifer: Well #:	
This part of the report must be completed by a lic report must be attached and both parts filed with	ensed water well contractor or a licensed pum	p installer. A copy of Part 1 of the	
Well Owner Information	With Department at the above address within Se	Vell Location	
Owner Name: Cand J Smith Fa	Latitude: 33°00 7 17	Latitude: 33°00 1 17 " Longitude: 90 0 41 112 "	
Mailing Address: P.O. Box 534		Method of Lat/Long (check one): Conventional Survey,	
		eld GPS, Survey-grade GPS	
Anguilla MS. 38	Zip Code	NW 1/4 NW 1/4 Sec 2 T 13N R 05W Distance Direction Nearest Town	
Telephone No. ()		9 Miles N.W. of Louise	
Pump Type		Power Type	
Circle one	Diesel Engine Gase	Circle one oline Engine Natural Gas	
Bucket Piston Turbi	ne Electric Motor Har	nd Tractor PTO	
Centrifugal Rotary Flow	ing Well Windmill Oth	er (specify):	
Other (specify):	Horse Power Rating of Mo	otor:	
Date Pump Installed: 4/28/ D	_	Setting Depth:	
	ns Per Minute Number of Stages:		
Pump Test Data	Method of	Measuring Water Level	
Date Well Tested:	Air Line Electric N	Circle one Measuring Line Steel Tape	
Static Water Level (A):Feet Below	Other (specify):		
Pumping Water Level (B):Feet Below Drawdown [(B) - (A)]:Feet Below		d shut in head:feet	
Test Pumping Rate:Gallon	1-2m²	GPM with a drawdown of	
Duration of Pump Test (minimum 4 hours):		erhours of pumping	
Duration of Fump Test (imminum 4 nours).		RECEIVE	
This is for (circle one): New Well	Replacement of Existing Pump Repair of	of Existing Pump JUN 1 8 2012	
I HEREBY CERTIFY that the above statements a Print Name of Purip Installer and License No. (if	-711P Obel	BY: OLWF ap Installer Form: OLWR-SWR-1C (07-09)	