County:	Sharkey	
	GW-48687	•
Driller:	Irrigation Eq	uipment Inc.
Date drill	ing completed:	05/07/2015

STATE WELL REPORT Part 1

Driller's Log

Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 2309
Jackson, MS 39225-2309
(601) 961-5210
(601) 360-0535 (fax)

For Office Use Only: Aquifer: E-Log #:

Well Owner Information	upletion of drilling of the well or borehole. Well or Borehole Location
(Landowner if borehole is not for a water well)	The state of Doronois addition
Owner Name: Kin Growers	Latitude: 32 52' 30.6 N Longitude: 90 54' 46.4 W
Mailing Address: 70 South First Street	Method of Lat/Long (check one): Conventional Survey,
	☐ USGS quad, ☑ Hand-held GPS, ☐ Survey-grade GPS
Rolling Fork Ms 39159	SE 1/4 NE 1/4, Sec 21 T 12 N R 7 W
City State Zip code	2 Courthwest . Belling Fort
Telephone No	2 Miles Southwest of Rolling Fork (Direction) (Nearest Town)
Well / Bo	orehole Data
Date drilling started: 05/07/2015 Date drilling completed:	05/07/2015 Hole depth: 126' Hole diameter: 24"
Location of the source of any surface water used for drilling:	
Method of dosing and volume of Chlorine used in drilling and dev	/elopment: 50 PPM
Logs run (check all applicable): 🛭 No log run 🗌 Electric 🗌 Gam	nma Ray 🗌 Density 🗎 Sonic 🗋 Neutron 🗎 Other:
Name of organization running log(s):	
Purpose of borehole (check one): ☑ Water Well ☐ Geotec	hnical/Geological Investigation
· · · · · · · · · · · · · · · · · · ·	
	Other (describe)
ij uruung is not related to water well col	nstruction, skip the remainder of this block
Purpose of Well (check all applicable): Home Industrial F	
	Public Supply ☑ Irrigation ☐ Fish Culture
Purpose of Well <i>(check all applicable)</i> : ☐ Home ☐ Industrial ☐ F	Public Supply ⊠ Irrigation □ Fish Culture
Purpose of Well (check all applicable): ☐ Home ☐ Industrial ☐ F	Public Supply ☑ Irrigation ☐ Fish Culture Other (describe)
Purpose of Well (check all applicable): ☐ Home ☐ Industrial ☐ F ☐ Other (describe): If a flowing well, method of flow regulation: Valve Static Water Level: 7' feet [☐ above or ☒ belo (check one)	Public Supply ☑ Irrigation ☐ Fish Culture Other (describe) Ow] land surface Date measured: 05/08/2015
Purpose of Well (check all applicable): Home Industrial Other (describe): If a flowing well, method of flow regulation: Valve Static Water Level: feet [above or below (check one)] Method of Measurement (check one)	Public Supply ☑ Irrigation ☐ Fish Culture Other (describe) Ow] land surface Date measured: 05/08/2015
Purpose of Well (check all applicable): Other (describe): If a flowing well, method of flow regulation: Valve Static Water Level: 7' feet [above or below (check one) Method of Measurement (check one) Steel tape Electric tape Well depth: 126' Well grouted to a depth of: 10' fee	Public Supply ☑ Irrigation ☐ Fish Culture Other (describe) ow] land surface
Purpose of Well (check all applicable): Other (describe): If a flowing well, method of flow regulation: Valve Static Water Level: 7' feet [above or below (check one)] Method of Measurement (check one) Steel tape Electric tape Well depth: 126' Well grouted to a depth of: 10' feet Casing length: 86' feet Casing diameter: 16'	Public Supply ☑ Irrigation ☐ Fish Culture Other (describe) ow] land surface
Purpose of Well (check all applicable): Other (describe): If a flowing well, method of flow regulation: Valve Static Water Level: 7' feet [above or below (check one)] Method of Measurement (check one) Steel tape Electric tape Well depth: 126' Well grouted to a depth of: 10' feet Casing length: 86' feet Casing diameter: 16'' Screen length: 40' feet Screen diameter: 16''	Public Supply Irrigation Fish Culture Other (describe) Date measured:
Purpose of Well (check all applicable): Other (describe): If a flowing well, method of flow regulation: Valve Static Water Level: 7' feet [above or below (check one)] Method of Measurement (check one) Steel tape Electric tape Well depth: 126' Well grouted to a depth of: 10' feet Casing length: 86' feet Casing diameter: 16'' Screen length: 40' feet Screen diameter: 16'' Screen slot size: .050 inches Setting depth:	Public Supply Irrigation Fish Culture Other (describe) Dw] land surface Date measured: 05/08/2015 De Air line Other: (describe) Ext. Type of grout (check one): Neat Cement Bentonite Mix inches Type of casing: PVC inches Type of screen: PVC From 87' feet to 126' feet
Purpose of Well (check all applicable): Other (describe): If a flowing well, method of flow regulation: Valve Static Water Level: 7' feet [above or below (check one)] Method of Measurement (check one) Steel tape Electric tape Well depth: 126' Well grouted to a depth of: 10' feet Casing length: 86' feet Casing diameter: 16'' Screen length: 40' feet Screen diameter: 16'' Screen slot size: .050 inches Setting depth: Type of completion (check all applicable): Gravel packed U	Public Supply Irrigation Fish Culture Other (describe) Date measured: 05/08/2015 Pe Air line Other: (describe) Et Type of grout (check one): Neat Cement Bentonite Mix inches Type of casing: PVC inches Type of screen: PVC From 87' feet to 126' feet
Purpose of Well (check all applicable): Home Industrial Other (describe): If a flowing well, method of flow regulation: Valve Static Water Level: feet [above or below (check one)] Method of Measurement (check one) Steel tape Electric tag Well depth: Well grouted to a depth of: feet Casing diameter: Screen length: 6' feet Screen diameter: 16''	Public Supply Irrigation Fish Culture Other (describe)

	ſ	For Office Use (Only:
Charless		レンバンク	Jiny.
County: Sharkey		Well#: <u>£9.3</u>	
Permit #: GW-48687	Į		
The sketch below only required for water wells	Description of formations encou	untered must be provided for a	<u>Il wells</u>
If well telescopes, show depths on sketch	and boreholes, unless specifical	ly exempted by regulations	
Ground level	Description of Formations End		To (depth)
Glodild level	Clay	Ground level	33
	Fine Sand	34	43
	Fine Sand & Gravel	1 69	67
	Medium Sand & Grave	68	126
			
If more than one screen, show location of each on sketch			, o
Sketch the property layout and include the following: 1) the well location 2) any permanent structures on the property that ma	ay aid in locating the well		
any roads, power lines, or other items that may a a north arrow	id in locating the property and the v	well	
,			
Landowner Name: Kin Growers	_		
I HEREBY CERTIFY that the well/borehole was drilled, co	onstructed, and completed in accor	Form: OLWR-SV	VR-1A (04/08)
requirements of the Mississippi Department of Environme	ental Quality and the Mississippi De	partment of Health regulation	ns,
if applicable, and state laws. Patrick Chism 0695	05/14/2015	5	
Print Name of Responsible Licensee and License No.	05/14/2015 Date	Signature of Licensee	men program contact the discount and
,		Form: OLWR-SV	REGIE VEL

County:	Sharkey	
Permit #:	GW-48687	
Driller:	Irrigation Equipment I	nc.
Date drill	ing completed: 05/07/20	15
Copy	information from block on	Part 1

From manifold by From On & Dist. 044 040 0404 From On & Dist.

STATE WELL REPORT Part 2

Pump Installer's Completion Report Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 2309 Jackson, MS 39225-2309 (601) 961-5210 (601) 360-0535 (fax)

For	Office Use Only:
Well#:	E93
Aquifer:	

Rolling Fork Ms 39159 City State Zip code Celephone No. Color Pump Submersible Turbine Air Lift Centrifugal Flowing Ployer Plo	Method of Lat/Long (check one): ☐ Conventional Survey, ☐ USGS quad, ☒ Hand-held GPS, ☐ Survey-grade GPS SE ¼ NE ¼, Sec 21 T 12 N R 7 W 2 Miles Southwest of Rolling Fork (Distance) ☐ (Direction) ☐ (Nearest Town) Type (check one) ng Well ☐ Jet ☐ Piston ☐ Rotary ☐ Other (describe): ☐ Rated Pump Capacity: 2500+/- ☐ Gallons Per Minute
Rolling Fork Ms 39159 City State Zip code Telephone No. () - Pump ☐ Submersible ☑ Turbine ☐ Air Lift ☐ Centrifugal ☐ Flowing	USGS quad, ⊠ Hand-held GPS, ☐ Survey-grade GPS SE ¼ NE ¼, Sec 21 T 12 N R 7 W 2 Miles Southwest (Direction) of Rolling Fork (Nearest Town) Type (check one) ng Well ☐ Jet ☐ Piston ☐ Rotary ☐ Other (describe): Rated Pump Capacity: 2500+/- Gallons Per Minute
City State Zip code Telephone No. () - Pump ☐ Submersible ☑ Turbine ☐ Air Lift ☐ Centrifugal ☐ Flowing	SE 1/4 NE 1/4, Sec 21 T 12 N R 7 W 2
City State Zip code Telephone No. () - Pump ☐ Submersible ☑ Turbine ☐ Air Lift ☐ Centrifugal ☐ Flowing	SE 1/4 NE 1/4, Sec 21 T 12 N R 7 W 2
City State Zip code Telephone No. () - Pump ☐ Submersible ☑ Turbine ☐ Air Lift ☐ Centrifugal ☐ Flowing	2 Miles Southwest of Rolling Fork (Direction) of Rolling Fork (Nearest Town) Type (check one) ng Well □ Jet □ Piston □ Rotary □ Other (describe): Rated Pump Capacity: 2500+/- Gallons Per Minute
Pump Submersible Turbine Air Lift Centrifugal Flowin	(Distance) (Direction) (Nearest Town) Type (check one) ng Well □ Jet □ Piston □ Rotary □ Other (describe): Rated Pump Capacity: 2500+/- Gallons Per Minute
Pump ☐ Submersible ☑ Turbine ☐ Air Lift ☐ Centrifugal ☐ Flowin	(Distance) (Direction) (Nearest Town) Type (check one) ng Well □ Jet □ Piston □ Rotary □ Other (describe): Rated Pump Capacity: 2500+/- Gallons Per Minute
] Submersible ☑ Turbine ☐ Air Lift ☐ Centrifugal ☐ Flowin	Type (check one) ng Well □ Jet □ Piston □ Rotary □ Other (describe): Rated Pump Capacity: 2500+/- Gallons Per Minute
] Submersible ☑ Turbine ☐ Air Lift ☐ Centrifugal ☐ Flowin	ng Well
	Rated Pump Capacity: 2500+/- Gallons Per Minute
ate Pump Installed 05/08/2015	
are running moranea verses es	
This Pump <i>(check one)</i> : ⊠ New ☐ Repaired ☐ Replacem	nent
Power	Type (check one)
] Electric 🛭 Diesel 🗌 Gasoline 🗋 Natural Gas 🗎 Tractor P	PTO Windmill Other (describe):
orse Power Rating of Motor: 60 Setting Der	oth: 70' feet Number of Stages: 1
Pump Test Da	nta for Non Flowing Well
ate Well Tested:	Duration of Pump Test (minimum 4 hours): Hour
	ace Pumping Water Level (B): Feet Below Land Surface
	Surface Test Pumping Rate: Gallons Per Minut
	ic tape Air line Other (describe):
Pump Test	Data for Flowing Well
leasured shut in head: Feet	
Vell yielded GPM with a drawdown of	feet after hours of pumping
	Total or pumping
Met	er Installation
leter Manufacturer:	Meter Serial Number:
leter Model Number/Name:	
otalizer Register Unit and Multiplier Factor (AF x .001, gal x	1000 ata):
estallation Date: Meter installed by:	1000, etc).
This Meter (check one): New Repaired Replacem	
Important: By submitting the above information you are	certifying that this meter was installed to manufacturer standards.
r or agricultural wells, a list of a	approved meters is on the MDEQ website.
HEREBY CERTIFY that the above statements are true to th	ne best of my knowledge
and the to the)
Patrick Chism 0695 Print Name of Pump Installer and License No. (if applicable	05/14/2015

Form: OLWR-SWR-1B (4/13) 807 2 \$ 2015

