County:	Sharkey
Permit #:	GW-49821 /
Driller:	Irrigation Equipment, Inc.
Date drilli	ing completed: 12-9-16

STATE WELL REPORT

Part 1

Driller's Log
Mississippi Department of Environmental Quality
Office of Land and Water Resources

P.O. Box 2309
Jackson, MS 39225-2309
(601) 961-5210
(601) 360-0535 (fax)

For Office Use Only:			
Vell #:	F61		
Aquifer:			
E-Log #:			

State Law requires that this report he prepared by the license holder responsible for the work and filed with the

Department at the above address within 30 days of comp	pletion of drilling of the well or borehole.
Well Owner Information (Landowner if borehole is not for a water well)	Well or Borehole Location
Owner Name: Moore Family Properties	Latitude: 32° 52' 31.5" Longitude: 090° 50' 51.0"
Mailing Address: P.O. Box 209	Method of Lat/Long (check one): Conventional Survey,
	☐ USGS quad, ☑ Hand-held GPS, ☐ Survey-grade GPS
Cary MS 39095 City State Zip code	NE 14 NE 14, Sec 19 T 12N R 6W
Telephone No	Miles SE of Rolling Fork (Distance) (Direction) (Nearest Town)
Well / Bor	rehole Data
Date drilling started: 12-9-16 Date drilling completed:	12-9-16 Hole depth: 127' Hole diameter: 24"
Location of the source of any surface water used for drilling: S	
Method of dosing and volume of Chlorine used in drilling and deve	
Logs run (check all applicable): ⊠ No log run ☐ Electric ☐ Gam	ma Ray 🗌 Density 🔲 Sonic 🗌 Neutron 🔲 Other:
Name of organization running log(s):	
Purpose of borehole (check one): Water Well Geotech	nnical/Geological Investigation
☐ Seismic Survey ☐ €	Other (describe)
If drilling is not related to water well con	struction, skip the remainder of this block
Purpose of Well (check all applicable): ☐ Home ☐ Industrial ☐ P	
Other (describe):	•
If a flowing well, method of flow regulation: Valve	Other (describe)
Static Water Level: 24 feet [☐ above or ☒ below (check one)	w] land surface Date measured: 12-12-16
Method of Measurement (check one) \boxtimes Steel tape \square Electric tape	pe ☐ Air line ☐ Other: (describe)
Well depth: 127' Well grouted to a depth of: 10 feet	t Type of grout (check one): ☐ Neat Cement ⊠ Bentonite ☐ Mix
Casing length: 87 feet Casing diameter: 16	inches Type of casing: PVC
Screen length: 40 feet Screen diameter: 16	inches Type of screen: PVC
Screen slot size:050 inches Setting depth:	From 88 feet to 127 feet
Type of completion (check all applicable): ⊠ Gravel packed ☐ U	nderreamed Open hole Natural Development
Other (describe):	
Top of lap pipe or reduction in casing: Feet	RECEIV
If telescoped or more than on	e screen, describe on next page

watered must be provided by exempted by regulation ountered From (deg 42 51 67	for all wells spth) To (depth)
ountered From (de) Ground le 42 51	pth) To (depth) evel 41 50 66
ountered From (de) Ground le 42 51	pth) To (depth) evel 41 50 66
ountered From (de) Ground le 42 51	pth) To (depth) evel 41 50 66
Ground le 42 51	50 66
42 51	50 66
51	66
	-
	•
	
well	
	1
	.
	.
,	
	į
	ļ
	. [
rdance with all applicab	WR-SWR-1A (04/08) ble gulations,
Signature of License	<u></u>
	rdance with all applicate partment of Health reg

JAN 2 0 2017

County:	Sharkey	
Permit #:	GW-49821	
Driller:	Irrigation Equipment	, Inc.
Date drilli	ing completed: 12-9-16	
Copy	information from block or	Part 1

STATE WELL REPORT Part 2

Pump Installer's Completion Report
Mississippi Department of Environmental Quality
Office of Land and Water Resources P.O. Box 2309 Jackson, MS 39225-2309 (601) 961-5210

(601) 360-0535 (fax)

For Office Use Only:		
/Vell #:	F61	
Aquifer:	Act of the second secon	

or a licensed pump installer. A copy of Part I e above address within 30 days of well completion. Well Location
32° 52' 31.5" Longitude: 090° 50' 51.0"
Lat/Long (check one): Conventional Survey,
quad, ⊠ Hand-held GPS, ☐ Survey-grade GPS
<u>NE 1/4 NE 1/4, Sec 19 T 12N R 6W</u>
Miles SE of Rolling Fork (Direction) (Nearest Town)
9)
•
Piston Rotary Other (describe):
Capacity: 2100+/- Gallons Per Minute
e)
Other (describe):
feet Number of Stages: 1
ring Well
f Pump Test (minimum 4 hours): Hours
Nater Level (B): Feet Below Land Surface
umping Rate: Gallons Per Minute
Other (describe):
g Well
feet after hours of pumping
•
Serial Number:
of Meter:
his meter was installed to manufacturer standards. is on the MDEQ website.
owledge.
OV


1-6-17

Date

Signature of Pump Installer
Form: OLWR-SWR 18-(4-13)— IVED

JAN 2 0 2017

Print Name of Pump Installer and License No. (if applicable)



P. O. Box 129 Stoneville, MS 38776

Tel.: (662) 686-7712 Fax: (662) 686-9078 www.ymd.org

Yazoo Mississippi Delta Joint Water Management District

January 6, 2017

Moore Family Properties PO Box 209 Cary MS 39095

RE: Receipt for Notification of Construction of Replacement Well MS-GW-49321 which will be replacing GW-00296 located at

Location: NE¼ of the NE¼ Section 19 Township 12N Range 06W County Sharkey Latitude: 32 52 32 Longitude 90 50 51

Dear Charles Darden .:

This letter acknowledges your notification to the state that you intend to replace a previously permitted well in the Mississippi River Valley Alluvial Aquifer and that this replacement construction will meet the requirements for a groundwater replacement well specified in 11 Miss. Admin. Code Part 7, Chapter 1, Rule 1.4.F.1 (see attached/back of page). Construction may begin immediately on your replacement well.

Remember that you are still required to <u>submit a permit application</u> (enclosed) for the replacement well <u>within 5 days</u> of construction beginning. You are also <u>required</u> to properly decommission (plug and abandon) the replaced well within 180 days of the replacement well's construction.

A copy of this letter, or a water use permit for the replacement well, must be attached to the State Well Report submitted by your driller to MDEQ and they must also submit a copy to YMD, as specified in the Water Well Contractor regulations found in 11 Miss. Admin. Code Part 7, Chapter 2, Rule 2.9.


If you have any questions, please call YMD at 662-686-7712.

Sincerely,

Dillard Melton, Jr Permitting Director

RECEIVED
JAN 2 0 2017
BY OLWR





RECEIVED

JAN 2 0 2017

BY OLWR