·	STATE WELL REPORT	For Office Use Only:
County: Sharkey	Part 1	Well #: <u>H38</u>
Permit #: GW-47761 /	Driller's Log Mississippi Department of Environmental Qua	Aquifer:
Driller: Irrigation Equipment	Office of Land and Water Resources P.O. Box 2309	E-Log #:
Date drilling completed:	Jackson, MS 39225-2309	
	→ (601) 961-5210 (601) 360-0535 (fax)	
State I aw requires that this report	t be prepared by the license holder responsible	le for the work and filed with the
Department at the above address	within 30 days of completion of drilling of th	e well or borehole.
Well Owner Inform (Landowner if borehole is not i		or Borehole Location
Owner Name: Lonestar Plantation	Latitude: 32 48' 48.5	N Longitude: 90 45' 17.8 W
Mailing Address: P.O. Box 5	Method of Lat/Long (che	eck one): 🛛 Conventional Survey,
	USGS quad, 🛛 Han	d-held GPS, 🔲 Survey-grade GPS
Holly Bluff Ms	39088 NW ¼ S	<u>W</u> ¼, Sec <u>7</u> T <u>11 N</u> R <u>5 W</u>
City Sta	ate Zip code	
Telephone No. () -	<u>2</u> Miles	West of Holly Bluff (Direction) (Nearest Town)
	Well / Borehole Data	
Date drilling started: 05/15/2014	Date drilling completed: 05/15/2014 Hole depth:	. 127' Hole diameter: 24"
Location of the source of any surface wa	ater used for drilling: Surface Water	
Method of dosing and volume of Chlorin	e used in drilling and development: 50 PPM	
Method of dosing and volume of Chlorin		
-	e used in drilling and development: 50 PPM	nic 🗌 Neutron 🗍 Other:
Logs run (check all applicable): 🛛 No lo	5	nic 🗌 Neutron 🗍 Other:
Logs run (check all applicable): 🛛 No lo	og run ☐ Electric ☐ Gamma Ray ☐ Density ☐ So	
Logs run (check all applicable): 🛛 No lo Name of organization running log(s): Purpose of borehole (check one): 🕅 V	og run Electric Gamma Ray Density So	
Logs run (check all applicable):	og run 🗌 Electric 🗌 Gamma Ray 🗌 Density 🗌 So Water Well 👘 Geotechnical/Geological Investiga Seismic Survey 👘 Other (<i>describe</i>)	tion Ground Source Heat Pump
Logs run (check all applicable): X No lo Name of organization running log(s): Purpose of borehole (check one): X V	og run Electric Gamma Ray Density So	tion Ground Source Heat Pump
Logs run (check all applicable):	og run 🗌 Electric 🗌 Gamma Ray 🗌 Density 🗌 So Water Well 👘 Geotechnical/Geological Investiga Seismic Survey 👘 Other (<i>describe</i>)	ntion Ground Source Heat Pump
Logs run (check all applicable):	og run 🗌 Electric 🗌 Gamma Ray 🗌 Density 🗌 So Nater Well 🔹 Geotechnical/Geological Investiga Seismic Survey 🔹 Other (<i>describe</i>) <i>lated to water well construction, skip the rem</i>	ntion Ground Source Heat Pump
Logs run (check all applicable):	og run Electric Gamma Ray Density So Water Well Geotechnical/Geological Investiga Seismic Survey Other (describe) Idated to water well construction, skip the rem Home Industrial Public Supply Irrigation	Ition Ground Source Heat Pump Ition Ground Source Heat Pump Ition Ground Source Heat Pump Ition Ground Source Heat Pump
Logs run (check all applicable): Name of organization running log(s): Purpose of borehole (check one): V <i>If drilling is not re</i> Purpose of Well (check all applicable): Other (describe):	og run 🗌 Electric 🗌 Gamma Ray 🗌 Density 🗌 So Nater Well 🔹 Geotechnical/Geological Investiga Seismic Survey 🔹 Other (<i>describe</i>) <i>lated to water well construction, skip the rem</i>	Ition Ground Source Heat Pump Ition Ground Source Heat Pump Ition Ground Source Heat Pump Ition Ground Source Heat Pump
Logs run (check all applicable):	og run Electric Gamma Ray Density So Water Well Geotechnical/Geological Investiga Seismic Survey Other (describe) Idated to water well construction, skip the rem Home Industrial Public Supply Irrigation	Ition Ground Source Heat Pump Ition Ground Source Heat Pump Ition Ground Source Heat Pump Ition Ground Source Heat Pump
Logs run (check all applicable):	og run Electric Gamma Ray Density So Water Well Geotechnical/Geological Investiga Seismic Survey Other (describe)	ttion Ground Source Heat Pump nainder of this block Fish Culture measured: 05/20/2014
Logs run (check all applicable):	og run □ Electric □ Gamma Ray □ Density □ So Water Well □ Geotechnical/Geological Investiga Seismic Survey □ Other (describe) Iated to water well construction, skip the rem Home □ Industrial □ Public Supply ⊠ Irrigation □ on: Valve Other (describe) feet [□ above or ⊠ below] land surface Date (check one)	tion Ground Source Heat Pump nainder of this block Fish Culture measured: 05/20/2014 escribe)
Logs run (check all applicable):	og run Electric Gamma Ray Density So Water Well Geotechnical/Geological Investiga Seismic Survey Other (describe)	tion Ground Source Heat Pump aainder of this block Fish Culture measured: 05/20/2014 escribe) e): Neat Cement 🖾 Bentonite 🗆 Mix
Logs run (check all applicable):	og run □ Electric □ Gamma Ray □ Density □ So Water Well □ Geotechnical/Geological Investiga Seismic Survey □ Other (describe)	tion Ground Source Heat Pump aainder of this block Fish Culture measured: 05/20/2014 escribe) e): Neat Cement 🖾 Bentonite 🗆 Mix
Logs run (check all applicable):	og run □ Electric □ Gamma Ray □ Density □ So Water Well □ Geotechnical/Geological Investiga Seismic Survey □ Other (describe)	tion Ground Source Heat Pump aainder of this block Fish Culture measured: 05/20/2014 escribe) e): Neat Cement 🖾 Bentonite 🗆 Mix ype of casing: PVC
Logs run (check all applicable): Name of organization running log(s): Purpose of borehole (check one): If drilling is not real If drilling is not real Other (describe): If a flowing well, method of flow regulation Static Water Level: 17' Method of Measurement (check one) Well depth: 127' Well grouted to a Casing length: 87' feet Screen length: 40' feet Screen slot size: .050	og run Electric Gamma Ray Density So Water Well Geotechnical/Geological Investiga Seismic Survey Other (describe) Idated to water well construction, skip the rem Idated to water well construction, skip the rem Home Industrial Public Supply Irrigation On: Valve Check one) Steel tape Electric tape Air line Other: (depth of: 10' feet Type of grout (check on Casing diameter: 16'' inches Type	tion Ground Source Heat Pump aainder of this block Fish Culture measured: 05/20/2014 escribe) e): Neat Cement 🖾 Bentonite Discussion: PVC ype of screen: PVC feet to 127' feet
Logs run (check all applicable): ⊠ No log Name of organization running log(s): Purpose of borehole (check one): ⊠ V □ If drilling is not regulation Purpose of Well (check all applicable): □ □ Other (describe): □ If a flowing well, method of flow regulation Static Water Level: 17' Method of Measurement (check one) ⊠ Well depth: 127' Well depth: 127' Screen length: 40' Screen slot size: .050 Type of completion (check all applicable);	og run Electric Gamma Ray Density So Water Well Geotechnical/Geological Investiga Seismic Survey Other (describe) Idated to water well construction, skip the rem Home Industrial Public Supply Industrial Industrial <tr< td=""><td>tion Ground Source Heat Pump aainder of this block Fish Culture measured: 05/20/2014 escribe) e): Neat Cement 🖾 Bentonite Discussion: PVC ype of screen: PVC feet to 127' feet</td></tr<>	tion Ground Source Heat Pump aainder of this block Fish Culture measured: 05/20/2014 escribe) e): Neat Cement 🖾 Bentonite Discussion: PVC ype of screen: PVC feet to 127' feet
Logs run (check all applicable): Name of organization running log(s): Purpose of borehole (check one): V If drilling is not real If drilling is not real Other (describe): If a flowing well, method of flow regulation Static Water Level: 17' Method of Measurement (check one) Well depth: 127' Well grouted to a Casing length: 87' feet Screen length: 40' feet Screen slot size: .050	og run □ Electric □ Gamma Ray □ Density □ So Nater Well □ Geotechnical/Geological Investiga Seismic Survey □ Other (describe) Idated to water well construction, skip the rem □ Home □ Industrial □ Public Supply ⊠ Irrigation I on: Valve Other (describe) feet [□ above or ⊠ below] land surface Date (check one) Steel tape □ Electric tape □ Air line □ Other: (describe) a depth of: 10' feet Type of grout (check on Casing diameter: 16'' inches Ty Screen diameter: 16'' inches Ty inches Setting depth: From 88'): ⊠ Gravel packed □ Underreamed □ Open hole	tion Ground Source Heat Pump aainder of this block Fish Culture measured: 05/20/2014 escribe) e): Neat Cement 🖾 Bentonite Discussion: PVC ype of screen: PVC feet to 127' feet

• •

Form: OLWR-SWR-1A (4/13)

		For Office Use (Dnlv:
Objections		+38	,
County: Sharkey	Weil#:	0	
Permit #: GW-47761			
The sketch below only required for water wells	Description of formations encountered n	nust be provided for al	l wells
If well telescopes, show depths on sketch.	and boreholes, unless specifically exemp	ted by regulations	
Ground level	Description of Formations Encountered	d From (depth)	To (depth)
	Clay	Ground level	39
	Fine Sand	40	59
	Fine Sand & Gravel	60	65
	Medium Sand & Gravel	66	127
	······································		
If more than one screen, show location of each on sk	toh		l
Sketch the property layout and include the follow			
1) the well location	that may aid in locating the well		
2) any permanent structures on the propert	t may aid in locating the property and the well		
4) a north arrow	a may all infocating the property and the weir		
Landowner Name: Lonestar Plantation	n		

Form: OLWR-SWR-1A (04/08) I HEREBY CERTIFY that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state laws. 6 6 **Patrick Chism** 0695 05/29/2014 Print Name of Responsible Licensee and License No. Date

Signature of Licensee Form: OLWR+SWR-1A (4/13)

1

211-

24

<u>,</u>	STATE WELL R	EPORT	For	Office Use Only:
County: Sharkey	Part 2		1	H38
Permit #: GW-47761	Pump Installer's Comp	letion Report		
Driller: Irrigation Equipment	Mississippi Department of Envi	ronmental Qualit		
	Office of Land and Water P.O. Box 230		Aquifer:	
Date drilling completed: 05/15/2014 Copy information from block on Part 1	Jackson, MS 39225		[
		,		A come of Dans 1
This part of the report must be complete of the report must be attached and both				
Well Owner Informa			ell Location	
Owner Name: Lonestar Plantation	Latitude:	32 48' 48.5 N	Longitu	de: 90 45' 17.8 W
Mailing Address: P.O. Box 5	Method o	of Lat/Long (check	one): 🔲 🕻	Conventional Survey,
		6 quad, 🛛 Hand-h	eld GPS, 🗌	Survey-grade GPS
Holly Bluff Ms City State	39088 e Zip code	<u>NW</u> ¼ <u>SW</u>	¼, Sec <u>7</u> ⊺ <u>1</u>	<u>1 N</u> R <u>5 W</u>
		Miles V	lest of	Holly Bluff
	2 (Distai		ection)	(Nearest Town)
	Pump Type (check on) ()		
□ Submersible ⊠ Turbine □ Air Lift □ C			•	
Date Pump Installed 05/20/2014	Rated Pump	Capacity: 2500	t /-	Gallons Per Minute
Is This Pump <i>(check one)</i> : 🛛 New 🗌 Re	paired Replacement	ле)		
	epaired Replacement Power Type (check or	,		
🗆 Electric 🛛 Diesel 🗖 Gasoline 🗌 Natu	paired Replacement Power Type (check or ral Gas Tractor PTO Windmill	Other (describ		
🗆 Electric 🛛 Diesel 🗖 Gasoline 🗌 Natu	paired Replacement Power Type (check or ral Gas Tractor PTO Windmill	Other (describ		tages: <u>1</u>
🗆 Electric 🛛 Diesel 🗖 Gasoline 🗌 Natu	epaired CReplacement Power Type (check or ral Gas Tractor PTO Windmill Setting Depth: 70	Other (describ feet		tages: 1
□ Electric ⊠ Diesel □ Gasoline □ Natu Horse Power Rating of Motor:60	Paired Replacement Power Type (check or ral Gas Tractor PTO Windmill Setting Depth: 70 Pump Test Data for Non Flor	Other (describ feet feet wing Well	Number of S	
□ Electric ⊠ Diesel □ Gasoline □ Natu Horse Power Rating of Motor: <u>60</u> Date Well Tested:	Paired Replacement Power Type (check or ral Gas Tractor PTO Windmill Setting Depth: 70 Pump Test Data for Non Flor Duration	Other (describ feet feet wing Well of Pump Test (min	Number of S	s): Hours
□ Electric ⊠ Diesel □ Gasoline □ Natu Horse Power Rating of Motor: <u>60</u> Date Well Tested: Static Water Level (A): Fe	Paired Replacement Power Type (check or ral Gas Tractor PTO Windmill Setting Depth: 70 Pump Test Data for Non Flow Duration of teet Below Land Surface Pumping	Other (describ feet feet wing Well of Pump Test (min Water Level (B):	Number of S	s): Hours Feet Below Land Surface
Electric Diesel Gasoline Natu Horse Power Rating of Motor: 60 Date Well Tested: Static Water Level (A): Fe Drawdown [(B) - (A)]:	Power Type (check or ral Gas Tractor PTO Windmill Setting Depth: 70 Pump Test Data for Non Flor Duration et Below Land Surface Pumping Feet Below Land Surface Test F	Other (describ feet wing Well of Pump Test (min Water Level (B): Pumping Rate:	Number of S	s): Hours Feet Below Land Surface
□ Electric ⊠ Diesel □ Gasoline □ Natu Horse Power Rating of Motor: <u>60</u> Date Well Tested: Static Water Level (A): Fe Drawdown [(B) - (A)]:	paired Power Type (check or Power Type (check or ral Gas Tractor PTO Windmill Setting Depth: 70 Pump Test Data for Non Flor Duration tet Below Land Surface Pumping Feet Below Land Surface Test F Steel tape Electric tape Air lin	Other (describ feet feet wing Well of Pump Test (min Water Level (B): Pumping Rate:	Number of S	s): Hours Feet Below Land Surface
Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement <i>(check one):</i> 🗍	Power Type (check or ral Gas Tractor PTO Windmill Setting Depth: 70 Pump Test Data for Non Flor Duration et Below Land Surface Pumping Feet Below Land Surface Test F Steel tape Electric tape Air lin Pump Test Data for Flowin	Other (describ feet feet wing Well of Pump Test (min Water Level (B): Pumping Rate:	Number of S	s): Hours Feet Below Land Surface
□ Electric ⊠ Diesel □ Gasoline □ Natu Horse Power Rating of Motor: <u>60</u> Date Well Tested: Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement <i>(check one):</i> □	Power Type (check or ral Gas Tractor PTO Windmill Setting Depth: 70 Pump Test Data for Non Flor Duration et Below Land Surface Pumping Feet Below Land Surface Test F Steel tape Electric tape Air lin Pump Test Data for Flowin	Other (describ feet feet wing Well of Pump Test (min Water Level (B): Pumping Rate:	Number of S	s): Hours Feet Below Land Surface
□ Electric ⊠ Diesel □ Gasoline □ Natu Horse Power Rating of Motor: Date Well Tested: Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement <i>(check one):</i> □ Measured shut in head:	Power Type (check or ral Gas Tractor PTO Windmill Setting Depth: 70 Pump Test Data for Non Flor Duration et Below Land Surface Pumping Feet Below Land Surface Test F Steel tape Electric tape Air lin Pump Test Data for Flowin Feet	Other (describ feet feet wing Well of Pump Test (min Water Level (B): Pumping Rate: Dumping Rate: Other (described) Gene Other (described) Other (described)	Number of S	s): Hours Feet Below Land Surface Gallons Per Minute
□ Electric ⊠ Diesel □ Gasoline □ Natu Horse Power Rating of Motor: <u>60</u> Date Well Tested: Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement <i>(check one):</i> □ Measured shut in head:	paired Replacement Power Type (check or ral Gas Tractor PTO Windmill Setting Depth: 70 Pump Test Data for Non Flow test Below Land Surface Pumping Feet Below Land Surface Test F Steel tape Electric tape Air lin Pump Test Data for Flowin Feet a drawdown of	Other (describ feet feet wing Well of Pump Test (min Water Level (B): Pumping Rate: Dumping Rate: Other (described) Gene Other (described) Other (described)	Number of S	s): Hours Feet Below Land Surface Gallons Per Minute
□ Electric ⊠ Diesel □ Gasoline □ Natu Horse Power Rating of Motor: Date Well Tested: Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement <i>(check one):</i> □ Measured shut in head: Well yielded GPM with a	paired Power Type (check or ral Gas Tractor PTO Windmill Setting Depth: 70 Pump Test Data for Non Flor Duration et Below Land Surface Pumping Feet Below Land Surface Test F Steel tape Electric tape Air lin Pump Test Data for Flowin Feet A drawdown of Meter Installation	Other (describ feet feet wing Well of Pump Test (min Water Level (B): Pumping Rate: e Other (describ ng Well feet after feet after	imum 4 hour	s): Hours Feet Below Land Surface Gallons Per Minute
Electric Diesel Gasoline Natu Horse Power Rating of Motor: 60 Date Well Tested: Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement (check one): Measured shut in head: Well yielded GPM with a Meter Manufacturer:	Power Type (check or ral Gas Tractor PTO Windmill Setting Depth: 70 Pump Test Data for Non Flow Duration et Below Land Surface Pumping Feet Below Land Surface Test F Steel tape Electric tape Air lin Pump Test Data for Flowin Feet A drawdown of Meter Installation Meter	Other (describ feet feet wing Well of Pump Test (min Water Level (B): Dumping Rate: Cumping Rate: Dumping Rate: feet after feet after Serial Number:	Number of S	s): Hours Feet Below Land Surface Gallons Per Minute
Electric Diesel Gasoline Natu Horse Power Rating of Motor: 60 Date Well Tested: Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement (check one): Measured shut in head: Well yielded GPM with a Meter Manufacturer:	Power Type (check or ral Gas Tractor PTO Windmill Setting Depth: 70 Pump Test Data for Non Flow Duration et Below Land Surface Pumping Feet Below Land Surface Test F Steel tape Electric tape Air lin Pump Test Data for Flowin Feet A drawdown of Meter Installation Meter	Other (describ feet feet wing Well of Pump Test (min Water Level (B): Dumping Rate: Cumping Rate: Dumping Rate: feet after feet after Serial Number:	Number of S	s): Hours Feet Below Land Surface Gallons Per Minute
□ Electric ⊠ Diesel □ Gasoline □ Natu Horse Power Rating of Motor:60 Date Well Tested: Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement (check one): □ Measured shut in head: Well yielded GPM with a Meter Manufacturer: Meter Manufacturer:	paired Power Type (check or ral Gas Tractor PTO Windmill Setting Depth: 70 Pump Test Data for Non Flow Duration of tet Below Land Surface Pumping Feet Below Land Surface Test F Steel tape Electric tape Air lin Pump Test Data for Flowin Feet a drawdown of Meter Installation Meter	Conter (describ Content (describ Conten	Number of S	s): Hours Feet Below Land Surface Gallons Per Minute hours of pumping
□ Electric ⊠ Diesel □ Gasoline □ Natu Horse Power Rating of Motor: Date Well Tested: Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement <i>(check one):</i> □ Measured shut in head: Well yielded GPM with a Meter Manufacturer: Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier Fact	paired Power Type (check or ral Gas Tractor PTO Windmill Setting Depth: 70 Pump Test Data for Non Flow Duration et Below Land Surface Pumping Feet Below Land Surface Test F Steel tape Electric tape Air lin Pump Test Data for Flowin Feet A drawdown of Meter Installation Meter Type tor (AF x .001, gal x 1000, etc):	Other (describ feet feet wing Well of Pump Test (min Water Level (B): Dumping Rate: Other (descri ng Well feet after fee	Number of S	s): Hours Feet Below Land Surface Gallons Per Minute hours of pumping
□ Electric ⊠ Diesel □ Gasoline □ Natu Horse Power Rating of Motor:60 Date Well Tested: Fe Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement (check one): □ Measured shut in head: Well yielded GPM with a Meter Manufacturer: Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier Fact	paired Replacement Power Type (check or ral Gas Tractor PTO Windmill Setting Depth: 70 Pump Test Data for Non Flor Duration et Below Land Surface Pumping Feet Below Land Surface Test F Steel tape Electric tape Air lin Pump Test Data for Flowin Feet a drawdown of Meter Installation Meter Type tor (AF x .001, gal x 1000, etc): Meter installed by:	Other (describ feet feet wing Well of Pump Test (min Water Level (B): Dumping Rate: Other (descri ng Well feet after fee	Number of S	s): Hours Feet Below Land Surface Gallons Per Minute hours of pumping
□ Electric ⊠ Diesel □ Gasoline □ Natu Horse Power Rating of Motor:60 Date Well Tested: Fe Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement (check one): □ Measured shut in head: Well yielded GPM with a Meter Manufacturer: Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier Fact Installation Date: Is This Meter (check one): □ New □ Re Important: By submitting the above	paired Replacement Power Type (check or ral Gas Tractor PTO Windmill Setting Depth: 70 Pump Test Data for Non Flow Duration et Below Land Surface Pumping Feet Below Land Surface Test F Steel tape Electric tape Air lin Pump Test Data for Flowin Feet A drawdown of Meter Installation Meter Type tor (AF x .001, gal x 1000, etc): Meter installed by: paired Replacement	Cher (describ Cher (describ Cher feet wing Well of Pump Test (min Water Level (B): Dumping Rate: Cher (describe) General Number: Cher feet after Cher feet after Cher cher cher cher cher cher cher cher c	Number of S	s): Hours Feet Below Land Surface Gallons Per Minute hours of pumping
□ Electric ⊠ Diesel □ Gasoline □ Natu Horse Power Rating of Motor:60 Date Well Tested: Fe Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement (check one): □ Measured shut in head: Well yielded GPM with a Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier Fact Installation Date: Is This Meter (check one): □ New □ Re <i>Important: By submitting the above</i>	paired Replacement Power Type (check or ral Gas Tractor PTO Windmill Setting Depth: 70 Pump Test Data for Non Flow Duration et Below Land Surface Pumping Feet Below Land Surface Test F Steel tape Electric tape Air lin Pump Test Data for Flowin Feet a drawdown of Meter Installation Meter Type tor (AF x .001, gal x 1000, etc): Meter installed by: paired Replacement information you are certifying that Itural wells, a list of approved meter	Chis meter was insised on the MDEQ	Number of S	s): Hours Feet Below Land Surface Gallons Per Minute hours of pumping
□ Electric ⊠ Diesel □ Gasoline □ Natu Horse Power Rating of Motor:60 Date Well Tested: Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement (check one): □ Measured shut in head: Well yielded GPM with a Well yielded GPM with a Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier Fact Installation Date: Is This Meter (check one): □ New □ Re <i>Important: By submitting the above</i> <i>For agricul</i>	paired Replacement Power Type (check or ral Gas Tractor PTO Windmill Setting Depth: 70 Pump Test Data for Non Flor Duration et Below Land Surface Pumping Feet Below Land Surface Test F Steel tape Electric tape Air lin Pump Test Data for Flowin Feet a drawdown of Meter Installation Meter Type tor (AF x .001, gal x 1000, etc): paired Replacement information you are certifying that ltural wells, a list of approved meter ements are true to the best of my kr	Chis meter was insised on the MDEQ	Number of S	s): Hours Feet Below Land Surface Gallons Per Minute hours of pumping

From another by From On & Disk, 044,040,0400. From On & Disk, som

r (