State Well Report				
ا ام ا	Driller's Log	For Office Use Only:		
	ent of Environmental Quality	Aquifer: $\sqrt{9}$		
	and Water Resources	Well #:		
	on, MS 39225	Well #:		
	1)961- 5210	L. S. Elevation:		
Dota deiling completed: (0') \'(-1')	61- 5228 (fax)	P.1#-		
		E-log #:		
State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole.				
Information on Well Owner	Well or Bo	rehole Location		
(Landowner if borehole is not for a water well)	Latitude: 32 other	" Longitude: 90 55.06"		
Owner Name Delta Pine Land Co. LP	12 3C	Longitude. 10 5 0 00		
^	A 2 35 Method of Lat/Long (circle or	ne): Conventional Survey,		
Mailing Address: V. D. Box 5669				
,		GPS Survey-grade GPS		
A () A	NULY Sec 17	iwn 10 N Rng 07 U		
City State Zip Code	ISW SE			
City State Zip Code	Distance Direction Miles 5	Nearest Town		
Tolombono No. (<u>4</u> Miles _ 5	of ONWARD		
Telephone No. ()		;		
Well / Bo	rehole Data			
Date drilling started: 6.19.12 Date drilling completed: 6.19	12 122	7 11		
Date drilling started: OITIL Date drilling completed: OITIL	Hole depth: 122	Hole diameter: 67		
Location of the source of any surface water used for drilling:	PEK			
Method of dosing and volume of Chlorine used in drilling and dev	elopment: CHLORINE	TABLETS		
Logs run (circle all applicable) No log run Electric Gamma Ra	y Density Sonic Neutron	Other:		
Name of organization running log(s):				
Purpose of borehole (check one): Water Well Geotechnical/Geological Investigation Ground Source Heat Pump				
Seismic Survey Other (describe)				
If drilling is not related to water well construction, skip the remainder of this block				
Purpose of Well (check one): Home Industrial Public Supply Irrigation \times Fish Culture Other:				
If a flowing well, method of flow regulation: Valve Other (describe)				
Static Water Level:feet above or below (circle one) land surface Date measured:				
Method of Measurement (circle one) steel tape electric tape air line other:				
Well depth: 120 Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cemen Bentonite Mix				
Casing length: BD feet Casing diameter: 16 inches Type of casing: PVC				
Screen length: 40 feet Screen diameter: 16 inches Type of screen: PU. (
Screen slot size: .050 inches Setting depth: From feet to feet				

Type of completion (circle all applicable): Oravel packed

Other (describe): ____

Top of lap pipe or reduction in casing: feet. If telescoped or more than one screen, describe on next page

Form: OLWR-SWR-1A (04/08)

Underreamed Telescoped Open hole Natural Development

The sketch below only required for water wells

Print Name of Responsible Licensee and License No.

Ground Level	Description of Formations Encountered		
		From (depth)	o (depti
1/1	TOP SOIL	Ground Level	lo
	CLAY	10	<u> 65</u>
	MIX SAND CLAY	65	70
	MEDIUM SANO	70	11
	MEDIUM CUARSE COARSE WIFEBBLES		70
16"CASING	37(3,750)	<u> </u>	12
1 , 1	BOTTOM	120	12
16 CASING			
[
1 1/2			
<u> </u>			
114()c=			
110" SCHEEN)			
I I W STEEN			
<u> </u>			
f more than one screen, show location of each on sketch			
See	MAS		
See	MAS		
See	MAS		
downer Name:	MAS		
wner Name:	For	m: OLWR-SWR-1A	(04/08)
y that the well/borehole was drilled, constructed, and	completed in accordance with all applicabl	e requirements of th	ie
y that the well/borehole was drilled, constructed, and	completed in accordance with all applicabl	e requirements of th	ie
downer Name: ify that the well/borehole was drilled, constructed, and ssippi Department of Environmental Quality and the M	completed in accordance with all applicabl Iississippi Department of Health Fegulation	e requirements of th s, if applicable, and	ie

Date

Signature of Licensee

Description of formations encountered must be provided for all

STATE WELL REPORT Part 2 For Office Use Only: Pump Installer's Completion Report Miss Coparting of the frontiental Quality Aquifer: Resources For Sox (3) J91 120KS01, MS 70 135 0631 Well#: (601)961 5310 (601)354-6938 (fax) Elevation: This report should be prepared by the pump installer in detail and filed with the Department within 30 days of the installation of pump. Well Owner Information Well Location Longitude: 90.5 Mailing Address Method of Lat/Long (circle one): Conventional Survey. USGS quad, Hand-held GPS Survey-grade GPS State SW) Distance Direction Nearest Town Telephone No. (Pump Type Power Type Circle end Circle one Jet 🔅 Air Lift Submersible Diesel Engine Gasoline Engine Natural Gas Bucket Piston Turbine Electric Motor Hand Tractor PTO Centrifugal Rotary Flowing Well Windmill Other (specify): Other (specify): Horse Power Rating of Motor: Date Pump Installed: 60 Setting Depth: feet Rated Pump Capacity: 2500 Gallons Per Minute Number of Stages:

Pump Test Data	f Method of Measuring Water Level	
Date Well Tested:	Circle one	
Static Water Level (A):	Air Ine Flectric Measuring Line Steel Tape	
Pumping Water Level (S): Feet Below Lagrange		
Drawdown [(B) - (A)]: Feet Below Land Ourface	described well, measured shut in head:feet	
Test Pumping Rate:Gallons Per Minute	Well yieldedGPM with a drawdown of	
Duration of Pump Test (minimum 4 hours):bours	feet afterhours of pumping	

I HEREBY CERTIFY that the above statements are true to the best o	f my knowledge.	
Hubbard Stephens 741-P	Thick It	
Print Name of Pump Installer and License No. (if applicable)	Signature of Pump Installer	