

**MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY**

Office of Land and Water Resources

P. O. Box 10631  
Jackson, MS 39289-0631  
WATER WELL DRILLERS LOG

COUNTY WELL LOCATED <b>Simpson</b>	
WELL NUMBER <b>F</b>	CODED
DATE WELL COMPLETED <b>2004 9-19-94</b>	

PERMIT NUMBER
NAME OF DRILLING FIRM* <b>Arnold Fincher Sr 102 Beth St Brandon, Ms</b>

NAME & MAILING ADDRESS OF LANDOWNER <b>Jeff Walls</b>			
<b>Rt#3 Box 210 A</b>			
<b>Magee, Ms 39111</b>			
WELL LOCATION	SEC	TOWNSHIP	RANGE
	<b>22</b>	<b>2</b>	<b>6</b>
		<b>N</b>	<b>E</b>
		<b>S</b>	<b>W</b>
DISTANCE	DIRECTION	NEAREST TOWN	
<b>12</b> Miles	<b>East</b>	of <b>Mendenhall</b>	
OTHER LANDMARK			
WELL PURPOSE: Home, Irrigation, Municipal, Industrial, Fish Pond, etc. <b>Home</b>			

<b>PUMP DATA</b>			
PUMP TYPE (Circle One): <b>Submersible</b> , Turbine, Jet, Flowing Well, Other (Describe) _____			
POWER TYPE (Circle One): <b>Electric</b> , Tractor, Diesel, Gasoline, Butane, Other (Describe) _____ H/P <b>1 1/2</b>			
Pump Capacity (GPM)	No. of Stages	Setting Depth	
<b>20</b>	<b>15</b>	<b>65</b> FT.	
PUMP TEST			
Well yielded <b>17.8</b> GPM with a drawdown of <b>25</b> ft. after <b>24</b> hours of pumping			

<b>WELL DATA</b>		
Well Depth <b>71 ft</b>	Casing Diameter (In.) <b>4</b>	Casing Length (Ft.) <b>40</b>
Type of Casing <b>PVC</b>	Hole Depth <b>130</b>	Depth to Static Water Level <b>25'</b>
TYPE OF COMPLETION: (Circle One or More): <b>Natural Development</b> , Underreamed, Telescoped, Open Hole, Other (Describe) _____		
WELL GROUTED TO A DEPTH OF <b>10</b> FEET Type Grout (circle one) <b>Cement</b> , Bentonite, or Mix		

<b>LOG DATA</b>	
TYPE OF LOG RUN (Circle One): <b>No Log Run</b> , Electric, Gamma Ray, Density, Sonic, Neutron, Other (Describe) _____	
Name of Organization Running Log	

<b>SCREEN DATA</b>		
Diameter - Inches <b>4</b>	Length - Feet <b>30</b>	Slot Size - Inches <b>.008</b>
Screen Type <b>PVC</b>	Depth to Bottom - Feet <b>70</b>	

<b>GEOLOGIC DATA (Office Use Only)</b>			
Surface Elev.	Geologic Unit	Unit Thickness	Depth to Top
Subs. SWL	Date	Analysis	Aquifer Test
Driller's Remarks			
Top of Lap Pipe or Reduction in Casing			
<b>FEET</b>		IF TELESCOPED OR MORE THAN ONE SCREEN: USE BACK PAGE	

DESCRIPTION OF FORMATIONS ENCOUNTERED	FROM	TO	FORMATION STRONGEST FROM	TO
Surface Sand	0	5		
Red Clay	5	15		
Sand	15	25		
Grey Clay	25	40		
Sand	40	70		
Red Clay	70	90		
Pink Clay	90	95		
Sand	95	125		
Pink Clay	125	130		

**RECEIVED**  
**SEP 20 1994**

Dept. of Environmental Quality  
Office of Land & Water Resources

IF MORE SPACE IS NEEDED, USE BACK

If well telescopes please  
sketch and show depths.

GROUND LEVEL


SECTION \_\_\_\_\_

Please indicate well location X.

ADDITIONAL INFORMATION

If more than one screen,  
show location of each on sketch.