State V	Well Report	
County: 3m11	Part 1	For Office Use Only:
Permit #: Mississippi Departme	ent of Environmental Quality	Aquifer:
	and Water Resources	Weli#: D-23
	54-6938 (fax)	E-log #:
State Law requires that this report be prepared by the 30 days of completion of drilling of the well.	e driller in detail and filed wi	
Well Owner Information	Well	Location
Owner Name Tony Hickson		Longitude 87 24. 01
Mailing Address: 797- 3CR- 5-15	Method of Lat/Long (circle one	): Conventional Survey,
Luice, MS 39092 City State Zip Code	USGS quad, Hand-held C	
City State Zip Code		TwnRng
Telephone No. (601) 5-36-3788	Distance Direction Miles of	Nearest Town
Well 1	Data	Chicken
Purpose of Well (circle one) Home Industrial Public Supply	Irrigation Fish Culture (	Other: Houses
Date well drilling started: 7-15-06 Date	well drilling completed: 9-2	6-06
If flowing, method of flow regulation: Valve Other (d		
Static Water Level:feet above or below (circle one) 1	and surface Date measured:	16-14-06
Method of Measurement (circle one) steel tape electric tape	· · · · · · · · · · · · · · · · · · ·	
Hole depth: <u>520</u> Well depth: <u>475</u>	Well grouted to a depth of	30 feet
Type of grout (circle one): Cement Bentonite Mix	/	),,,
Casing length: 455 feet Casing diameter:	_inches Type of casing:	000
Screen length: 20 feet Screen diameter: 4	inches Type of screen:	000
Screen slot size: 0.08 inches Setting depth: From	155 feet to 47	7 5 feet
Type of completion (circle all applicable): Gravel packed Underr	eamed Telescoped Open ho	le Natural Development
Other (describe):		
Top of lap pipe or reduction in casing:feet. If tele	escoped or more than one screen	, describe on back of page
Logs run (circle all applicable): No log run Electric Gamma Ray	Density Sonic Neutron Otl	ner:
Name of organization running log(s): State		
I certify that the well was drilled, constructed, and completed in ac	cordance with all applicable req	uirements of the Mississippi
Department of Environmental Quality and/or the Mississippi Depa		
Arnord Fincher Sr 0598	. / /	Genchi
Print Name of Water Well Contractor and License No.	Signature of W	ater Well Contractor

Signature of Water Well Contractor

OCT 18 2006

BY: OLWR

Ground Level			nations Encountered	0	<b>25</b> 1
		XATZO Sandi	elley	250	ラジ
	-	Sand!		550	4
į	}-	Clay		42	_5
	ŗ				
Ŷ					
· ·					
. {				-	-
	1				
	ļ				ļ
					<del></del>
					+
					-
			المادة المستقدمين في المستقدمين و المستقدمين و المستقدمين و المستقدمين و المستقدمين و المستقدمين و المستقدم		
u e					
					-
	•				<del>-</del>
					+
					<del>-</del>
					<u></u>
If more than one screen, show location of the property layout and include the following the well; 3) any rough indicate direction.	Will		chicken	Hen.	ير
				<b>→</b>	
Landowner Name:	297	3cR-5			along y 178

PECEIVEL

OCT 18 2006

BY: OLWR

## STATE WELL REPORT

## County: Sm, T-G Permit #: Driller: Waterwell Serve Date completed: 9-26-06

Print Name of Pump Installer and License No. (if applicable)

## Part 2 Pump Installer's Completion Report

Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 10631
Jackson, MS 39289-0631
(601)961-5210
(601)354-6938 (fax)

For Office Use Only:	
Aquifer:	
Well#: D-23	-
Elevation:	•

	Well Location  Latitude: 32 12-41 Longitude: 89-24-01	
Owner Name: Tony Hickson		
Mailing Address: 797-5CR-575	Method of Lat/Long (circle one): Conventional Survey,	
Luke, MS 39092 City State Zip Code Telephone No. (Vd) 536-3788	USGS quad, Hand-held GPS, Survey-grade GPS	
Pump Type Circle one	Power Type Circle one	
Air Lift Jet Submersible	Diesel Engine Gasoline Engine Natural Gas	
Bucket Piston Turbine	Electric Motor Hand Tractor PTO	
Centrifugal Rotary Flowing Well	Windmill Other (specify):	
Other (specify):	Horse Power Rating of Motor: 5 14 P  Setting Depth: 260 feet	
Rated Pump Capacity:	Setting Depth:	
Pump Test Data  Date Well Tested: 9-76-06	Method of Measuring Water Level Circle one	
Static Water Level (A): Feet Below Land Surface	Air Line Electric Measuring Line Steel Tape	
Pumping Water Level (B): 141 Feet Below Land Surface	Other (specify):	
Drawdown [(B) - (A)]:Feet Below Land Surface	For flowing well, measured shut in head: feet	
Test Pumping Rate: 60 Gallons Per Minute	Well yieldedGPM with a drawdown of	
- Canons I of White	feet afterhours of pumping	

Signature of Pump Installer RECEI

OCT 18 2006

BY: OLWR