•		Sm	ith 6-11 SWD#
	STATE	WELL REPORT	
county: Smith	SIAID	Part 1	For Office Use Only:
	D	riller's Log	Well #:31
	ssissippi Departi	ment of Environmental Quality	Aquifer:
		nd and Water Resources 2.0. Box 2309	E-Log #:
Date drilling completed: 22313		on, MS 39225-2309	
<u></u>	•	601)961-5210 1)360-0535 (fax)	
State Law requires that this report be p Department at the above address within	prepared by the	license holder responsible for t	
Well Owner Information	1 3 0 mays by co.		hole Location
(Landowner if borehole is not for a w		Latitude 32. 125151 or	gitude: -89. 66220
Owner Name: D+DDril	ling Fre	57 43	37 37
Mailing Address: P.O. Box 1	634	Method of Lat/Long (check one): Conventional Survey,
		USGS quad, Hand-held G	
Ferriday LA 7 City State	1334		6 T 3N R 7E
		$3_{\text{Miles}} 5_{\text{o}}$	Trenton
Telephone No. (318) 757 - 327	<u>'Y</u>	(Distance) (Direction)	(Nearest Town)
Date drilling started: 122213 Bate dril Location of the source of any surface wate	ling completed:		2 ['] Hole diameter: <u>4^{''}</u>
Method of dosing and volume of Chlorine u	sed in drilling a	nd development:	
Logs run (circle all applicable): No log run	Electric Gamm	na Ray Density Sonic Neutro	n Other:
Name of organization running log(s):	. • • • • • • • • • • • • • • • • • • •		
Purpose of borehole (circle one): Water Wel	Geotechni	cal/Geological Investigation	Ground Source Heat Pump
Seismic Su	urvey Other (describe)	
If drilling is not related	to water well c	onstruction, skip the remainder	of this block
Purpose of Well (circle all applicable): Hom	ne Industrial	Public Supply Irrigation	Fish Culture
Other (describe):Rig	Sunoli		
If a flowing well, method of flow regulation	n' Valve) Other (describe)	
Goi	·		512212
Static Water Level: <u>10</u> feet [ab	ove or below (circle one)] land surface Date measured	
Method of measurement (circle one): Steel	tape Electric I	tape) Air line Other (<i>describe</i>):	
Well depth: 260 Well grouted to a dep	th of: 10 f	eet Type of grout (circle oner:	Neat Cement Bentonite Mix
Casing length: <u>200</u> feet Casing	g diameter:	inches Type of c	rasing:
Screen length:feet Scree	en diameter:	inches Type of	screen: <u>PVC</u>
Screen slot size: 1020_inches	Setting depth:	From 200 feet to	feet
Type of completion (circle all applicable):	Gravel packed	Underreamed Open hole	Natural Development
Other (describe):		1964 - 1964	JAN 0 2 2014
Top of lap pipe or reduction in casing:	feet		2000 B. La C. C. C. C. March

If telescoped or more than one screen, describe on next page

Form: OLWR-SWR-1A (4/13)

V

County: Smith	
Permit #:	-

If well telescopes, show depths on sketch.

Ground Level

For Office Use Only:	For	Office	Use	Only :
----------------------	-----	--------	-----	---------------


Well #: _____うら

The sketch below only required for water wells

<u>Description of formations encountered must be provided for all wells</u> and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
Red Clay	Ground level	20
Chalk	20	95
Limestone	45	140
Chalk & Limestone Stks	140	160
Chalk	60	165
Sand	165	175
Chulk	175	200
Sand Wsome Streaks	200	220
Jand	220	240
Sand WISome Streak	240	210
ot clay	a 10	260
/		

If more than one screen, show location of each on sketch



C II	STATE WELL REPORT	
County:	Part 2	For Office Use Only:
Permit #:	Pump Installer's Completion Report Mississippi Department of Environmental Quality	Well #: <u>F36</u>
Driller: Gary Raypor	Office of Land and Water Resources	well #
Date completed: 122313	P.O. Box 2309	Aquifer:
Copy information from block on Part 1	Jackson, MS 39225-2309 (601)961-5210	
	(601) 360-0535 (fax)	
This part of the report must be complete	d by a licensed water well contractor or a licensed pu	mp installer. A copy of Part 1
of the report must be attached and both Well Owner Informati	parts filed with the Department at the above address well I	within 30 days of well completion. .ocation
Owner Name: D+DDrillin		ngitude:
Mailing Address: <u>P.O. Box</u>		-
Mailing Address: <u>1,0, 100</u>): Conventional Survey,
<u>ril</u> ini	USGS quad, Hand-held G	
<u>Ferriday La II</u> City State	<u>334</u> Zip Code 2 4 4 5 ec_	6 T3N RTE
Telephone No. (318)	Zip Code 3 Miles 5	f Trenton
	<u>(Distance)</u> (Direction)	(Nearest Town)
\frown	Pump Type (circle one)	
	ugal Flowing Well Jet Piston Rotary Other (de	
Date Pump Installed: 12231	3 Rated Pump Capacity:	OGallons Per Minute
Is This Pump (circle one): New Rep	paired Replacement	
	Power Type (circle one)	
Electric Diesel Gasoline Natural Gas	Tractor PTO Windmill Other (describe):	
Horse Power Rating of Motor: 54	P Setting Depth:feet Number	of Stages:
	Pump Test Data for Non Flowing Well	
Date Well Tested: 12231		num 4 hours): hours
		Feet Below Land Surface
		Gallons Per Minute
Method of measurement (circle one); Sa	Air line Other (describe):	
	Pump Test Data for Flowing Well	
Measured shut in head:feet		
Well yieldedGPM with a c	Irawedown of feet after	hours of pumping
	Meter Installation	
Meter Manufacturer:	Meter Serial Number:	·
	Type of Meter:	
	actor (AF x .001, gal x 1000, etc):	
	Meter installed by:	
Is This Meter (circle one): New Rep		
Important: By submitting the above in For agricultu	formation you are certifying that this meter was insta ral wells, a list of approved meters is on the MDEQ w	lled to manufacturer standards. ebsite.
RAYBORN DRILLING, INC.	ments are true to the best of my knowledge.	S N BARRA
the second manual second manual second	0-60 12/27/13	~~~
		A* 4
Print Name of Pump Installer and Licen		ture of Pump in taller Form: OLWR-SWR 1B (4/