	<b>State V</b>	Vell Report		
County: Stone	Part 1 Mississippi Department of Environmental Quality Office of Land and Water Resources		For Office Use Only:	
-			Aquifer:	
Permit #:			Well #: <u>C-137</u>	
Driller: <u>Matthews</u> Drilling Dec Date drilling completed: <u>8/5/04</u>			L. S. Elevation:	
		54-6938 (fax)	E-log #:	
	-	1 411 4 1.4 41 - 3 <b>641 - 3</b> -	······	
State Law requires that this rep 30 days of completion of drilling		e armer in detail and med w	in the Department within	
Well Owner Information		Well Location		
Owner Name Richard Ban	kston	Latitude:°'	_" Longitude:'	
Mailing Address: 923 Big Four Rel		Method of Lat/Long (circle one): Conventional Survey,		
		USGS quad, Hand-held GPS, Survey-grade GPS		
Higgins M-			1 M 14 SG 14 Sec 13 Twn 2 S Rng 1/ W	
City State Zip Code Telephone No. $(60)$ $29 - 9336$		Distance Direction Nearest Town <u>5</u> Miles West of Wigg NS		
•				
•		·	•	
Static Water Level: <u>36</u> feet al Method of Measurement (circle one) $\leq$ s Hole depth: <u>108</u> Well de Type of grout (circle one): Cement	bove or the circle one	(describe) ) land surface Date measured: we air line other: Well grouted to a depth of	8/6/04 RECE	
If flowing, method of flow regulation: Va Static Water Level: <u>30</u> feet al Method of Measurement (circle one) $\leq$ s Hole depth: <u>108</u> Well de Type of grout (circle one): Cement	bove or below (circle one steel tape electric tap epth: <u>108</u> Bentonite Mi	(describe) ) land surface Date measured: we air line other: Well grouted to a depth of	8/6/04 RECE SEP 0 10' <b>BY: O</b> I	
If flowing, method of flow regulation: Va Static Water Level: <u>36</u> feet al Method of Measurement (circle one) $\leq$ s Hole depth: <u>108</u> Well de Type of grout (circle one): Cement Casing length: <u>98</u> feet Casi	alve Other bove or below (circle one steel tape ) electric tap epth: $208^{10}$ Bentonite Minimized	(describe)	8/6/04 RECE SEP 0 10 10 BY: 01 PVC 40	
If flowing, method of flow regulation: Va Static Water Level: <u>36</u> feet al Method of Measurement (circle one) $\leq$ Hole depth: <u>108</u> Well de Type of grout (circle one): Cement Casing length: <u>98</u> feet Casi Screen length: <u>20</u> feet Screen	alve Other bove on below (circle one steel tape ) electric tap epth: $28^{\circ}$ Bentonite Min ing diameter: $4$	(describe)	8/6/04 RECE SEP 0 10 10 10 10 10 10 10 10 10 10 10 10 10	
If flowing, method of flow regulation: Va Static Water Level: <u>36</u> feet al Method of Measurement (circle one) $\leq$ s Hole depth: <u>108</u> Well de Type of grout (circle one): Cement Casing length: <u>98</u> feet Casi	alve Other bove or below (circle one steel tape electric tap epth: Bentonite Min ing diameter: een diameter: Setting depth: From : Gravel packed Under	(describe)	8/6/04 RECE SEP 0 6 70 6 78 78 78 78 78 70 78 78 70 70 70 70 70 70 70 70 70 70 70 70 70	
If flowing, method of flow regulation: Va Static Water Level: <u>36</u> feet at Method of Measurement (circle one) $\leq$ Hole depth: <u>108</u> Well de Type of grout (circle one): Cement Casing length: <u>88</u> feet Casi Screen length: <u>20</u> feet Scree Screen slot size: <u>#12</u> inches Type of completion (circle all applicable):	alve Other bove or below (circle one steel tape electric tap epth: / Bentonite Min ing diameter:/ setting depth: From : Gravel packed Under Other (describe):	(describe)	8/6/04 RECE SEP 0 6 70 6 7 7 7 7 8 7 8 7 8 7 8 7 8 7 8 7 8 7 8	
If flowing, method of flow regulation: Va Static Water Level: <u>30</u> feet at Method of Measurement (circle one) $\leq$ Hole depth: <u>108</u> Well de Type of grout (circle one): Cement Casing length: <u>88</u> feet Casi Screen length: <u>20</u> feet Screener Screen slot size: <u>#12</u> inches Type of completion (circle all applicable): Top of lap pipe or reduction in casing:	alve Other bove or below (circle one steel tape electric tap epth: / Bentonite Min ing diameter: / setting depth: From : Gravel packed Unde Other (describe): feet. If	(describe)	B/G/04 RECE SEP 0 fBY: OI BY: OI # 12 PIC 08 feet hole Natural Development een, describe on back of page	
If flowing, method of flow regulation: Va Static Water Level: <u>36</u> feet al Method of Measurement (circle one) s Hole depth: <u>108</u> Well de Type of grout (circle one): Cement Casing length: <u>88</u> feet Casi Screen length: <u>20</u> feet Screener Screen slot size: <u>#12</u> inches Type of completion (circle all applicable): Top of lap pipe or reduction in casing: Logs run (circle all applicable): (No log run	alve Other bove or below (circle one steel tape electric tap epth: / Bentonite Min ing diameter: / setting depth: From : Gravel packed Unde Other (describe): feet. If	(describe)	B/G/04 RECE SEP 0 fBY: OI BY: OI # 12 PIC 08 feet hole Natural Development een, describe on back of page	
If flowing, method of flow regulation: Va Static Water Level: <u>36</u> feet al Method of Measurement (circle one) s Hole depth: <u>268</u> Well de Type of grout (circle one): Cement Casing length: <u>88</u> feet Casi Screen length: <u>20</u> feet Screener Screen slot size: <u>#12</u> inches Type of completion (circle all applicable): Top of lap pipe or reduction in casing: Logs run (circle all applicable): (No log run Name of organization running log(s):	alve Other bove or below (circle one steel tape electric tap epth: / Bentonite Min ing diameter: cen diameter: Setting depth: From Gravel packed Under Other (describe): feet. If an Electric Gamma Ra	(describe)	B/G/04 RECE SEP 0 fBY: OI BY: OI # 12 PIC 08 feet hole Natural Development een, describe on back of page	
If flowing, method of flow regulation: Va Static Water Level: <u>36</u> feet al Method of Measurement (circle one) <u>s</u> Hole depth: <u>268</u> Well de Type of grout (circle one): Cement Casing length: <u>98</u> feet Casi Screen length: <u>20</u> feet Scree Screen slot size: <u><math>\#</math> /2</u> inches Type of completion (circle all applicable): Top of lap pipe or reduction in casing: <u></u> Logs run (circle all applicable): <u>No log ru</u> <u>Name of organization running log(s):</u> <u>I</u> <b>I certify that the well was drilled, constr</b>	alve Other bove or below (circle one steel tape electric tap epth: Bentonite Mii ing diameter: een diameter: Setting depth: From Gravel packed Unde Other (describe): feet. If an Electric Gamma Ra	(describe)	B/G/04 RECE SEP 0 BY: OI BY: OI FWC 40 # 12 Pilc 08 feet hole Natural Development een, describe on back of page Other:	
If flowing, method of flow regulation: Va Static Water Level: <u>30</u> feet at Method of Measurement (circle one) $\leq$ Hole depth: <u>108</u> Well de Type of grout (circle one): Cement Casing length: <u>88</u> feet Casi Screen length: <u>20</u> feet Scree Screen slot size: <u># 12</u> inches Type of completion (circle all applicable):	alve Other bove or below (circle one steel tape electric tap epth: Bentonite Mississippi De Setting depth: From Gravel packed Under Other (describe): feet. If an Electric Gamma Ra	(describe)	B/G/04 RECE SEP 0 BY: OI BY: OI FWC 40 # 12 Pilc 08 feet hole Natural Development een, describe on back of page Other:	

If well telescopes please sketch below and show depths.

¥.

Ground Level	<u>C-13</u> 7	Description of Formations Encount	ered From	То
	-	Red Clay	0	8
		Soul	8'	108
				<u></u>
				+
				+
				+
			· · · · · · · · · · · · · · · · · · ·	+
		······································		
			- HECF	EVE!
				╺╀┸┺┿╘
			SEP n	1 200
				1 2004
If more than one screen, show lo	cation of each on sketch		BY: O	
			$\mathbf{D}$	IVVH
tch the property layout and includ	le the following: 1) the well h	ocation; 2) any permanent structures on the	property that may	
tch the property layout and includ aid in locating the well; (4) indicate direction	le the following: 1) the well le ; 3) any roads, power lines, or	ocation; 2) any permanent structures on the r other items that may aid in locating the pro-	property that may operty and the part	CEIV
tch the property layout and includ aid in locating the well; 4) indicate direction.	; 3) any roads, power lines, or	r other items that may aid in locating the pro-	property that may operty and the pro-	CEIV
ch the property layout and includ aid in locating the well; 4) indicate direction.	; 3) any roads, power lines, or	r other items that may aid in locating the pro-	property that may operty and the pro-	CEIV
ch the property layout and includ aid in locating the well; 4) indicate direction.	; 3) any roads, power lines, or	ocation; 2) any permanent structures on the r other items that may aid in locating the property $H_{UUSC}$	property that may operty and the pro-	CEIV
ch the property layout and includ aid in locating the well; 4) indicate direction.	; 3) any roads, power lines, or	r other items that may aid in locating the pro-	property that may operty and the pro-	CEIV
ch the property layout and includ aid in locating the well; 4) indicate direction.	; 3) any roads, power lines, or	r other items that may aid in locating the property $A_{\gamma}$ , $H_{USC}$	property that may operty and the pro-	CEIV
tch the property layout and includ aid in locating the well; 4) indicate direction.	; 3) any roads, power lines, or	r other items that may aid in locating the property $A_{\gamma}$ , $H_{USC}$	property that may operty and the pro- House BY	CEIV
ch the property layout and includ aid in locating the well; 4) indicate direction.	; 3) any roads, power lines, or	r other items that may aid in locating the property $A_{\gamma}$ , $H_{USC}$	property that may operty and the pro-	CEIV
tch the property layout and includ aid in locating the well 4) indicate direction.	; 3) any roads, power lines, or	r other items that may aid in locating the property $A_{\gamma}$ , $H_{USC}$	property that may operty and the pro-	CEIV
ch the property layout and includ aid in locating the well 4) indicate direction.	; 3) any roads, power lines, or	r other items that may aid in locating the property $A_{\gamma}$ , $H_{USC}$	property that may operty and the pro-	CEIV
ch the property layout and includ aid in locating the well; 4) indicate direction.	; 3) any roads, power lines, or	r other items that may aid in locating the property $A_{\gamma}$ , $H_{USC}$	property that may operty and the pro-	CEIV
tch the property layout and includ aid in locating the well; 4) indicate direction.	; 3) any roads, power lines, or	r other items that may aid in locating the property $A_{\gamma}$ , $H_{USC}$	property that may operty and the pro-	CEIV
tch the property layout and includ aid in locating the well; 4) indicate direction.	; 3) any roads, power lines, or	r other items that may aid in locating the property $A_{\gamma}$ , $H_{USC}$	property that may operty and the pro-	CEIV
tch the property layout and includ aid in locating the well; 4) indicate direction.	; 3) any roads, power lines, or	r other items that may aid in locating the property $A_{\gamma}$ , $H_{USC}$	property that may operty and the pro-	CEIV
tch the property layout and includ aid in locating the well; 4) indicate direction.	; 3) any roads, power lines, of	r other items that may aid in locating the pro Ar House	property that may operty and there House BY	CEIV
tch the property layout and includ aid in locating the well; 4) indicate direction.	; 3) any roads, power lines, of	r other items that may aid in locating the pro Ar House	property that may operty and there House BY	CEIV
tch the property layout and includ aid in locating the well; 4) indicate direction.	; 3) any roads, power lines, of	r other items that may aid in locating the pro Ar House	property that may operty and there House BY	CEIV
tch the property layout and includ aid in locating the well; 4) indicate direction.	; 3) any roads, power lines, of	r other items that may aid in locating the property $A_{\gamma}$ , $H_{USC}$	property that may operty and there House BY	CEIV
tch the property layout and includ aid in locating the well; 4) indicate direction.	; 3) any roads, power lines, of	r other items that may aid in locating the pro Ar House	property that may operty and there House BY	CEIV
aid in locating the well; 4) indicate direction.	; 3) any roads, power lines, or Fu	r other items that may aid in locating the pro Ar House	property that may operty and there House BY	CEIV
downer Name:	; 3) any roads, power lines, or Fu	r other items that may aid in locating the pro Ar House	property that may operty and there House BY	CEIV

all en ~

Signature of Water Well Contractor

·····		ELL REPORT			
County: Stone	Part 2 Pump Installer's Completion Report Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 10631		For Office Use Only:		
Permit #:			Aquifer:		
Driller: Matthews Drilling Inc.			C-1302		
		MS 39289-0631	Well #: <u>C=137</u>		
Date completed: 8/6/04	(601)961-5210 (601)354-6938 (fax)		Elevation:		
This report should be prepared by th installation of pump.	e pump installer in det	ail and filed with the Departme	nt within 30 days of the		
Well Owner Information		Well Location			
Owner Name: <u>Richard Bankstoin</u> Mailing Address: <u>923 Big Four Rd.</u>		Latitude:Longitude:			
		Method of Lat/Long (circle or	Method of Lat/Long (circle one): Conventional Survey,		
		USGS quad, Han	USGS quad, Hand-held GPS, Survey-grade GPS		
Wiggius MS <u>39577</u> City State Zip Code Telephone No. (641) <u>928 - 9336</u>		NW 14 515 14 Sec 13 Twn 25 Rng //W			
		Distance Direction Nearest Town			
		5 Miles West of Wiggins			
Ритр Туре			wer Type		
Circle one			Circle one		
Air Lift Jet	Submersible	Diesel Engine Gasoli	ne Engine Natural Gas		
Bucket Piston	Turbine	Electric Motor Hand	Tractor PTO		
Centrifugal Rotary	Flowing Well		(specify):		
Other (specify):			r <u>2 hrs</u> RECEI		
Date Pump Installed: 9/6/02/		Setting Depth:			
Rated Pump Capacity: 35	_Gallons Per Minute				
			BY: OL		
Pump Test Data		Method of Measuring Water Level Circle one			
Date Well Tested:					
Static Water Level (A):Feet Below Land Surface		Air Line  Electric Measuring Line  Steel Tape    Other (specify):			
Pumping Water Level (B): <u>60</u> Feet	Below Land Surface	Outor (specify).			
Drawdown [(B) - (A)]:6Feet	Below Land Surface		hut in head:feet		
Test Pumping Rate: <u>30</u> Gallons Per Minute		Well yielded GPM with a drawdown of			
Duration of Pump Test (minimum 4 hours)	:	<u> </u>	hours of pumping		

Print Name of Pump Installer and License No. (if applicable)  $\overline{\phantom{a}}$ 

٠

Signature of Pump Installer