

MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY

Office of Land and Water Resources

P. O. Box 10631
Jackson, MS 39289-0631
WATER WELL DRILLERS LOG

COUNTY WELL LOCATED <i>Stone</i>	
WELL NUMBER <i>D 2041</i>	CODED
DATE WELL COMPLETED <i>3-8-96</i>	

0408

PERMIT NUMBER <i>Eng Fogle Well Gen</i>
NAME OF DRILLING FIRM <i>194 Depot Rd</i>
<i>Greenville MS 39452</i>

NAME & MAILING ADDRESS OF LANDOWNER <i>Jennifer K Allard</i>			
<i>281 Bluff creek Rd</i>			
<i>Wilgins MS 39577</i>			
WELL LOCATION: SEC	TOWNSHIP	RANGE	
<i>85</i>	<i>2</i>	<i>10</i>	
DISTANCE <i>2 1/2</i> Miles	DIRECTION <i>North</i>	NEAREST TOWN <i>26 at water crossing</i>	
OTHER LANDMARK			
WELL PURPOSE: Home, Irrigation, Municipal, Industrial, Fish Pond, etc. <i>Dr</i>			

PUMP DATA		
PUMP TYPE (Circle One): Submersible, Turbine, <u>Jet</u> Flowing Well, Other (Describe) _____		
POWER TYPE (Circle One): Electric, Tractor, Diesel, Gasoline, Butane, Other (Describe) _____ H/P <u>1</u>		
Pump Capacity (GPM) <i>10</i>	No. of Stages <i>2</i>	Setting Depth <i>70</i> FT.
PUMP TEST Well yielded <i>10</i> GPM with a drawdown of <i>5</i> ft. after <i>1/2</i> hours of pumping		

WELL DATA		
Well Depth <i>85'</i>	Casing Diameter (In.) <i>4"</i>	Casing Length (Ft.) <i>95'</i>
Type of Casing <i>PVC</i>	Hole Depth <i>85'</i>	Depth to Static Water Level <i>60'</i>
TYPE OF COMPLETION: (Circle One or More): <input checked="" type="checkbox"/> Gravel Packed, <input type="checkbox"/> Underreamed, <input type="checkbox"/> Telescoped, <input checked="" type="checkbox"/> Natural Development, <input type="checkbox"/> Open Hole, <input type="checkbox"/> Other (Describe) <i>air lift</i>		
WELL GROUTED TO A DEPTH OF <i>20</i> FEET Type Grout (circle one): Cement, Bentonite, or Mix		

LOG DATA	
TYPE OF LOG RUN (Circle One): No Log Run, Electric, Gamma Ray, Density, Sonic, Neutron, Other (Describe) _____	
Name of Organization Running Log	

SCREEN DATA		
Diameter - Inches <i>2 1/2"</i>	Length - Feet <i>10'</i>	Slot Size - Inches <i>#7</i>
Screen Type <i>Wrapped</i>	Depth to Bottom - Feet <i>85'</i>	

GEOLOGIC DATA (Office Use Only)			
Surface Elev.	Geologic Unit	Unit Thickness	Depth to Top
Subs. SWL	Date	Analysis	Aquifer Test
Driller's Remarks			
Top of Lap Pipe or Reduction in Casing			
FEET		IF TELESCOPED OR MORE THAN ONE SCREEN: USE BACK PAGE	

DESCRIPTION OF FORMATIONS ENCOUNTERED	FROM	TO
<i>Top Soil</i>	<i>0</i>	<i>5</i>
<i>Sandy Clay</i>	<i>5</i>	<i>20</i>
<i>Red Sand</i>	<i>20</i>	<i>30</i>
<i>Sandy Clay</i>	<i>30</i>	<i>60</i>
<i>Sandy Pink to Red</i>	<i>60</i>	<i>85</i>

FORMATIONS (Continued)	FROM	TO
RECEIVED		
APR 26 1996		
Dept. of Environmental Quality Office of Land & Water Resources		
IF MORE SPACE IS NEEDED, USE BACK		

