State Well Report		For Office Use Only:		
County: Stone Part 1 - I	Part 1 – Driller's Log			
Mississinni Denartmen	Mississippi Department of Environmental Quality			
Permit #: Office of Land a	and Water Resources	Well#: <u>E42</u>		
I Triller: I L. M. A. C. L. T. Pradicit	Box 10631			
Jackson, N	1S 39289-0631	L. S. Elevation:		
	961-5210	D		
(601)35	4-6938 (fax)	E-log #:		
State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole.				
Information on Well Owner		rehole Location		
(Landowner if borehole is not for a water well)	0 1157 635			
a w Constant Alexand	Latitude: 36 ° 4 1 '853	" Longitude: 89 ° 15 '140" ie): Conventional Survey,		
Owner Name Green Forest Nursery	Mathod of Lat/Lang (sirála ar	1 36"		
Mailing Address: 1478 Old Hwy 26	Method of LavLong (chele of	ie). Conventional Survey,		
USGS quad Hand-held		GPS Survey-grade GPS		
Policyton me 30503	<u>5E14 SE14 Sec. W</u>	Twn T35 Rng R13W		
Perkingston MS 39573 City State Zip Code	Distance Direction	Nearest Town		
	5.5 Miles 3W	Nearest Town of Wagins		
Telephone No. (601) 928 - 7266				
Well / Bore	hala Data			
		_		
Date drilling started: 4-29-09 Date drilling completed: 4-29-	09 Hole depth: 97	Hole diameter: 7.5"		
		·		
Location of the source of any surface water used for drilling:				
Method of dosing and volume of Chlorine used in drilling and development:				
Logs run (circle all applicable) No log run Electric Gamma Ray Density Sonic Neutron Other: Name of organization running log(s):				
Purpose of borehole (check one): Water Well X Geotechnical/Geological Investigation Ground Source Heat Pump				
Seismic Survey Other (describe)				
If drilling is not related to water well construction, skip the remainder of this block				
Purpose of Well (check one): Home Industrial Public Supply Irrigation X Fish Culture Other:				
If a flowing well, method of flow regulation: Valve Other (describe)				
Static Water Level: 73 feet above or below (circle one) land surface Date measured: 05:01-09				
Method of Measurement (circle one) steel tape electric tape air line other:				
Well depth: 97' Well grouted to a depth of 12 feet Type of grout (circle one): Neat Cement Bentonite				
Casing length: 771 feet Casing diameter: 4" inches Type of casing: PVC 540 BE				
Screen length: 20' feet Screen diameter: 4" inches Type of screen: WOP PVC				

07.

Setting depth: From

Other (describe):

Screen slot size: .OND inches

Top of lap pipe or reduction in casing:

Type of completion (circle all applicable): Gravel packed Underreamed

feet to 97'

Telescoped Open hole

feet. If telescoped or more than one screen, describe on next page

Form: OLWR-SWR-1A

feet

Natural Development

RECEIVED

JUN 1 1 2009

BY: OLWR

To (depth)

<u>20</u>

From (depth)

Ground Level

20

Description of formations encountered must be provided for all

Description of Formations Encountered

wells and boreholes, unless specifically exempted by regulations

		Gravel (med)	32	35
		Sand (med)	35	55
		Sand'(med)	55	73
		Sand (med. coarse)	73	88 17
		Sund (coarse)	કુક	67
			 	1
			-	-
			 	1
				1
			1	
			+	1
			 	
Sketch the property layout and	show location of each on sketch d include the following: 1) the well	location; 2) any permanent structures on the	property that may	
aid in locating the 4) a north arrow	the well; 3) any roads, power lines, of the well; 3) any roads, and the well; 3) and the well; 4) and the well; 4) and the well; 5) and the well; 5) and the well; 5) and the well; 5) and the well and the well; 5) and the well and the w	or other items that may aid in locating the pro	perty and the well	l;
		marriage.		1
		many companies and particular sections.		
	210			
	11 14 20			
~' 1	Hout			
Ola	Hwy 26			
		\sim $^{\kappa}d$		
//	11 / Josephice	e Rd		
/ ~*	XI/			

Form: OLWR-SWR-1A I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

laws.

Print Name of Responsible Licensee and License No.

Greenforest Nyrser

The sketch below only required for water wells

If well telescopes, show depths on sketch.

Ground Level

5-12-09

Date

Signature of Licensee

RECEIVED

JUN 1 1 2009

BY: OLWR

STATE WELL REPORT

Permit #: Driller: Michael S. Havard Date completed: 5-01-09

Part 2

Pump Installer's Completion Report
Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 10631
Jackson, MS 39289-0631

(601)961-5210 (601)354-6938 (fax)

For Office Use Only:				
Aquifer:				
Well #: <u>E42</u>	-			
Elevation:	_			

Copy information from block on Part I (601)35	4-6938 (fax)		
This part of the report must be completed by a licensed water well report must be attached and both parts filed with the Department a	contractor or a licensed pump installer. A copy of Part 1 of the at the above address within 30 days of well completion.		
Well Owner Information	Well Location		
Owner Name: Green Forest Wursery Mailing Address: 1478 Old Huy 26	Latitude: N30°47.832 Longitude: W89°15. W3 50° Method of Lat/Long (check one): Conventional Survey		
•	LIGGO I II II CDG V G TOTAL CDG		
	USGS quad, Hand-held GPS_X_, Survey-grade GPS		
Perkingston MS 39573 City State Zip Code	SE 4 SE 4 Sec 11 TT35 R R 13W		
	Distance Direction Nearest Town		
Telephone No. (601) 928 - 7266	5.5 Miles SW of Wiggins		
Pump Type Circle one	Power Type Circle one		
Air Lift Jet Submersible	Diesel Engine Gasoline Engine Natural Gas		
Bucket Piston Turbine	Electric Motor Hand Tractor PTO		
Centrifugal Rotary Flowing Well	Windmill Other (specify):		
Other (specify):	Horse Power Rating of Motor:		
Date Pump Installed: 5-01-09	Setting Depth: 95 feet		
Rated Pump Capacity: Gallons Per Minute	Number of Stages:15		
Pump Test Data	Method of Measuring Water Level Circle one		
Date Well Tested: 5-01-09	Chele one		
Static Water Level (A): 73 Feet Below Land Surface	Air Line <u>Electric Measuring Line</u> Steel Tape		
Pumping Water Level (B): 85 Feet Below Land Surface	Other (specify):		
Drawdown [(B) – (A)]: Feet Below Land Surface	For flowing well, measured shut in head:feet		
Test Pumping Rate:Gallons Per Minute	Well yielded GPM with a drawdown of		
Duration of Pump Test (minimum 4 hours): 4.5 hours	hours of pumping		
HEREBY CERTIFY that the above statements are true to the best of my knowledge. Michael S. Havard O-673 Richael S. Havard O-673 Signature of Rump Installer			
Print Name of Pump Installer and License No. (if applicable)	Signature of Pump Installer		

Form: OL ARSYRUB \ /

JUN 1 1 2009

BY: OLWR