State W	ell Report	For Office Use Only:
County CALCALCA	art 1	For Office Use Only:
Mississippi Departmen	t of Environmental Quality	Aquifer:
	and Water Resources	Well #: #- 67
! Dellock [ ]   VWA   V WA   V V V V	Box 10631 AS 39289-0631	L. S. Elevation:
	961-5210	L. S. Elevation.
	4-6938 (fax)	E-log #:
G. V. Alexada's annual bushe duiller in detail and filed with the Department within		
State Law requires that this report be prepared by the driller in detail and filed with the Department within 30 days of completion of drilling of the well.		
Well Owner Information	Well Location	
Owner Name Guy Moody	Latitude: 30° 45 ', 438" Longitude: 088° 54', 556"	
Mailing Address: Hwy 15	Method of Lat/Long (circle or	33
J	USGS quad, Hand-held GPS Survey-grade GPS	
Perkinston Ms 39	Brkinston MS 39 NE 1/5 W 1/4 Sec 29 Twn T35 Rng R9W	
City State Zip Code  Distance Direction Nearest Town		
Telephone No. <u>208</u> <u>282 – 4342</u>	Distance Direction  13/2-Miles ESE	of Rexiveron
Well Data		
Purpose of Well (circle one) Home Industrial Public Supply Irrigation Fish Culture Other:		
Date well drilling started: 9-26-06 Date well drilling completed: 9-26-06		
If flowing, method of flow regulation: Valve NA Other (describe)		
Static Water Level: 40 feet above on below circle one) land surface Date measured: 9-26-06		
Method of Measurement (circle one) steel tape electric tape air line other:		
Hole depth: Well depth: Well grouted to a depth of 10 feet		
Type of grout (circle one): Cement Bentonite Mix		
Casing length: 78 feet Casing diameter: 2 inches Type of casing: PUC		
Screen length: 10 feet Screen diameter: 2 inches Type of screen: 4VC		
Screen slot size: <u>• 6008</u> inches Setting depth: From <u>78</u> feet to <u>88</u> feet		
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development		
Other (describe):		
Top of lap pipe or reduction in casing: NA feet. If telescoped or more than one screen, describe on back of page		
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other:		
Name of organization running log(s): NA		
I certify that the well was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi		
Department of Environmental Quality and/or the Mississippi Department of Health regulations and state laws.		
Tool Dilatell Augo		
JUCK Magaell U-472	Au C	if due
Print Name of Water Well Contractor and License No.	Signature of V	Wester Well Contraction
	<del></del>	70.5 2 22.5
		001 3 2006

BYJOLWA

BYCLME

If well telescopes please sketch below and show depths. Description of Formations Encountered Ground Level If more than one screen, show location of each on sketch Sketch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) indicate direction. Vestry Ro Landowner Name: RECEIVED OCT 3 1 2006 Signature of Water Well Contractor

## STATE WELL REPORT

## Part 2 For Office Use Only: County: Stone Pump Installer's Completion Report Mississippi Department of Environmental Quality Aquifer: Office of Land and Water Resources P.O. Box 10631 Jackson, MS 39289-0631 Well #: (601)961-5210 Elevation: (601)354-6938 (fax) This report should be prepared by the pump installer in detail and filed with the Department within 30 days of the installation of pump. Well Location Well Owner Information 8" Longitude: USC 5 Method of Lat/Long (circle one): Conventional Survey, Mailing Address: USGS quad, (Hand-held GPS) Survey-grade GPS NE 4 Sw 4 Sec 29 Twn 735 Rng R9W Distance Direction Nearest Town Telephone No. (208) 282 - 4342 13/2 Miles ESE of PERKINSTON Pump Type **Power Type** Circle one Circle one Air Lift Submersible Diesel Engine Gasoline Engine Natural Gas Bucket Piston **Turbine** Electric Motor Hand Tractor PTO Centrifugal Rotary Flowing Well Windmill Other (specify): Other (specify): Horse Power Rating of Motor: Date Pump Installed: 9-29-06 Setting Depth: 60FT. Drop Dipes feet Rated Pump Capacity: Gallons Per Minute Number of Stages: Pump Test Data Method of Measuring Water Level Circle one Date Well Tested: Electric Measuring Line Air Line Steel Tape Static Water Level (A): Feet Below Land Surface Other (specify): Pumping Water Level (B): W/A Feet Below Land Surface NA Feet Below Land Surface Drawdown [(B) - (A)]: \_\_\_ For flowing well, measured shut in head: N/A 7.5 Test Pumping Rate: Gallons Per Minute Well yielded 7. GPM with a drawdown of Duration of Pump Test (minimum 4 hours): N/A feet after N/A hours of pumping

Tack Ridgell 0-472

Print Name of Pump Installer and License No. (if applicable)

Signature of Pump Installer

Signature of Pump Installer

Signature of Pump Installer

BY:OLWR