AUG 12 2009 BY: OLWR

State V	Vell Report		
	Driller's Log For Office Use Only:		
Mississippi Departmen	nt of Environmental Quality Aquifer:		
	and Water Resources Box 10631 Well #: K62		
1 Driller:	VIS 39289-0631 L. S. Elevation:		
)961-5210		
(601)35	54-6938 (fax) E-log =:		
State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole.			
Information on Well Owner	Well or Borehole Location		
(Landowner if borehole is not for a water well)	Latitude: 30 " 42 56/" Longitude: 89 09 218		
Owner Name Tin Warden	34		
Mailing Address: 1322	Method of Lat/Long (circle one): Conventional Survey.		
	USGS quad Hand-held GPS, Survey-grade GPS		
W. M. Henry Rd.	SE 14 SE 14 Sec Twn AS Rng IQW		
Mylany Ms. 39541 City State Zip Code			
	Distance Direction Nearest Town Miles of		
Telephone No. ()	Nines		
	ehole Data		
Date drilling started: 7-14-09 Date drilling completed: 2-16	1-09 Hole depth: 160 Hole diameter: 5		
Location of the source of any surface water used for drilling: Method of dosing and volume of Chlorine used in drilling and dev	elopment:		
Logs run (circle all application): No log run Electric Gamma Ra Name of organization running log(s):	y Density Sonic Neutron Other:		
Purpose of borehole (check one): Water WellGeotechnical/Geo	ological Investigation Ground Source Heat Pump		
Seismic SurveyOther (describ	be)		
If drilling is not related to water well construct	ion, skip the remainder of this block		
Purpose of Well (check one): HomeIndustrial Public Supply Irrigation Fish Culture Other:			
If a flowing well, method of flow regulation: Valve Other (describe)			
Static Water Level: 45 feet above of below Dircle one) land surface Date measured: 7-14-09			
Method of Measurement (circle one steel tape electric tape air line other:			
Well depth: 160 Well grouted to a depth of 10 feet Type of grout (circle of e): Neat Cement Sentonite Mix			
Casing length: 150 feet Casing diameter: 2 inches Type of casing: DVC			
Screen length: 10 feet Screen diameter: 2 inches Type of screen: PVC			
Screen slot size:			
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development			
Other (describe):			
Top of lan nine or reduction in casing: feat If	telaseaned or more than one screen, describe an next page		

713	-1	4 - 5		required	4		and the
1 110	SKRECH	Delaw	mu	reaurea	TUT	water	WELLS

If well telescopes, show depths on sketch.

Ground Level.

Description of formations encountered must be provided for all
wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	
Clay	Ground Level	25
Sand	25	30
Clay	30	50
Sand	50	65
Clay	65	145
Sand	145	160
		-
	-	

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location: 2) any permanent structures on the property that may aid in locating the well: 3) any roads, power lines, or other items that may aid in locating the property and the well: 4) a north arrow.

Mc Henry

W. meHenryRd.

Fire

Department

Landowner Name: Ton Warden

Form: OLWR-SWR-1A

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations. if France Lands and

MALVIN WAGNON 0-785

laws.

7-14-09

mal- Way AUG 1

nature of Licensee RV. OI WF

STATE WELL REPORT

Part 2 **Pump Installer's Completion Report**

County: STONE

0-785

Permit #:

Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 10631

(601)961-5210

For Office Use Only:			
Aquifer:			
Well #:	<u> KCQ</u>		
Elevatio	n:		

Jackson, MS 39289-0631 (601)354-6938 (fax) This report must be prepared by the pump installer in detail and filed with the Department within 30 days of the installation of pump. A copy of Part 1 of this report must be attached to this report. Well Owner Information Well Location Latitude: 30° 43.561 Longitude: 89° Owner Name:___ Mailing Address: 1300 W. Nellenry RD. Method of Lat/Long (circle one): Conventional Survey. USGS quad, Hand-held GPS, Survey-grade GPS SE 1/5E 1/8 Sec 11 Twn 45 Rng 1211 Distance Direction Nearest Town Telephone No. (____) ____Miles _____ of ____ Pump Type Power Type Circle one Circle one Air Lift Jet Submersible Diesel Engine Gasoline Engine Natural Gas Bucket Piston Turbine Electric Motor Hand Tractor PTO Centrifugal Rotary Flowing Well Windmill Other (specify): __ Other (specify): Horse Power Rating of Motor: 7-15-09 Date Pump Installed: ____ Setting Depth: 120 feet Rated Pump Capacity: _____ Gallons Per Minute Number of Stages: _____ 2 Pump Test Data Method of Manauring Water I would

Date Well Tested: 7-15-09	Circle one
Static Water Level (A):Foet Below Land Surfac	Air Line Electric Measuring Line Steel Tape
Pumping Water Level (B): 130' Feet Below Land Surface	
Drawdown [(B) - (A)]:Feet Below Land Surface	For flowing well, measured shut in head:feet
Test Pumping Rate: Gallons Per Minute	Well yielded CDM mith a land
Duration of Pump Test (minimum 4 hours): 24 hours	feet afterhours of pumping
	1

I HEREBY CERTARY that the above statements are true to the best of my knowledge. RECEIVED Print Name of Pump Installer and License No. (if applicable)