

MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY
Office of Land and Water Resources

P. O. Box 10631
Jackson, MS 39289-0631
WATER WELL DRILLERS LOG

COUNTY WELL LOCATED STONE	
WELL NUMBER L 20517	CODED
DATE WELL COMPLETED 5-10-95	

PERMIT NUMBER
NAME OF DRILLING FIRM Boone Water Well

NAME & MAILING ADDRESS OF LANDOWNER Grover Naramore			
439 Beaver Rd.			
Wiggins MS.			
WELL LOCATION:	SEC	TOWNSHIP	RANGE
	8	4	N 11 E
DISTANCE	DIRECTION	NEAREST TOWN	
9 Miles	S	of Wiggins	
OTHER LANDMARK			
WELL PURPOSE (Home, Irrigation, Municipal, Industrial, Fish Pond, etc.)			

PUMP DATA			
PUMP TYPE (Circle One): Submersible , Turbine, Jet, Flowing Well, Other (Describe) _____			
POWER TYPE (Circle One): Electric , Tractor, Diesel, Gasoline, Butane, Other (Describe) _____ H/P 1 1/2			
Pump Capacity (GPM)	No. of Stages	Setting Depth	
		_____ FT.	
PUMP TEST			
Well yielded _____ GPM with a drawdown of _____ ft. after _____ hours of pumping			

WELL DATA		
Well Depth 280 ft.	Casing Diameter (In.) 4	Casing Length (Ft.) 260
Type of Casing sch 40	Hole Depth 280	Depth to Static Water Level 150
TYPE OF COMPLETION: (Circle One or More): Gravel Packed , Underreamed, Telescoped, Natural Development, Open Hole, Other		
WELL GROUTED TO A DEPTH OF 5 FEET Type Grout (circle one): Cement , Bentonite, or Mix		

LOG DATA	
TYPE OF LOG RUN (Circle One): No Log Run, Electric, Gamma Ray, Density, Sonic, Neutron, Other (Describe) _____	
Name of Organization Running Log	

SCREEN DATA		
Diameter - Inches 4	Length - Feet 20	Slot Size - Inches # 8
Screen Type sch 40	Depth to Bottom - Feet	

GEOLOGIC DATA (Office Use Only)			
Surface Elev.	Geologic Unit	Unit Thickness	Depth to Top
Subs. SWL	Date	Analysis	Aquifer Test
Driller's Remarks			
Top of Lap Pipe or Reduction in Casing			
FEET		IF TELESCOPED OR MORE THAN ONE SCREEN: USE BACK PAGE	

DESCRIPTION OF FORMATIONS ENCOUNTERED	FROM	TO
Clay	0	90
Sand	90	120
Clay	120	200
Sand	200	280

FORMATIONS (Continued)	FROM	TO
RECEIVED		
JAN 29 1995		
Dept. of Environmental Quality Office of Land & Water Resources		
IF MORE SPACE IS NEEDED, USE BACK		

