	l State we	en Kehort	For Office Use Only:				
tope	Part 1 – Driller's Log		rot once one only.				
County: STOPE	Mississippi Department of Environmental Quality		Aquifer:				
Permit #: 0-652	Office of Land and Water Resources		Well #: M- 48				
Driller: P. Mason	P.O. Box 10631		VI 04 11				
Driller: 11-CCCSC1	-	S 39289-0631	L. S. Elevation:				
Date drilling completed: 2707		961-5210					
	(601)354	-6938 (fax)	E-log #:				
State Law requires that this report be prepared by the license holder responsible for the work and filed with the							
Department at the above address within 30 days of completion of artiting of the west of burelots.							
Information on Well	Owner	Stellore Pocarion					
(Landowner if borehole is not)		Latitude: °'	_" Longitude:°"				
Owner Name <u>Larnest</u> C	lioto		i				
Owner Name ~ COV	Method of Lat/Long (circle or		ne): Conventional Survey,				
Mailing Address: <u>2121</u>	rochy	USGS quad, Hand-held	I GPS, Survey-grade GPS				
			5 Twn 45 Rng/0W				
Devictor	US 39573 4 4 Sec		Twn Y Kng V V				
City St	the Zip Code Distance Direction O Miles		Nearest Town				
Telephone No. (228.697.1	172	Miles NE	of Olivai				
Telephone No. (253).							
Well / Borehole Data							
Date drilling started: 3/6/07 Date drilling completed: 3/7/07 Hole depth: 380 Hole diameter: 5							
Location of the source of any surface water used for drilling: Shop Method of dosing and volume of Chlorine used in drilling and development: 1/2/10 per/1000/16 89 1/2 Ch/OCINO							
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other: Name of organization running log(s):							
Purpose of borehole (check one): Water Well Geotechnical/Geological Investigation Ground Source Heat Pump							
Seismic Survey Other (describe)							
If drilling is not related to water well construction, skip the remainder of this block							
Purpose of Well (check one): Home Industrial Public Supply Irrigation Fish Culture Other:							
If a flowing well, method of flow regulation: Valve Other (describe)							
Static Water Level: 90 feet above or below (circle one) land surface Date measured:							
Method of Measurement (circle one) steel tape electric tape air line other: Plom b DOD							
Well depth 380 Well grouted to a depth of 15 feet Type of grout (circle one). Neat Cement Bentonite Mix							
Casing length: 370 feet Casing diameter:inches Type of casing:							

inches

Underreamed

Telescoped

Setting depth: From 370

Other (describe):

Screen slot size: · OO 6 inches

Type of completion (circle all applicable): Gravel packed

Form: OLWR-SWR-1A

Natural Development

Open hole

RECEIVED

APR 2 3 2007

BY: OLWR

From (depth) To (depth)

<u>Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations</u>

Description of Formations Encountered

İ			
	Tax	Ground Level	-
	2 - 100 301		3
	Sandy Real Clay	3_	/5
	Sugar Sand	1.5	45
	Whitelouse Sand	45	60
ļ	Soft Blue Clay	60	ଔୡଠ
	Fine HO Sorid	320	230
	Fland Blue Clay	230	335
	Fire	235	23/0
	Fine ROU Sance	1	370
	GOOCE HIS C SUNCE	040	280
i		ļ	
(
j			
		<u> </u>	
			
		<u> </u>	
If more than one screen, show location of each on sketch			
The state of the s			
Sketch the property layout and include the following: 1) the we	il location; 2) any permanent structures on the	property that may	
3id in locating the well: 3) any made nower lines	, or other items that may aid in locating the pro	perty and the well:	l
ard in rotating the well, 3) arry roads, power times			
4) a north arrow.			
4) a north arrow.		,	
4) a north arrow.	, , , , , , , , , , , , , , , , , , ,	,	
4) a north arrow.	, , , , , , , , , , , , , , , , , , ,	. •	
4) a north arrow.	, , , , , , , , , , , , , , , , , , ,	, ,	
4) a north arrow.	, , , , , , , , , , , , , , , , , , ,		
4) a north arrow.			
4) a north arrow.			
4) a north arrow.			
4) a north arrow.			
4) a north arrow.			
4) a north arrow.			
4) a north arrow.			
4) a north arrow.			
4) a north arrow.			
4) a north arrow.			
4) a north arrow.			
4) a north arrow.			
4) a north arrow.			
4) a north arrow.			
4) a north arrow.			
4) a north arrow.			
4) a north arrow.			
4) a north arrow.			
4) a north arrow.			
4) a north arrow.			
4) a north arrow.			
.andowner Name:		Form: OI WR-	SWR-1A
andowner Name:ertify that the well/borehole was drilled, constructed, and c	ompleted in accordance with all applicable r	Form: OLWR-requirements of the	SWR-1A
andowner Name:ertify that the well/borehole was drilled, constructed, and c	ompleted in accordance with all applicable r	Form: OLWR-requirements of the	SWR-1A
andowner Name:	ompleted in accordance with all applicable r	Form: OLWR-requirements of the	SWR-1A
andowner Name:	ompleted in accordance with all applicable rississippi Department of Health regulations,	Form: OLWR- equirements of the	SWR-1A
andowner Name:	ompleted in accordance with all applicable rississippi Department of Health regulations,	Form: OLWR- equirements of the	SWR-1A
andowner Name:	ompleted in accordance with all applicable r	Form: OLWR- equirements of the	SWR-1A
andowner Name: ertify that the well/borehole was drilled, constructed, and clississippi Department of Environmental Quality and the Million and D. Mason O 1663	ompleted in accordance with all applicable rississippi Department of Health regulations,	Form: OLWR-requirements of this if applicable, and	SWR-1A
andowner Name: ertify that the well/borehole was drilled, constructed, and constructed and co	ompleted in accordance with all applicable rississippi Department of Health regulations,	Form: OLWR-requirements of this if applicable, and	SWR-1A

The sketch below only required for water wells

If well telescopes, show depths on sketch.

Ground Level_

RECEIVED

APR 2 3 2007

BY: OLWR

STATE WELL REPORT						
County: 1006 Permit #: 0 652 Driller: R. 1080 Date completed: 3/7/07 Print #: 0 6019		Completion Report t of Environmental Quality and Water Resources tox 10631 S 39289-0631 061-5210 1-6938 (fax) contractor or a licensed pump in the above address within 30 da Well Latitude: Method of Lat/Long (check on USGS quad, Hand-held of 1/4 1/4 Sec	Location Longitude: e): Conventional Survey T \(\sum_{R} \) \(\sum_{R} \)			
Telephone No. (<u>228) 697. 1172</u>		Distance Direction Nearest Town 20 Miles NE of BILOXI				
Bucket Piston 1 Centrifugal Rotary F Other (specify): Date Pump Installed:	Submersible Thome Flowing Well Allons Per Minute	Diesel Engine Gasolin Electric Motor Hand				
Pumping Water Level (B): 90 Feet Be Drawdown [(B) – (A)]: 6	elow Land Surface elow Land Surface elow Land Surface allons Per Minute hours		66 606			
HEREBY CERTIFY that the above statements are true to the best of my knowledge. Consideration of Cost						

RECEIVED

APR 2 3 2007

BY: OLWR