	Í	State '	Well Report	For Office Use Only:
County: Sunflow	ver		- Driller's Log	Aquifer: A76
Permit #: <b>GW-46</b>			ent of Environmental Quality	Well #:
Driller: Irrigatio			and Water Resources Box 2309	L.S. Elevation:
Date drilling completed		Jackso	on, MS 39225	E-log #:
			1) 961-5210 261-5228 (fex)	
-			961-5228 (fax)	
			d by the license holder responsibl us of completion of drilling of th	
	Information on W	Vell Owner		Borehole Location
(Landor	•	not for a water well)		
Owner Name	Leroy Johnson		- Latitude: 33 ° 57 ' 32	2 " Longitude: <u>90</u> ° <u>38</u> '
Mailing Address:	51 Shelby Road		Method of Lat/Long (check one)	: Conventional Survey,
			USGS quad, 🛛 Ha	nd-held GPS, 🔲 Survey-grade
	Shelby	Ms 38774	NHE 1/4 Sec	18 Twn 24N Rng 4V
	City	State Zip code	SE SE Distance Direction	7
Tolonk N-				
Telephone No.	<u> </u>		<u> </u>	of <b>Sheiby</b>
		Well	/ Borehole Data	
Method of dosing Logs run (check al	ll applicable): 🛛 No	ne used in drilling and develo	opment: 50 PPM	Neutron 🗌 Other:
Method of dosing Logs run (check al Name of organizat	and volume of Chlori Il applicable): 🖾 No tion running log(s): le (check one): 🖾	ne used in drilling and develo log run	opment: 50 PPM	Ground Source Heat Pump
Method of dosing Logs run (check al Name of organizat Purpose of boreho	and volume of Chlori Il applicable): 🖾 No tion running log(s): ble (check one): 🖾 If drilling i	ne used in drilling and develo log run Electric Gan Water Well Geotechn Seismic Survey Otho is not related to water well	opment: <u>50 PPM</u> nma Ray Density Sonic  ical/Geological Investigation C cr ( <i>describe</i> )	Ground Source Heat Pump
Method of dosing Logs run (check al Name of organizat Purpose of boreho Purpose of Well (c	and volume of Chlori Il applicable): 🖾 No tion running log(s): ble (check one): 🖾 <i>If drilling i</i> check one) 🗌 Home	ne used in drilling and develo log run Electric Gan Water Well Geotechn Seismic Survey Otho is not related to water well e Industrial Public	opment:       50 PPM         nma Ray       Density       Sonic         ical/Geological Investigation       0         er (describe)       0         construction, skip the remainder	Ground Source Heat Pump
Method of dosing Logs run (check al Name of organizat Purpose of boreho Purpose of Well (c If flowing, method	and volume of Chlori Il applicable): 🖾 No tion running log(s): ole (check one): 🖾 <i>If drilling i</i> check one) 🗌 Home d of flow regulation: N	ne used in drilling and develo log run Electric Gan Water Well Geotechn Seismic Survey Othe <i>is not related to water well</i> e Industrial Public Valve Other	opment:       50 PPM         nma Ray       Density       Sonic         ical/Geological Investigation       0         cer (describe)	Ground Source Heat Pump  r of this block ture
Method of dosing Logs run (check al Name of organizat Purpose of boreho Purpose of Well (c If flowing, method Static Water Level	and volume of Chlori Il applicable): X No tion running log(s): the (check one): X <i>If drilling i</i> theck one) Home d of flow regulation: X h: <u>45</u> feet ab	ne used in drilling and develo log run Electric Gan Water Well Geotechn Seismic Survey Othe is not related to water well e Industrial Public Valve Other ove or below (check one)	opment:       50 PPM         nma Ray       Density       Sonic         ical/Geological Investigation       0         cer (describe)	Ground Source Heat Pump
Method of dosing Logs run (check al Name of organizat Purpose of boreho Purpose of Well (c If flowing, method Static Water Level Method of Measur	and volume of Chlori Il applicable): X No tion running log(s): the (check one): X <i>If drilling i</i> theck one) Home d of flow regulation: X the <b>45</b> feet ab rement (check one) <b>E</b>	ne used in drilling and develo log run Electric Gan Water Well Geotechn Seismic Survey Other is not related to water well e Industrial Public Valve Other ove or below (check one) Seismic Survey Seismic Survey Other ove or below (check one) Seismic Survey Steel tape electric tape	opment: 50 PPM   nma Ray Density   Sonic Image: Sonic   ical/Geological Investigation Image: Sonic   ical/Geological Investigat	Ground Source Heat Pump
Method of dosing Logs run (check al Name of organizat Purpose of boreho Purpose of Well (c If flowing, method Static Water Level Method of Measur Well depth: <u>116</u>	and volume of Chlori Il applicable): 🖾 No tion running log(s): the (check one): 🖾 If drilling i theck one) 🗌 Home of flow regulation: V the distribution: V the distribution of flow regulation: V the distribution of flow regulation of flow regulation: V the distribution of flow regulation of flow regulation: V the distribution of flow regulation of flow regulation: V the distribution of flow regulation	ne used in drilling and develor log run Electric Gan Water Well Geotechn Seismic Survey Other is not related to water well e Industrial Public Valve Other ove or below (check one) Seisteel tape electric tape to a depth of 10 feet	opment:       50 PPM         nma Ray       □ Density       □ Sonic       □         ical/Geological Investigation       □ C         ical/Geological Investigation       □ C         er (describe)	Ground Source Heat Pump          of this block         ture       Image: Other: Repl GW-112         06/08/2012         Neat Cement       Image: Bentonite
Method of dosing Logs run (check al Name of organizat Purpose of boreho Purpose of Well (c If flowing, method Static Water Level Method of Measur Well depth: <u>116</u>	and volume of Chlori Il applicable): 🖾 No tion running log(s): the (check one): 🖾 If drilling i theck one) 🗌 Home of flow regulation: V the distribution: V the distribution of flow regulation: V the distribution of flow regulation of flow regulation: V the distribution of flow regulation of flow regulation: V the distribution of flow regulation of flow regulation: V the distribution of flow regulation	ne used in drilling and develor log run Electric Gan Water Well Geotechn Seismic Survey Other is not related to water well e Industrial Public Valve Other ove or below (check one) Seisteel tape electric tape to a depth of 10 feet	opment: 50 PPM   nma Ray Density   Sonic Image: Sonic   ical/Geological Investigation Image: Sonic   ical/Geological Investigat	Ground Source Heat Pump          of this block         ture       Image: Other: Repl GW-112         06/08/2012         Neat Cement       Image: Bentonite
Method of dosing Logs run (check al Name of organizat Purpose of boreho Purpose of Well (c If flowing, method Static Water Level Method of Measur Well depth: <u>116</u> Casing length: <u>^</u>	and volume of Chlori Il applicable): X No tion running log(s): le (check one): X <i>If drilling i</i> check one) Home d of flow regulation: X l: <u>45</u> feet ab rement (check one) X Well grouted 76 feet	ne used in drilling and develor log run Electric Gan Water Well Geotechn Seismic Survey Other is not related to water well e Industrial Public Valve Other ove or below (check one) S steel tape electric tape to a depth of 10 feet Casing diameter: 16	opment:       50 PPM         nma Ray       □ Density       □ Sonic       □         ical/Geological Investigation       □ C         ical/Geological Investigation       □ C         er (describe)	Ground Source Heat Pump          of this block         ture       Image: Other: Repl GW-112         06/08/2012         Neat Cement       Image: Bentonite         Neat       PVC
Method of dosing Logs run (check al Name of organizat Purpose of boreho Purpose of Well (c If flowing, method Static Water Level Method of Measur Well depth: <u>116</u> Casing length: <u>_</u>	and volume of Chlori Il applicable): X No tion running log(s): the (check one): X <i>If drilling i</i> <i>If drilling i</i> check one) Home d of flow regulation: X l: <u>45</u> feet ab rement (check one) X Well grouted 76 feet 40 feet	ne used in drilling and develo log run Electric Gan Water Well Geotechn Seismic Survey Other s not related to water well e Industrial Public Valve Other ove or below (check one) S steel tape electric tape to a depth of 10 feet Casing diameter: 16 Screen diameter: 16	opment: 50 PPM   nma Ray Density   Sonic ical/Geological Investigation   ical/Geological Investigation C	Ground Source Heat Pump          of this block         ture       Image: Other: Repl GW-112         06/08/2012         Neat Cement       Image: Bentonite         Neat       PVC         reen:       PVC
Method of dosing Logs run (check al Name of organizat Purpose of boreho Purpose of Well (c If flowing, method Static Water Level Method of Measur Well depth: <u>116</u> Casing length: <u>_</u> Screen length: <u>_</u>	and volume of Chlori Il applicable): S No tion running log(s): le (check one): S <i>If drilling i</i> <i>If drilling i</i> check one) Home d of flow regulation: V l: <u>45</u> feet ab rement (check one) S Well grouted 76 feet 40 feet	ne used in drilling and develo log run Electric Gan Water Well Geotechn Seismic Survey Other s not related to water well e Industrial Public Valve Other ove or below (check one) S steel tape electric tape to a depth of 10 feet Casing diameter: 16 Screen diameter: 16 inches Setting depth: Fro	opment:       50 PPM         nma Ray       Density       Sonic         ical/Geological Investigation       0         ical/Geological Investigation       0         er (describe)	Ground Source Heat Pump
Method of dosing Logs run (check al Name of organizat Purpose of boreho Purpose of Well (c If flowing, method Static Water Level Method of Measur Well depth: <u>116</u> Casing length: <u>_</u> Screen length: <u>_</u>	and volume of Chlori Il applicable): S No tion running log(s): le (check one): S <i>If drilling i</i> <i>If drilling i</i> check one) Home d of flow regulation: V l: <u>45</u> feet ab rement (check one) S Well grouted 76 feet 40 feet	ne used in drilling and develo log run Electric Gan Water Well Geotechn Seismic Survey Other s not related to water well e Industrial Public Valve Other ove or below (check one) S steel tape electric tape to a depth of 10 feet Casing diameter: 16 Screen diameter: 16 inches Setting depth: Fro c): Gravel packed	ppment:       50 PPM         nma Ray       Density       Sonic         ical/Geological Investigation       0         iconstruction, skip the remainder       0         Supply       Irrigation       1         (describe)	Ground Source Heat Pump
Method of dosing Logs run (check al Name of organizat Purpose of boreho Purpose of Well (c If flowing, method Static Water Level Method of Measur Well depth: <u>116</u> Casing length: <u></u> Screen length: <u></u> Screen slot size: Type of completion	and volume of Chlori Il applicable): S No tion running log(s): le (check one): S If drilling i If drilling i check one) Home d of flow regulation: V l: 45 feet ab rement (check one) S Well grouted 76 feet 40 feet .050 feet	ne used in drilling and develor log run Electric Gan Water Well Geotechn Seismic Survey Other se Industrial Public Valve Other ove or below (check one) Setteel tape electric tape to a depth of 10 feet Casing diameter: 16 Screen diameter: 16 inches Setting depth: Fro c): Gravel packed [ Other (describe): _	ppment:       50 PPM         nma Ray       □ Density       □ Sonic       □         ical/Geological Investigation       □ C         Supply       ☑ Irrigation       □ Fish Cult         (describe)	Ground Source Heat Pump
Method of dosing Logs run (check al Name of organizat Purpose of boreho Purpose of Well (c If flowing, method Static Water Level Method of Measur Well depth: <u>116</u> Casing length: <u></u> Screen length: <u></u> Screen slot size: Type of completion	and volume of Chlori Il applicable): S No tion running log(s): le (check one): S If drilling i If drilling i check one) Home d of flow regulation: V l: 45 feet ab rement (check one) S Well grouted 76 feet 40 feet .050 feet	ne used in drilling and develo log run Electric Gan Water Well Geotechn Seismic Survey Other se Industrial Public ValveOther ove or below (check one) C steel tape electric tape to a depth of 10 feet Casing diameter: 16 Screen diameter: 16 inches Setting depth: Fro e): Gravel packed [ Other (describe):	ppment:       50 PPM         nma Ray       □ Density       □ Sonic       □         ical/Geological Investigation       □ C         Supply       ☑ Irrigation       □ Fish Cult         (describe)	Ground Source Heat Pump
Method of dosing Logs run (check al Name of organizat Purpose of boreho Purpose of Well (c If flowing, method Static Water Level Method of Measur Well depth: <u>116</u> Casing length: <u></u> Screen length: <u></u> Screen slot size: Type of completion	and volume of Chlori Il applicable): S No tion running log(s): le (check one): S If drilling i If drilling i check one) Home d of flow regulation: V l: 45 feet ab rement (check one) S Well grouted 76 feet 40 feet .050 feet	ne used in drilling and develo log run Electric Gan Water Well Geotechn Seismic Survey Other se Industrial Public ValveOther ove or below (check one) C steel tape electric tape to a depth of 10 feet Casing diameter: 16 Screen diameter: 16 inches Setting depth: Fro e): Gravel packed [ Other (describe):	ppment:       50 PPM         nma Ray       □ Density       □ Sonic       □         ical/Geological Investigation       □ C         Supply       ☑ Irrigation       □ Fish Cult         (describe)	Ground Source Heat Pump  r of this block  ture ⊠ Other: Repl GW-112  06/08/2012  Neat Cement ⊠ Bentonite □ N sing: PVC reen: PVC 6feet □ Open hole □ Natural Develo
Method of dosing Logs run (check al Name of organizat Purpose of boreho Purpose of Well (c If flowing, method Static Water Level Method of Measur Well depth: <u>116</u> Casing length: <u>'</u> Screen length: <u>'</u> Screen slot size: Type of completion Top of lap pipe or	and volume of Chlori Il applicable): S No tion running log(s): ble (check one): S <i>If drilling i</i> <i>If drilling i</i> check one) Home d of flow regulation: V check one) F the drilling i <i>If drilling i</i> <i>If drilling i</i> <i>If drilling i</i> the drilling i <i>If drilling i</i> <i>If drilling i <i>If drilling i</i> <i>I</i></i>	ne used in drilling and develo log run Electric Gan Water Well Geotechn Seismic Survey Other se Industrial Public ValveOther ove or below (check one) C steel tape electric tape to a depth of 10 feet Casing diameter: 16 Screen diameter: 16 inches Setting depth: Fro e): Gravel packed [ Other (describe):	ppment:       50 PPM         nma Ray       □ Density       □ Sonic       □         ical/Geological Investigation       □ C         Supply       ☑ Irrigation       □ Fish Cult         (describe)	Ground Source Heat Pump

,

.

The sketch below only required for water wells

If well telescopes, show depths on sketch. Ground level Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
Clay	Ground level	21
Fine Sand	22	29
Fine Sand & Gravel	30	43
Medium Sand & Gravel	44	116
· · · · · · · · · · · · · · · · · · ·		
	· · · · · · · · · · · · · · · · · · ·	i
***************************************		
······································		
·····		
······	·····	
		·

If more than one screen, show location of each on sketch

aid	layout and include the follo in locating the well; 3) any re north arrow.	wing: 1) the well location oads, power lines, or othe	n; 2) any permanent structures o or items that may aid in locating	n the property that may the property and the well;
Landowner Name:	Leroy Johnson			
I certify that the well/ Mississippi Departmen laws.	porehole was drilled, construc at of Environmental Quality a	ted, and completed in acco nd the Mississippi Depart	ordance with all applicable requir ment of Healthy regulations, if app	Form: OLWR-SWR-1A (04/08) ements of the licable, and state
Patrick Chism Print Name of Responsible L	0695 icensee and License No.	06/16/2012 Date	Signature of Licensee	RECEIVED

JUN 2 7 2012

BY: OLWA

÷.

STATI	E WELL	REPORT
-------	--------	--------

 Sunflower

 Permit #:
 GW-46313 46314

 Driller:
 Irrigation Equipment

 Date drilling completed:
 06/07/2012

 Copy information from block on Part 1

## Part 2 Pump Installer's Completion Report

Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 2309 Jackson, MS 39225 (601) 961-5210 (601) 961-5228 (fax)

	For Office Use Only:
Aquifer:	
Well #:	A76
Elevation:	

This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion.

Well Owner Information			Well Location		
Owner Name:	Leroy Johnson		Latitude: 33 57' 32 N Longitude: 90 38' 40 W		
Mailing Address:	51 Shelby Road		Method of Lat/Long (check one): Conventional Survey,		
			USGS quad, 🖾 Hand-held GPS, 🗌 Survey-grade C	<b>}PS</b>	
	Shelby	Ms 38774	NW 1/4 NHE 1/4 Sec 18- T 24N R 4W	ı	
	City	State Zip code	SE SE Direction 7 Nearest Town		
Telephone No.	(		6 Miles East of Shelby		
	Pump Type Check one		Power Type Check one		
🗋 Air Lift	🔲 Jet	Submersible	Diesel Engine Gasoline Engine Natural Gas		
Bucket	Piston	Turbine 🛛	Electric Motor Hand Tractor PTO	I	
Centrifugal	Rotary	Flowing Well	Windmill Other (specify):		
Other (specify):			Horse Power Rating of Motor: 60		
Date Pump Install	led: 06/08/2012		Setting Depth: 70 feet		
Rated Pump Capa	acity 2300+/-	Gallons Per Minute	Number of Stages: 2		
Pump Test Data			Method of Measuring Water Level Check one		
Date Well Tested:	:		Air Line Electric Measuring Line Steel Tape		
Static Water Leve	el (A):	Feet Below Land Surface	Other (specify):		
Pumping Water L	.evel (B):	Feet Below Land Surface			
Drawdown [(B) -	- (A)]:	Feet Below Land Surface	For flowing well, measured shut in head:	feet	
Test Pumping Rat	te:	Gallons Per Minute	Well yielded GPM with a drawdo	wn of	
Duration of Pump	o Test (minimum 4 hours):	hours	feet after hours of pu	mping	
This is for (check one): New Well Replacement of Existing Pump Repair of Existing Pump					
	TIFY that the above statem	ents are true to the best of m	ıy knowledge		
I HEREBY CER Patrick Chist	m	0695	ny knowledge RECEIV	ED	
I HEREBY CER Patrick Chist		0695	Signature of Pump Installer		
I HEREBY CER Patrick Chist	m	0695	RECEIV		