State Well Report

County: Sunflower

Permit 6 W 40583

Driller: _SIDNEY COOK

Date drilling completed:

Part 1
Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 10631
Jackson, MS 39289-0631

ackson, MS 39289-06 (601)961-5210 (601)354-6938 (fax)

	or Office		/: 	
Well #:	A	20	9	C-91
L.S. Elevation			_	
E-Log #:			_	

State Law requires that this report be prepared by the driller in detail and filed with the Department within 30 days of completion of drilling of the well.

Well Owner Information	Oq Well Location 30
Owner Name PITTMAN EDWARDS FARMS	Latitude: N 33° 49.164 Longitude: W 90° 37.508
Mailing Address: _502 S FIRST AVE	Method of Lat/Long (circle one); Conventional Survey, USGS quad Hand-held GPS, Survey-grade GPS
	<u>NW</u> ¼ <u>SW</u> ¼ Sec <u>33</u> Twn <u>23N</u> Rng <u>4W</u>
CLEVELAND MS 38732 City State Zip Code	Distance Direction Nearest Town <u>5 Miles E of MERIGOLD</u>
Telephone No. ()	
W	ell Data
Purpose of Well (circle one) Home Industrial Public Supply	Irrigation Fish Culture Other
Date well drilling started: 7/29/05 Date w	vell drilling completed: 7/29/05
If flowing, method of flow regulation: Valve Other	(describe)
Static Water Level:30feet above or below (circle one) la	nd surface Date measured: 7/29/05
Method of Measurement (circle one) steel tape electric tape	air line other:
Hole depth:100	Well grouted to a depth of feet
Type of grout (circle one): Cement Bentonte M	ix
Casing Length: 70 feet Casing diameter: 10	inches Type of casing:PVC
Screen Length: 30 feet Screen diameter: 10	inches
Screen slot size:inches Setting depth: From _	<u>0</u> feet to <u>100</u> feet
Type of completion (energe an approach).	rreamed Telescoped Open hole Natural Development
Top of lap pipe or reduction in casing: feet If tele	scoped or more than one screen, describe on back of page
Logs run (circle all applicable): Logs run Electric Gamma Ray	Density Sonic Neutron Other:
Name of organization running log(s):	
I certify that the well drilled, constructed, and completed in accord	rdance with all applicable requirements of the Mississippi
Department of Environmental Quality and/or the Mississippi Dep	partment of Health regulations and state laws.
Sidney Cook #0-289	Con Carol.
Sidney Cook #0-289 Print Name of Water Well Contractor and License No.	Signature of Water Well Contractor
AAMA A MARKA TI AND A COMMISSION WILL AND AND A COMMISSION OF THE	

RECEIVED

AUG 2 2 2005

BY: OLWR

If well telescopes please sketch below and show depths.

C-91

Ground Level

Description of Formations Encountered	From	To
Clay	0	20
Sand	20	45
Clay	45	70
Heavy Sand & Gravel	70	100
	ļ	
	 	-
	-	
	1	
		
	 	
	 	
	+	
	 	
	+	
	+	-
		L

If more than one screen, show location of each on sketch

aid in lo	ut and include the cating the well; 3 te direction.	e following: 1) ti) any roads, pow	ne well location; ver lines, or othe	2) any permanent structures on the property that may r items that may aid in locating the property and the well;
29 WEST	McINTYR		Lusin	N
HOHOHO 32	PSON PRICE- PALMER	DDIN S LUSIGER LAKE	Lake	
Landowner Name: Pit	ttman Edwards F	arms	{	
Signature of Water	Well Contractor			

RECEIVED

AUG 2 2 2005

BY: OLWR

STATE WELL REPORT

Part 2

County: SUNFLOWER

Date completed: 8/10/05

SIDNEY COOK

Pump Installer's Completion Report
Mississippi Department of Environmental Quality
Office of Land and Water Resources P.O. Box 10631 Jackson, MS 39289-0631 (601)961-5210

ffice Use On	dy:		
3-20	29	d-9	9/
	7-20	Office Use Only:	3-2090-

Well Location Latitude: N 33° 49.164' Longitude: W 90° 37.508' Method of Lat/Long (circle one): Conventional Survey, USGS quad, Mand-held GPS, Survey-grade GPS		
Distance Direction Nearest Town		
Power Type Circle one		
Diesel Engine Gasoline Engine Natural Gas		
Electric Motor Hand Tractor PTO		
Windmill Other (specify):		
Horse Power Rating of Motor:15 HP		
Setting Depth: feet		
Number of Stages: 1		
Method of Measuring Water Level Circle one		
Air Line Electric Measuring Line Steel Tape Other (specify):		
For flowing well, measured shut in head:feet		
Well yielded GPM with a drawdown of		
feet after hours of pumping		

BY: OLWR