			State Well	Report		For Office Use Only:
County: Sunflowe	er /		Part 1 – Dri	-	Aquifer:	D139
Permit #: <b>GW-456</b>		Mississippi	Department of	Environmental Quality	Well #:	
Driller: Irrigatio		Offi	ce of Land and P.O. Box	Water Resources	L.S. Elevatio	n:
Date drilling completed:	06/08/2012	,	Jackson, M	S 39225	E-log #:	
			(601) 961 (601) 961-5		L	
						h and filed with the
				he license holder respons completion of drilling of		
	Information on W				or Borehole Loo	
(Landow	ner if borehole is i	not for a water	well)			
Owner Name	Cottondale		<sup>]</sup>	Latitude: <u>33</u> ° <u>50</u> '	<b>39</b> " Longitu	ide: <u>90</u> ° <u>29</u> '
Mailing Address:	P.O. Box 926		1	Method of Lat/Long (check of	one): 🗌 Co	nventional Survey,
-				🗌 USGS quad, 🛛	Hand-held GPS,	Survey-grade G
	Aberdeen		39730		lec <u>22 √</u> Tw	n <u>23N</u> Rng <u>3W</u>
	City	State	Zip code	Distance Direc		rest Town
Telephone No.	( ) -			2 Miles Nort	heast of Dro	2 <b>W</b>
Method of dosing a Logs run (check all Name of organizati	on running log(s):	ne used in drilling log run 🔲 Elect	; and developmen			Dther:
Method of dosing a Logs run (check all Name of organizati Purpose of borehole Purpose of Well (ch	nd volume of Chlorin applicable): 🛛 No on running log(s): e (check one): 🖾 N E (check one): 🖾 N If drilling is neck one) 🗌 Home	ne used in drilling log run 🗌 Elect Water Well 🗍 Seismic Survey s not related to e 📋 Industrial	; and developmen ric Gamma R Geotechnical/G Other ( <i>dea</i> <i>water well cons</i> Public Suppl	t: 50 PPM ay Density Sonic eological Investigation scribe) truction, skip the remain y Irrigation Fish	Ground Source	Heat Pump k
Method of dosing a Logs run (check all Name of organizati Purpose of borehole Purpose of Well (ch	nd volume of Chlorin applicable): 🛛 No on running log(s): e (check one): 🖾 N E (check one): 🖾 N If drilling is neck one) 🗌 Home	ne used in drilling log run 🗌 Elect Water Well 🗍 Seismic Survey s not related to e 📋 Industrial	; and developmen ric Gamma R Geotechnical/G Other ( <i>dea</i> <i>water well cons</i> Public Suppl	t: 50 PPM ay Density Sonic ecological Investigation [ acribe) truction, skip the remain	Ground Source	Heat Pump k
Method of dosing a Logs run (check all Name of organizati Purpose of borehole Purpose of Well (ch If flowing, method	nd volume of Chlorin applicable): ⊠ No on running log(s): e (check one): ⊠ N □ S <i>If drilling is</i> neck one) □ Home of flow regulation: N	ne used in drilling log run	; and developmen ric Gamma R Geotechnical/G Other (des water well cons Public Suppl Other (descu	t: 50 PPM ay Density Sonic eological Investigation scribe) truction, skip the remain y Irrigation Fish	Ground Source	Heat Pump k
Method of dosing a Logs run (check all Name of organizati Purpose of borehold Purpose of Well (ch If flowing, method Static Water Level:	nd volume of Chlorin applicable): ⊠ No on running log(s): e (check one): ⊠ N □ \$ <i>If drilling is</i> neck one) □ Home of flow regulation: N <u>42</u> feet ab	ne used in drilling log run  Elect Water Well  Seismic Survey s not related to E Industrial Valve ove or below (che	; and developmen ric Gamma R Geotechnical/G Other (dea water well cons Public Suppl Other (descr ck one) land	t: <u>50 PPM</u> ay Density Sonic ecological Investigation [ <i>acribe</i> ] <i>truction, skip the remain</i> y Irrigation Fish ( ibe) Surface Date measure	Ground Source	Heat Pump  k er: 2
Method of dosing a Logs run (check all Name of organizati Purpose of borehold Purpose of Well (ch If flowing, method Static Water Level: Method of Measure	applicable): $\boxtimes$ No         on running log(s):	ne used in drilling log run	and development ric Gamma R Geotechnical/G Other (dea water well cons Public Suppl Other (descu ck one) land electric tape	t: <u>50 PPM</u> ay Density Sonic eological Investigation [ <i>acribe</i> ] <i>druction, skip the remain</i> y Irrigation Fish ( ibe) Surface Date measure air line Other:	Ground Source	Heat Pump         k         er:         2
Method of dosing a Logs run (check all Name of organizati Purpose of borehold Purpose of Well (ch If flowing, method Static Water Level: Method of Measure Well depth: <u>126</u>	applicable):       ⊠ No         on running log(s):	ne used in drilling log run	and development ric Gamma R Geotechnical/G Cher (dea water well cons Public Suppl Other (descr ck one) land electric tape 1 0 feet 1	t: 50 PPM ay Density Sonic ecological Investigation scribe) truction, skip the remain y Irrigation Fish ( ibe) Surface Date measure air line other:	Ground Source	Heat Pump
Method of dosing a Logs run (check all Name of organizati Purpose of borehold Purpose of Well (ch If flowing, method Static Water Level: Method of Measure Well depth: <u>126</u> Casing length: <u>8</u>	nd volume of Chlorin applicable): ⊠ No on running log(s): e (check one): ⊠ N □ S If drilling is neck one) □ Home of flow regulation: N feet abo ment (check one) Σ Well grouted to 6 feet	ne used in drilling log run	and development ric Gamma R Geotechnical/G Cher (dea water well cons Public Suppl Other (descr ck one) land electric tape 1 0 feet 1 10 feet 1	t: 50 PPM ay Density Sonic eological Investigation scribe)	Ground Source	Heat Pump  t er: 2 Bentonite  Mix
Method of dosing a Logs run (check all Name of organizati Purpose of borehold Purpose of Well (ch If flowing, method Static Water Level: Method of Measure Well depth: <u>126</u> Casing length: <u>8</u>	applicable):       ⊠ No         on running log(s):	ne used in drilling log run Elect Water Well Seismic Survey s not related to E Industrial Valve ove or below (che steel tape 6 to a depth of1 Casing diameter Screen diameter	and development ric Gamma R Geotechnical/G C Other (dea water well cons Public Suppl Other (descr ck one) land electric tape 1 10 feet 1 10 10	t: 50 PPM ay Density Sonic eeological Investigation scribe) truction, skip the remain y Irrigation Fish ( ibe) Surface Date measure air line other: Type of grout (check one): inches Type of inches Type of	Ground Source	Heat Pump  t er: 2 Bentonite  Mix
Method of dosing a Logs run (check all Name of organizati Purpose of borehold Purpose of Well (ch If flowing, method Static Water Level: Method of Measure Well depth: <u>126</u> Casing length: <u>8</u>	applicable):       ⊠ No         on running log(s):	ne used in drilling log run Elect Water Well Seismic Survey s not related to E Industrial Valve ove or below (che steel tape 6 to a depth of1 Casing diameter Screen diameter	and development ric Gamma R Geotechnical/G C Other (dea water well cons Public Suppl Other (descr ck one) land electric tape 1 10 feet 1 10 10	t: 50 PPM ay Density Sonic eological Investigation scribe)	Ground Source	Heat Pump  t er: 2 Bentonite  Mix
Method of dosing a Logs run (check all Name of organizati Purpose of borehold Purpose of Well (ch If flowing, method Static Water Level: Method of Measure Well depth: <u>126</u> Casing length: <u>8</u> Screen length: <u>4</u>	applicable):       ⊠ No         on running log(s):	ne used in drilling log run Elect Water Well Seismic Survey s not related to E Industrial Valve ove or below (che steel tape 6 to a depth of 1 Casing diameter Screen diameter nches Setting	and development ric Gamma R Geotechnical/G C Other (dea water well cons Public Suppl Other (descr ck one) land electric tape 1 10 feet 1 10 10 10 depth: From 2	t: 50 PPM ay Density Sonic eeological Investigation scribe) truction, skip the remain y Irrigation Fish ( ibe) Surface Date measure air line other: Type of grout (check one): inches Type of inches Type of	Ground Source	Heat Pump  t er: 2  Bentonite  Mix feet
Method of dosing a Logs run (check all Name of organizati Purpose of borehold Purpose of Well (ch If flowing, method Static Water Level: Method of Measure Well depth: <u>126</u> Casing length: <u>8</u> Screen length: <u>4</u>	applicable):       ⊠ No         on running log(s):	ne used in drilling log run  Elect Water Well  Seismic Survey s not related to e  Industrial Valve ove or below (che d steel tape  d to a depth of1 Casing diameter Screen diameter nches Setting e):  Gravel p	and development ric Gamma R Geotechnical/G Cher (dea water well cons Public Suppl Other (descr water well cons Dublic Suppl Other (descr ck one) land electric tape 1 10 10 10 depth: From 2 acked Unc	t: 50 PPM ay Density Sonic eological Investigation scribe)	Ground Source	Heat Pump
Method of dosing a Logs run (check all Name of organizati Purpose of borehold Purpose of Well (ch If flowing, method Static Water Level: Method of Measure Well depth: <u>126</u> Casing length: <u>8</u> Screen length: <u>4</u> Screen slot size: <u></u> Type of completion	applicable):       ⊠ No         on running log(s):	ne used in drilling log run	and development ric Gamma R Geotechnical/G C Other (des water well cons Public Suppl Other (describe): 10 10 10 10 10 10 10 10 10 10	t: 50 PPM ay Density Sonic ay Density Sonic beological Investigation becribe) becribe) becribe) becribe) becribe) becribe becr	Ground Source	Heat Pump  k er: 2  Bentonite  Mix feet feet Natural Developm
Method of dosing a Logs run (check all Name of organizati Purpose of borehold Purpose of Well (ch If flowing, method Static Water Level: Method of Measure Well depth: <u>126</u> Casing length: <u>8</u> Screen length: <u>4</u> Screen slot size: <u></u> Type of completion	applicable):       ⊠ No         on running log(s):	ne used in drilling log run	and development ric Gamma R Geotechnical/G C Other (des water well cons Public Suppl Other (describe): 10 10 10 10 10 10 10 10 10 10	t: 50 PPM ay Density Sonic eological Investigation scribe)	Ground Source	Heat Pump  k er: 2  Bentonite  Mix feet feet Natural Developm
Method of dosing a Logs run (check all Name of organizati Purpose of borehold Purpose of Well (ch If flowing, method Static Water Level: Method of Measure Well depth: <u>126</u> Casing length: <u>8</u> Screen length: <u>4</u> Screen slot size: <u></u> Type of completion	applicable):       ⊠ No         on running log(s):	ne used in drilling log run	and development ric Gamma R Geotechnical/G C Other (des water well cons Public Suppl Other (describe): 10 10 10 10 10 10 10 10 10 10	t: 50 PPM ay Density Sonic ay Density Sonic beological Investigation becribe) becribe) becribe) becribe) becribe) becribe becr	Ground Source	Heat Pump k er: 2 2 Bentonite  Mix feet feet Natural Developn n next page Form: OLWR-SWR-1A ((
Method of dosing a Logs run (check all Name of organizati Purpose of borehold Purpose of Well (ch If flowing, method Static Water Level: Method of Measure Well depth: <u>126</u> Casing length: <u>8</u> Screen length: <u>4</u> Screen slot size: <u></u> Type of completion	applicable):       ⊠ No         on running log(s):	ne used in drilling log run	and development ric Gamma R Geotechnical/G C Other (des water well cons Public Suppl Other (describe): 10 10 10 10 10 10 10 10 10 10	t: 50 PPM ay Density Sonic ay Density Sonic beological Investigation becribe) becribe) becribe) becribe) becribe) becribe becr	Ground Source	Heat Pump
Method of dosing a Logs run (check all Name of organizati Purpose of borehold Purpose of Well (ch If flowing, method Static Water Level: Method of Measure Well depth: <u>126</u> Casing length: <u>8</u> Screen length: <u>4</u> Screen slot size: <u>.</u> Type of completion	applicable):       ⊠ No         on running log(s):	ne used in drilling log run   Elect Water Well Seismic Survey s not related to c   Industrial Valve ove or below (che d steel tape casing diameter Screen diameter nches   Setting c):    Gravel p	and development ric Gamma R Geotechnical/G Cher (dea water well cons Public Suppl Public Suppl Other (descreased Cher (descreased Cher (descreased) Other (d	t: 50 PPM ay Density Sonic ay Density Sonic beological Investigation becribe) becribe) becribe) becribe) becribe) becribe becr	Ground Source	Heat Pump k er: 2 2 Bentonite  Mix feet feet Natural Developn n next page Form: OLWR-SWR-1A ((

`

he sketch	below only	required	for water	wells

If well telescopes, show depths on sketch. Ground level Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
Clay	Ground level	19
Fine Sand	20	38
Fine Sand & Gravel	39	44
Medium Sand & Gravel	45	126
·····		

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) a north arrow.

Landowner Name: Cottondale

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state laws. Patrick Chism 0695 06/19/2012

Print Name of Responsible Licensee and License No.

19/2012

Date

	(7-40)		-	Perma			
		ľE	С	E	V	L	$\square$

ature of Licensee

JUL C 6 2012

$\mathcal{D}$	١	39

	хH.И.	ι ŋ	2012
<b>X</b>	BY:	OI	WR

## STATE WELL REPORT

County:	Sunflower
Permit #:	GW-45620
Driller:	Irrigation Equipment
Date drill	ing completed: 06/08/2012

## Part 2 Pump Installer's Completion Report

Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 2309 Jackson, MS 39225 (601) 961-5210 (601) 961-5228 (fax)

For Office Use Only:				
Aquifer:				
Well #:	D139			
Elevation:				
Elevation:				

This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion.

Well Owner Information	Well Location		
Owner Name: Cottondale	Latitude: 33 50' 39 N Longitude: 90 29' 09 W		
Mailing Address: P.O. Box 926	Method of Lat/Long (check one):		
	USGS quad, 🛛 Hand-held GPS, 🔲 Survey-grade GPS		
Aberdeen Ms 39730	SE 1/4 SE 1/4 Sec 22 T 23N R 3W		
City State Zip code	Distance Direction Nearest Town		
Telephone No	2Miles Northeast of Drew		
Pump Type Check one	Power Type Check one		
Air Lift Det Submersible	Diesel Engine Gasoline Engine Natural Gas		
Bucket Piston Turbine	Electric Motor Hand Tractor PTO		
Centrifugal Rotary Flowing Well	Windmill Other (specify):		
Other (specify):	Horse Power Rating of Motor: 15		
Date Pump Installed: 06/16/2012	Setting Depth: 70 feet		
Rated Pump Capacity Gallons Per Minute	Number of Stages: 1		
Pump Test Data	Method of Measuring Water Level Check one		
Date Well Tested:	Air Line Electric Measuring Line Steel Tape		
Static Water Level (A): Feet Below Land Surface	Other (specify):		
Pumping Water Level (B): Feet Below Land Surface			
Drawdown [(B) - (A)]: Feet Below Land Surface	For flowing well, measured shut in head: feet		
Test Pumping Rate: Gallons Per Minute	Well yielded GPM with a drawdown of		
Duration of Pump Test (minimum 4 hours): hours	feet after hours of pumping		
This is for (check one): New Well Replace	ment of Existing Pump		
I HEREBY CERTIFY that the above statements are true to the best of r	ny knowledge.		
Patrick Chism 0695	DEOFMER		
Print Name of Pump Installer and License No. (if applicable)	Signature of Pump Installer		
	Form: OLWR SWIE 1 G (0209)		
Form provided by Forms On-A-Disk · 214-340-9429 · FormsOnADisk.com	BY: OLWA		

8

2