county: Sunflower 133
Permit #; GW48496
Driller: Clerence McMurry
Date drilling completed: 8-7-14

STATE WELL REPORT

Part I

Driller's Log

Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Rox 2309 Jackson, MS 39225-2309

(601)961-5210 (601)360-0535 (fax)

For Office Use Only:	_
Well #: E 150	
Aquifer:	
E-Log #:	

State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole. Weil Owner Information Well or Borehole Location (Landowner if borehole is not for a water well) Latitude: 33° 48'04" Lungitude: 90° 35' / 8" Owner Name: Km Method of Lat/Long (check one): Conventional Survey_ Mailing Address: T.O USGS quad_____, Hand-hold GPS__c__, Survey-grade GPS_ 5W 4 5W 4, Sec 06 1 221 R 04W 38759 Zip-Code 235 Miles West of Drew 748-2339 (Direction) (Distance) (Nearest Town)

Well / Borehole Data					
Date drilling started: $8-7-14$ Date drilling completed: $8-7-14$ Hole depth: $130'$ Hole diameter: $26''$					
Location of the source of any surface water used for drilling: hearby well					
Method of dosing and volume of Chlorine used in drilling and development:					
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other:					
Name of organization running log(s):					
Purpose of borehole (circle one): Water Well Geotechnical/Geological Investigation Ground Source Heat Pump					
Selsmic Survey Other (describe)					
If drilling is not related to water well construction, skip the remainder of this block					
Purpose of Well (circle all applicable): Home Industrial Public Supply Trigation Fish Culture					
Other (describe):					
If a flowing well, method of flow regulation: Valve Other (describe)					
Static Water Level; 47 feet (above or telowpland surface Date measured: 8-8-14 (circle one)					
Method of measurement (circle one): Steel tape Electric Laps Alı line Other (describe):					
Well depth: 128 Well grouted to a depth of: 10 feet Type of grout (circle one): Nest Cement Bentonite Mix					
Casing length; 78 feet Casing diameter: 16 inches Type of casing: Pvc.					
Screen length: 50 feet Screen diameter: 16 Inches Type of screen: PVC					
Screen slot size; 050 Inches Selling depth: From 78 feet to 128 feet					
Type of completion (circle all applicable): Gravel packed) linderreamed Open hole Natural Development					
Other (dascribe):					
Top of lap pipe or reduction in casing:tect					
If telescoped or more than one screen, describe on next page					

Form: OLWR-SWR-1A (4/13)

Permit BW-48496		For	Office Use	Only:		
Vernit v.		Well #: _ [2	<u> </u>	···· ·		
The sketch below only required for water wells	Description of formations enco	unsered m lly exempt	ust be provided and by regulation	tor all wells		
<u>If well (elescopes, show depths on sketch.</u> Ground Level	Description of Formations Encount		From (depth)	To (depth)		
	Wall In Contract		Ground level	18		
	Medium Send		18	28		
	Medium Sond		35	30		
	Clay		33	33		
	Medium/Coarse Ja	nd	82	99		
	Wine Jana		49	51		
	Wedium Coarse S	Duct	5/	72		
		GLAVE		87 -		
	Clay		101			
	Medium Coorse So	mel	[1]	· . 		
	- Gasvet			130		
		— +				
				· · · · · · · · · · · · · · · · · · ·		
				······································		
			,			
16						
If more then one sureen, show location of each on sketch	C					
Sketch the property layout and include the following: 1) the well location 2) any permanent structures on the property that may aid in locating the well 3) any roads, power lines, or other items that may aid in locating the property and the well 4) north arrow						
Moigold!						
The state of the s						
Boliver & Sun Clower Articles of Stan Clower During				Drew		
	<u>`</u>		`	Drew		
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1						
1/2						
				j		
				j		
1 To Zumbro Rd				l		
Landowner Name: Pemble and Lex Davi	<u> </u>					
HEREBY CERTIFY that the well/borehole was drilled, constructed, and completed in accordance with all applicable fapplicable, and state laws. A policable, and state laws.						
Print Name of Responsible Licensee and License No.	8-11-14 Clair	ton	mil	el		
and Litering NO.	Date	nature of	Licensed			
		,	orm: OLWR-SV	VR-1A (4/13)		

To:601 360 0535

AUG-13-2014 09:14 From:MID SOUTH WATER

Print Name of Pump Installer and License No. (If applicable)

STATE W	ELL REPORT					
County: Suntimer	Part 2	For Office Use Only:				
	Pump Installer's Completion Report					
Driller: Clarence McMurry Mississippi Department of Environmental Quality Well #: 150						
lanks.	.O. Box 2309 on, MS 39225-2309	Aquifer:				
Copy information from block on Part 1	601)961-5210					
(601) 360-0535 (fax)						
This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion.						
Well Location						
Owner Name: Tomble Farm PARthership II	M Partneship 1 Latitude: 33 48 04" Longitude: 90° 39' 18'					
Mailing Address: P.O. Bax 428	Method of Lat/Long (check one)	P .				
11	USGS quad, Hand-held GR					
Illflugold MS 38759 City State Zip Code		06 T 22N R 04W				
Telephone No. (42) 248-2339	7.35 Miles WC5+ of (Direction)					
	oe (circle one)	· · · · · · · · · · · · · · · · · · ·				
Submersible Turbine Air Lift Centrifugal Flowing Well Jet Piston Rotary Other (describe):						
Date Pump Installed: 9-8-19 Rated Pump Capacity:						
is This Pump (circle one): New Repaired Replacemen	it .					
Power Ty	pe (circle one)					
Electric Diesel Gasoline Natural Gas Tractor PTO Win	dmill Other (describe):					
Horse Power Rating of Motor: 30 Setting Dept	h: 80 feet Number	of Stages:				
	for Non Flowing Well					
Date Well Tested; NOT 755750	Duration of Pump Test (minim	um 4 hours); u/A hours				
Static Water Level (A): 47 Feet Bolow Land Surface	Pumping Water Level (B):	N/A Feet Below Land Surface				
Drawdown [(B) - (A)]: Feet Below Land Surf	occ Test Pumping Rate:	Ald Gallons Per Minute				
Orawdown [(B) - (A)]: Feet Beluw Land Surface Tost Pumping Rate: Gallons Per Minute Method of measurement (circle one): Seed to a Continue of the Continue of						
Method of measurement (circle one): Steel tape Electric tape Air line Other (describe); Pump Test Data for Flowing Well						
Measured shut in head:feet.						
Well yieldedGPM with a drawdown of	feet After	hours of pumping				
	Installation	MA				
Meter Manufacturer:		, ,				
Meter Model Number/Name:						
Totalizer Register Unit and Multiplier Factor (AF x .001, gal x 1000, etc):						
Is This Meter (circle one): New Repaired Replacement						
Important: By submitting the above information you are certifying that this meter was installed to manufacturer standards. For agricultural wells, a list of approved meters is on the MDEQ website.						
I HEREBY CERTIFY that the above statements are true to the best of my knowledge.						

Signature of Pump Installer Form: OLWR-SWR-18 (4/13)