	STATE WEI	LL REPOR	r Fo	or Office Use Only:
county: Sun Cloce	Pai		-	E156
Permit #: 6-6-46788	Driller		Aquifer:	
Driller: Charles M. Nichols	Mississippi Department of Environmental Quality		Quality	
	Office of Land and Water Resources P.O. Box 2309		s E-Log#	÷
Date drilling completed: <u>4-18-13</u>	Jackson, MS	39225-2309	L	• • • • • • • • • • • • • • • • • • • •
	(601) 96 (601) 360-			
State Law requires that this report b	e prepared by the licens	e holder respon	sible for the wa	ork and filed with the
Department at the above address wi	thin 30 days of complete	ion of drilling o	f the well or bo	orehole.
Well Owner Informat (Landowner if borehole is not for	-	v	ell or Borehole	Location
Owner Name: <u>Boyd</u> Atki	, ,	titude: 33°45	36.81 Longi	itude: 90°37'39,94
Mailing Address: 202 N. Pea	rman Alt. Me	thod of Lat/Long	(check one):	Conventional Survey,
	🛛	USGS quad, 🔲	land-held GPS,	Survey-grade GPS
Cleveland MS.	387.32 Zin code	NENS	<u> </u>	TAINRAW
Telephone No() -		5 Miles	SE	of <u>Lukuille</u> (Nearest Town)
·····		(Distance)	(Direction)	(Nearest Town)
	Well / Boreho	le Data		
Date drilling started: <u>4-18-13</u> Da	ate drilling completed: 4-	18-13 Hole de	pth: 120	Hole diameter: 26
ocation of the source of any surface wate	er used for drilling: D'	leh		
Method of dosing and volume of Chlorine	used in drilling and develop	ment: <u> </u>	T H	
_ogs run (check all applicable): 🗗 No log	run 🔲 Electric 🔲 Gamma I	Ray 🗍 Density 🗌	Sonic 🗌 Neutro	on 🔲 Other:
Name of organization running log(s):	· · · · · · · · · · · · · · · · · · ·			
Name of organization running log(s):				
Name of organization running log(s):	iter Well 🔲 Geotechnica	l/Geological Inves		ound Source Heat Pump
Name of organization running log(s): Purpose of borehole (check one): EWa	iter Well 🔲 Geotechnica	I/Geological Inves	tigation 🔲 Gro	ound Source Heat Pump
Name of organization running log(s): Purpose of borehole (check one): EWa Se If drilling is not relat	tter Well	I/Geological Investor (describe) Inction, skip the	tigation	ound Source Heat Pump his block
Name of organization running log(s): Purpose of borehole (check one): EWa Se If drilling is not relat	tter Well	I/Geological Investor (describe) Inction, skip the	tigation	ound Source Heat Pump his block
Name of organization running log(s): Purpose of borehole (check one): Se If drilling is not relate Purpose of Well (check all applicable):	tter Well	I/Geological Investor (describe) action, skip the Comply [1] Trigat	tigation	ound Source Heat Pump his block
Name of organization running log(s): Purpose of borehole (check one): Pwa Se <i>If drilling is not rela</i> Purpose of Well (check all applicable): I	Iter Well	I/Geological Investor (<i>describe</i>) (<i>ction, skip the</i> CSupply [247rigat	tigation ☐ Gro Tremainder of th on ☐ Fish Cultur	ound Source Heat Pump his block
Name of organization running log(s): Purpose of borehole (check one): PWa Se <u>If drilling is not relat</u> Purpose of Well (check all applicable): Other (describe): f a flowing well, method of flow regulation:	Iter Well Geotechnica eismic Survey Othe <i>ted to water well constru</i> Home Industrial Public Valve	I/Geological Investor (<i>describe</i>) (<i>ction, skip the</i> CSupply [2] Trrigat	tigation ☐ Gro remainder of th on ☐ Fish Cultur	ound Source Heat Pump his block
Name of organization running log(s): Purpose of borehole (check one): Pwa Se If drilling is not relate Purpose of Well (check all applicable): I Other (describe): f a flowing well, method of flow regulation: Static Water Level: feat	Iter Well Geotechnica Desismic Survey Other <i>ted to water well constru</i> Home Industrial Public Valve C et [] above or S below] la (check one)	I/Geological Investor (<i>describe</i>) (<i>ction, skip the</i> (<i>csupply</i> [] Trrigat (<i>csupply</i> [] Trrigat (<i>csupply</i> [] Trrigat	tigation	ound Source Heat Pump his block e 4-22-13
Name of organization running log(s): Purpose of borehole (check one): PWa Sec	tter Well	I/Geological Investor (describe) (ction, skip the csupply [] Trrigat (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe)(describe	tigation Grading remainder of the on Fish Culture Date measured:	ound Source Heat Pump his block e 4 - 2 2 - 1 3 ement 🗆 Bentonite [2+M
Name of organization running log(s): Purpose of borehole (check one): <i>If drilling is not relation:</i> Purpose of Well (check all applicable): Other (describe): f a flowing well, method of flow regulation: Static Water Level: Method of Measurement (check one) Well grouted to a d	tter Well	I/Geological Investor (describe) (ction, skip the csupply [] Trrigat (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe) (describe)(describe	tigation Grading remainder of the on Fish Culture Date measured:	ound Source Heat Pump his block e 4 - 2 2 - 1 3 ement 🗆 Bentonite [2+M
Name of organization running log(s): Purpose of borehole (check one): PWa Se If drilling is not relate Purpose of Well (check all applicable): Other (describe): To a flowing well, method of flow regulation: Static Water Level:fer Method of Measurement (check one) PS Vell depth: / feet Casing length:feet Screen length:feet	tter Well Geotechnica eismic Survey Othe ted to water well constru- Home Industrial Public Valve et [] above or below] la (check one) teel tape Electric tape epth of: feet Ty Casing diameter:	I/Geological Investor (describe) (ction, skip the csupply [] Trrigat (ction, skip the csupply [] Trrigat (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking) (checking)	tigation	ound Source Heat Pump his block e 4 - 2 - 13 ement \Box Bentonite \Box -M ρ uc
Name of organization running log(s): Purpose of borehole (check one): If drilling is not relation Purpose of Well (check all applicable): Other (describe): T a flowing well, method of flow regulation: Static Water Level: <u>49</u> feet Method of Measurement (check one) Well depth: <u>20</u> Well grouted to a describe to a de	tter Well Geotechnica eismic Survey Othe ted to water well constru- Home Industrial Public Valve tel above or below] la (check one) teel tape Electric tape epth of: feet Ty Casing diameter: Screen diameter: ches Setting depth: From	I/Geological Investor (describe) (ction, skip the csupply [] Trrigat (ction, skip the csupply [] Trrigat (checking) (ction, skip the csupply [] Trrigat (checking) (ction, skip the csupply [] Trrigat (ction, skip the csupply [] T	tigation	ound Source Heat Pump his block e 4 - 2 2 - 13 ement \Box Bentonite $[2-M]$ ρw $\rho $
Name of organization running log(s): Purpose of borehole (check one): If drilling is not relation Purpose of Well (check all applicable): Other (describe): To a flowing well, method of flow regulation: Static Water Level: <u>49</u> feet Method of Measurement (check one) Well depth: <u>120</u> Well grouted to a describe to a	tter Well Geotechnica eismic Survey Othe ted to water well constru- Home Industrial Public Valve tel above or below] la (check one) teel tape Electric tape epth of: feet Ty Casing diameter: Screen diameter: ches Setting depth: From	I/Geological Investor (describe) (ction, skip the csupply [] Trrigat (ction, skip the csupply [] Trrigat (checking) (ction, skip the csupply [] Trrigat (checking) (ction, skip the csupply [] Trrigat (ction, skip the csupply [] T	tigation	ound Source Heat Pump his block e 4 - 2 2 - 13 ement \Box Bentonite $[2-M]$ ρw $\rho $
Name of organization running log(s): Purpose of borehole (check one): Purpose of borehole (check one): If drilling is not relation: Purpose of Well (check all applicable): Other (describe): Other (describe): f a flowing well, method of flow regulation: Static Water Level:fer Method of Measurement (check one) [2] S Well depth: / feet Casing length:feet Screen length: feet Screen slot size:feet Screen slot size: feet Screen slot size:	tter Well Geotechnica eismic Survey Othe ted to water well constru- Home Industrial Public Valve tel above or below] la (check one) teel tape Electric tape epth of: feet Ty Casing diameter: Screen diameter: ches Setting depth: From	I/Geological Investor (describe) (ction, skip the Supply [Inrigat Other (describe) and surface Air line [] Other of grout (check inches inches inches rearned [] Open	tigation	ound Source Heat Pump his block e 4 - 2 2 - 13 ement \Box Bentonite $[2-M]$ ρw $\rho $
Name of organization running log(s): Purpose of borehole (check one): Purpose of borehole (check one): If drilling is not relation: Purpose of Well (check all applicable): Other (describe): Other (describe): f a flowing well, method of flow regulation: Static Water Level:fer Method of Measurement (check one) [2] S Nell depth: / feet Casing length:feet Screen length: feet Screen slot size:feet Screen slot size: feet Screen slot size:	tter Well Geotechnica eismic Survey Othe ted to water well constru- Home Industrial Public Valve tel above or below] la (check one) teel tape Electric tape c epth of: feet Ty Casing diameter: Screen diameter: ches Setting depth: From Gravel packed Under	I/Geological Investor (describe) (ction, skip the Supply [Inrigat Other (describe) and surface Air line [] Other of grout (check inches inches inches rearned [] Open	tigation	ound Source Heat Pump his block e 4 - 2 2 - 13 ement \Box Bentonite $[2-M]$ ρw $\rho $

.

,

.

county: <u>Sunflower</u> Permit #: 6W - 417 88

	For Office Use Only:
Well #:	E156

The sketch below only required for water wells

If well telescopes, show depths on sketch.

Ground level

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
	Ground level	
Clay fine sand + clay	0	10
fine sand + clay	10	30
Course sand + p-a and	30	40
med to Course sand	40	70
Course sand + p-glows med to Course sand Course sand + gravel	70	120
J		
	<u> </u>	

If more than one screen, show location of each on sketch

Sketch the property		ide the following:	·····		
1) the well loca		n tha meanach that a			
3) any perman	ower lines or o	n the property that n ther items that may	ay ald in locating the pr	e well	
4) a north arro	W	or the mar may	aid in locating the pi	openty and the well	
,					
			÷		
	7.1	ALL			
Landowner Name:	Boyd	AtKinsa	<u>n</u>		
······································	/		······		
I HEREBY CERTIF	Y that the well/b	orehole was drilled	constructed and cor	npleted in accordance w	Form: OLWR-SWR-1A (04/08)
requirements of the	Mississippi Dep	artment of Environm	ental Quality and the	e Mississippi Departmen	t of Health regulations
if applicable, and sta	ate laws.				tor nearth regulations,
Charles	Milich	20/3 1/67	4-4-14	Charles	M. M. has
Print Name of Resp	onsible License	e and License No.	Date	Signat	ure of Licensee

	STATE W	ELL REPORT	For Office Use Only:
county: Sunflower		Part 2	Well#: E156
Permit #: GW 46788		s Completion Report	
Driller: Charles M. Aichols	Mississippi Departme	ent of Environmental Quality and Water Resources	Aquifer:
Date drilling completed: $4 - 18 - 13$	P.O.	Box 2309	
Copy information from block on Part 1		MS 39225-2309) 961-5210	L
		60-0535 (fax)	
This part of the report must be completed			
of the report must be attached and both p Well Owner Informa			un 30 days of well completion.
Owner Name: Boyd Atk	10600	Latitude 370 11 March	M.ongitude: <u>90,37 04.67</u> 4
· · · ·			
Mailing Address: 202 N. P	carman Aug	Method of Lat/Long (check or	ne): Conventional Survey,
		USGS quad, 🗌 Hand-held	d GPS, 🗌 Survey-grade GPS
Jeveland Mr.	38732	NE KSE KS	ec <u>20 t 22 N R 4 W</u>
Cleveland MS. City State	e Zip code		
<i>i</i> .		(Distance) Miles	of <u>Ruleville</u>
		(Distance) (Direct	tion) (Nearest Town)
		(check one)	
Submersible D Turbine Air Lift C	Centrifugal 🔲 Flowing We	ell 🗋 Jet 🗋 Piston 🗋 Rotary 🗋	Other (describe):
Date Pump Installed 4-22-	<u>/3</u> R	ated Pump Capacity: _25	Gallons Per Minute
Is This Pump (check one): 🛃 New 🗌 Re	epaired 🗌 Replacement	(check one)	
	ral Gas 🔲 Tractor PTO [] Windmill 🗌 Other (describe):	
Horse Power Rating of Motor:	Setting Depth: _	feet Ni	umber of Stages:
	Pump Test Data fo	r Non Flowing Well	
Date Well Tested:		Duration of Pump Test (minim	num 4 hours): hours
Static Water Level (A): 49 Fe	et Below Land Surface	Pumping Water Level (B):	Feet Below Land Surface
Drawdown [(B) - (A)]:	Feet Below Land Surface	e Test Pumping Rate:	Gallons Per Minute
Method of measurement (check one):	Steel tape 🗌 Electric tap	e 🗌 Air line 🔲 Other (describe):
	Pump Test Data	for Flowing Well	
	feet		
Measured shut in head:			
	a drawdown of	feet after	hours of pumping
<u></u>	a drawdown of	feet after	hours of pumping
Well yielded GPM with a	Meter In:	stallation	
Well yielded GPM with a	Meter In:	stallation	
Well yielded GPM with a	Meter In:	stallation	
Well yielded GPM with a	Meter In:	stallation	
Well yielded GPM with a	Meter In:	stallation	
Measured shut in head: Well yielded GPM with a Meter Manufacturer: J.M. G. Meter Model Number/Name: 16" Totalizer Register Unit and Multiplier Fact Installation Date: <u>9-22-13</u> Is This Meter (check one): 2 New [] Ref	Meter Ins 436 tor (AF x .001, gal x 1000 Meter installed by:	stallation	
Well yielded GPM with a Meter Manufacturer: <u>J.M.</u> <i>G.e.</i> Meter Model Number/Name: <u>16</u> " Totalizer Register Unit and Multiplier Fact Installation Date: <u>4-22-13</u> Is This Meter (check one): 2 -New C Rep <i>Important: By submitting the above b</i>	Meter Ins Weter Installed by: paired [] Replacement information you are certi	stallation Meter Serial Number: Type of Meter: Nippe of Meter: Rec): Charles M. Mic.	10 60 9 8 1 opel/er hols led to manufacturer standards.
Well yielded GPM with a Meter Manufacturer: <u>J.M. Ga</u> Meter Model Number/Name: <u>/b''</u> Totalizer Register Unit and Multiplier Fact Installation Date: <u>J-22-13</u> Is This Meter (check one): <u>A</u> New <i>Important: By submitting the above to</i> <i>For agricul</i>	Meter Installed States and States	stallation Meter Serial Number: Type of Meter: tetc): tetc):<	10 60 9 8 1 opel/er hels led to manufacturer standards.
Well yielded GPM with a Meter Manufacturer: <u>J.M.</u> <i>G.e.</i> Meter Model Number/Name: <u>16</u> " Totalizer Register Unit and Multiplier Fact Installation Date: <u>4-22-13</u> Is This Meter (check one): 2 -New C Rep <i>Important: By submitting the above b</i>	Meter Installed States and States	stallation Meter Serial Number: Type of Meter: tetc): tetc):<	10 60 9 8 1 opel/er hels led to manufacturer standards.

Signature of Pump Installer Form: OLWR-SWR-1B (4/13)

ĩ

.