	STATE WE	LL REPORT	For Office I	
County: Sunflower	- (rt 1	Well#: _ F 19	21
Permit #: GW-48042		r's Log of Environmental Quality	Aquifer:	
Driller: Irrigation Equipment	_ Office of Land and	d Water Resources	E-Log #:	
Date drilling completed: 08/20/2014	— Jackson, M3 (601) 9 (601) 360	ox 2309 S 39225-2309 I61-5210 I-0535 (fax)		
State Law requires that this repo Department at the above address				ed with th
Weil Owner Infor (Landowner if borehole is no	mation		Borehole Location	
Owner Name: Gene Stansel	,	atitude: 33 45' 39.5 N	Longitude: 90 31	1' 32.8 W
Mailing Address: 718 Alta Vist Driv		lethod of Lat/Long (check		
	E] USGS quad, 🛛 Hand-h	eld GPS, 🔲 Survey-gr	ade GPS
Greenwood Ms		NE 14 SE 14	, Sec <u>20</u> T <u>22 N</u> R <u>3 N</u>	V
Citv S Telephone No. () -	State Zip code	SW NE 2 Miles Nor	theast of Ri	uleville
	_			est Town)
	Well / Boreh	ole Data		
Method of dosing and volume of Chlor Logs run (check all applicable): 🛛 No Name of organization running log(s):		Ray 🗍 Density 🗍 Sonic		
Logs run (check all applicable): 🛛 No Name of organization running log(s): Purpose of borehole (check one): 🕅	log run 🗌 Electric 🗍 Gamma	Ray Density Sonic		
Logs run (check all applicable): 🛛 No Name of organization running log(s): Purpose of borehole (check one): 🕅	log run 🗌 Electric 🗍 Gamma	Ray Density Sonic Al/Geological Investigation er (<i>describe</i>)	n [] Ground Source	
Logs run (check all applicable): 🛛 No Name of organization running log(s): Purpose of borehole (check one): 🕅	log run 🗌 Electric 🗍 Gamma	Ray Density Sonic Al/Geological Investigation er (<i>describe</i>)	n [] Ground Source	
Logs run (check all applicable): 🛛 No Name of organization running log(s): Purpose of borehole (check one): 🕅 <i>If drilling is not r</i> Purpose of Well (check all applicable):	log run Electric Gamma Water Geotechnic Seismic Survey Oth related to water well constr	Ray Density Sonic al/Geological Investigation er (<i>describe</i>) <i>uction, skip the remain</i> ic Supply Irrigation F	n [] Ground Source Inder of this block	
Logs run (check all applicable): 🛛 No Name of organization running log(s): Purpose of borehole (check one): 🕅 <i>If drilling is not r</i> Purpose of Well (check all applicable):	Iog run Electric Gamma Water Well Geotechnic Seismic Survey Oth related to water well constr Home Industrial Publ	Ray Density Sonic Al/Geological Investigation er (<i>describe</i>) <i>uction, skip the remain</i> ic Supply Irrigation F	n [] Ground Source Inder of this block	Heat Pum
Logs run (check all applicable): 🛛 No Name of organization running log(s): Purpose of borehole (check one): 🖾 <i>If drilling is not r</i> Purpose of Well (check all applicable): Other (describe):	log run Electric Gamma Water Well Geotechnic Seismic Survey Oth related to water well constr Home Industrial Publ tion: Valve	Ray Density Sonic al/Geological Investigation er (<i>describe</i>) <i>uction, skip the remain</i> ic Supply Irrigation F	n [] Ground Source Inder of this block Fish Culture	Heat Pum
Logs run (check all applicable): 🛛 No Name of organization running log(s): Purpose of borehole (check one): 🖾 <i>If drilling is not r</i> Purpose of Well (check all applicable): Other (describe): If a flowing well, method of flow regular	log run 🗌 Electric 🗍 Gamma Water Well 📄 Geotechnic Seismic Survey 📄 Oth related to water well constr Home 🗋 Industrial 🗎 Publ tion: Valve	Ray Density Sonic al/Geological Investigation Investigation er (describe)	n [] Ground Source Inder of this block Fish Culture easured: 08/21/2014	Heat Pum
Logs run (check all applicable): ☑ No Name of organization running log(s): Purpose of borehole (check one): If drilling is not n Purpose of Well (check all applicable): Other (describe): If a flowing well, method of flow regular Static Water Level: 56'	Iog run Electric Gamma Water Well Geotechnic Seismic Survey Oth related to water well constr Home Industrial Home Industrial tion: Valve	Ray Density Sonic al/Geological Investigation er (describe) <u>uction, skip the remain</u> ic Supply Irrigation f Other (describe) and surface Air line Other: (descri	n [] Ground Source <u>Inder of this block</u> Fish Culture easured: <u>08/21/2014</u> ribe)	Heat Pum
Logs run (check all applicable): ⊠ No Name of organization running log(s): Purpose of borehole (check one): If drilling is not r Purpose of Well (check all applicable): Other (describe): If a flowing well, method of flow regular Static Water Level: 56' Method of Measurement (check one) I	Iog run Electric Gamma Water Well Geotechnic Seismic Survey Oth related to water well constr Home Industrial tion: Valve feet [] above or [X] below] I (check one) X Steel tape Electric tape a depth of: 10'	Ray Density Sonic al/Geological Investigation er (describe)	n ☐ Ground Source <u>Inder of this block</u> Fish Culture easured: <u>08/21/2014</u> ribe) ☐ Neat Cement ⊠ Be	Heat Pum
Logs run (check all applicable): 🖾 No Name of organization running log(s): Purpose of borehole (check one): 🖾 <i>If drilling is not r</i> Purpose of Well (check all applicable): Other (describe): Other (describe): If a flowing well, method of flow regular Static Water Level: <u>56'</u> Method of Measurement (check one) 1 Well depth: <u>105'</u> Well grouted to	Iog run Electric Gamma Water Well Geotechnic Seismic Survey Oth related to water well constr Home Industrial Home Industrial tion: Valve	Ray Density Sonic al/Geological Investigation er (describe)	n ☐ Ground Source <u>Inder of this block</u> Fish Culture easured: 08/21/2014 ribe) ☐ Neat Cement ⊠ Be of casing: <u>PVC</u>	entonite
Logs run (check all applicable): ⊠ No Name of organization running log(s): Purpose of borehole (check one): □ If drilling is not n Purpose of Well (check all applicable): □ Other (describe): If a flowing well, method of flow regular Static Water Level: 56' Method of Measurement (check one) 1 Well depth: 105' Well grouted to Casing length: 65' fee	log run Electric Water Well Geotechnic Seismic Survey Oth related to water well constr E Home Industrial Puble tion: Valve	Ray Density Sonic al/Geological Investigation er (describe)	n ☐ Ground Source nder of this block Fish Culture easured: 08/21/2014 ribe) ☐ Neat Cement ⊠ Be of casing: PVC of screen: PVC	entonite
Logs run (check all applicable): ⊠ No Name of organization running log(s): Purpose of borehole (check one): If drilling is not r If drilling is not r Purpose of Well (check all applicable): Other (describe): If a flowing well, method of flow regular Static Water Level: 56' Method of Measurement (check one) 1 Well depth: 105' Well grouted to Casing length: 65' fee Screen length: 40' fee Screen slot size: .050	log run □ Electric □ Gamma Water Well □ Geotechnic Seismic Survey □ Oth related to water well constr □ Home □ Industrial □ Publ tion: Valve	Ray Density Sonic al/Geological Investigation er (describe)	m ☐ Ground Source mder of this block Fish Culture easured: 08/21/2014 mibe) ☐ Neat Cement ⊠ Be of casing: PVC of screen: PVC feet to 105'	entonite
Logs run (check all applicable): ⊠ No Name of organization running log(s): Purpose of borehole (check one): If drilling is not r Purpose of Well (check all applicable): Other (describe): If a flowing well, method of flow regular Static Water Level: 56' Method of Measurement (check one) Well depth: 105' Well grouted to Casing length: 40' Screen length: 40' Type of completion (check all applicable)	log run □ Electric □ Gamma Water Well □ Geotechnic Seismic Survey □ Oth related to water well constr □ Home □ Industrial □ Publ tion: Valve	Ray Density Sonic al/Geological Investigation er (describe)	a ☐ Ground Source ander of this block Fish Culture easured: 08/21/2014 ribe) ☐ Neat Cement ⊠ Be of casing: PVC of screen: PVC feet to 105' Natural Development	entonite

vR-SVVR-1A (**4**/1

	Fo	r Office Use (Only:
County: Sunflower	Well #:	F 181	
Permit #: GW-48042			
	×		
The sketch below only required for water wells	<u>Description of formations encountered musi</u> and boreholes, unless specifically exempted		<u>ll wells</u>
If well telescopes, show depths on sketch.	una vorenvies, untess specificany exempted	Dy regulations	
One of level	Description of Formations Encountered	From (depth)	To (depth)
Ground level	Clay	Ground level	19
	Fine Sand	20	37
	Fine Sand & Gravel	38	45
	Medium Sand & Gravel	46	101
	Clay	102	105
			1
		1	
			<u> </u>
			1
			<u> </u>
			+
			<u> </u>
			<u> </u>
	······		
			<u> </u>
			ļ
		<u> </u>	
1			

If more than one screen, show location of each on sketch

т, т

	ent structures on ower lines, or oth	the property that	t may aid in locating the w ay aid in locating the prope	
4) a north arrow	r			
	Gono Sta	nçal		
andowner Name:	Gene Sta	nsel		
HEREBY CERTIFY	' that the well/bon Mississippi Depa	rehole was drilled		Form: OLWR-SWR-1A (04/08) leted in accordance with all applicable Mississippi Department of Health regulations,
	that the well/box Mississippi Depa te laws.	rehole was drilled		leted in accordance with all applicable

	STATE W	ELL REPUR	I		Office Use C	-
County: Sunflower		Part 2		Well #:	_F181	
Permit #: GW-48042		's Completion Ro ent of Environmental				
Driller: Irrigation Equipment	Office of Land	and Water Resource		Aquifer:		
Date drilling completed: 08/20/2014). Box 2309 MS 39225-2309				
Copy information from block on Part 1	(60)	1) 961-5210				
	(601) (360-0535 (fax)				
This part of the report must be complete						
of the report must be attached and both Well Owner Informa		rtment at the above ad		un 30 day: Locatio		ion.
Owner Name: Gene Stansel		22.45' 2	0 5 N			1 1.47
		Latitude: 33 45' 3	J.J N	_ Longitu	ide: <u>50 51 52.0</u>	
Mailing Address: 718 Alta Vista Drive	<u>}</u>	Method of Lat/Long	(check on	ie): 🔲 (Conventional Sur	vey,
		USGS quad, 🛛	Hand-held	i GPS, 🗖	Survey-grade G	PS
Greenwood Ms	38930			-		
City Stat		Siu	NE NE		22 N R <u>3 W</u>	
Telephone No. () -		Miles	Northe			
	··· ·· ·· ·· ·· ·· ··	(Distance)	(Direct	ion)	(Nearest Tov	vn)
	Pump Type	e (check one)				
🗌 Submersible 🛛 Turbine 🗌 Air Lift 🗌 🤇	Centrifugal 🔲 Flowing W	'ell 🗋 Jet 🗋 Piston 🗋	Rotary 🛛	Other (d	escribe):	
Date Pump Installed 08/21/2014		Rated Pump Capacity:	2500+/-		Gallons Per	r Minute
🗆 Electric 🛛 Diesel 🗖 Gasoline 🗋 Natu	Power Typ	e (check one)			Stages: <u>1</u>	
□ Electric ⊠ Diesel □ Gasoline □ Natu Horse Power Rating of Motor: <u>60</u>	Power Typ ral Gas Tractor PTO Setting Depth: Pump Test Data for	e (check one) U Windmill D Other (80' Kon Flowing Well	feet Nu	Imber of S		
	Power Typ ral Gas Tractor PTO Setting Depth: Pump Test Data for	e (check one) Uindmill Dother (80' Fr Non Flowing Well Duration of Pump Te	feet Nu	umber of S um 4 hou	<i>r</i> s):	Hours
Electric Diesel Gasoline Nature Horse Power Rating of Motor: Date Well Tested: Static Water Level (A): Fe	Power Typ ral Gas Tractor PTO Setting Depth: Pump Test Data for ret Below Land Surface	e (check one) U Windmill D Other (80' Non Flowing Well Duration of Pump Te Pumping Water Leve	_ feet Nu est <i>(minim</i> el (B):	umber of S um 4 hou	<i>r</i> s): Feet Below Lan	_ Hours d Surface
Electric Diesel Gasoline Nature Horse Power Rating of Motor: Date Well Tested: Static Water Level (A): Drawdown [(B) - (A)]:	Power Typ ral Gas Tractor PTO Setting Depth: Pump Test Data for ret Below Land Surface Feet Below Land Surface	e (check one) Uindmill Dother (80' Tr Non Flowing Well Duration of Pump Te Pumping Water Leve ce Test Pumping Ra	_ feet Nu est <i>(minim</i> el (B): ate:	umber of S um 4 hou	<i>r</i> s): Feet Below Lan	_ Hours d Surface
Electric Diesel Gasoline Nature Horse Power Rating of Motor: Date Well Tested: Static Water Level (A): Drawdown [(B) - (A)]:	Power Typ ral Gas Tractor PTO Setting Depth: Pump Test Data for ret Below Land Surface Feet Below Land Surface Steel tape Electric tap	e (check one) UVINDMIII U Other (80' OT Non Flowing Well Duration of Pump Te Pumping Water Leve ce Test Pumping Ra be U Air line U Other	_ feet Nu est <i>(minim</i> el (B): ate:	umber of S um 4 hou	<i>r</i> s): Feet Below Lan	_ Hours d Surface
Electric Diesel Gasoline Nature Horse Power Rating of Motor: Date Well Tested: Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (check one):	Power Typ ral Gas Tractor PTO Setting Depth: Pump Test Data for ret Below Land Surface Feet Below Land Surface Steel tape Electric tap	e (check one) Uindmill Dother (80' Tr Non Flowing Well Duration of Pump Te Pumping Water Leve ce Test Pumping Ra	_ feet Nu est <i>(minim</i> el (B): ate:	umber of S um 4 hou	<i>r</i> s): Feet Below Lan	_ Hours d Surface
Electric Diesel Gasoline Nature Horse Power Rating of Motor: Date Well Tested: Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (check one): Measured shut in head:	Power Typ ral Gas Tractor PTO Setting Depth: Pump Test Data for ret Below Land Surface Feet Below Land Surface Steel tape Pump Test Data Feet Feet	e (check one) UNINGMII DOther (80' FOR NON Flowing Well Duration of Pump Te Pumping Water Leve Ce Test Pumping Ra De DAir line DOther To for Flowing Well	_ feet Nu est (minim el (B): ate: (describe	umber of S um 4 hour):	rs): Feet Below Land Gallons P	_ Hours d Surface er Minute
Electric Diesel Gasoline Nature Horse Power Rating of Motor: Date Well Tested: Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (check one): Measured shut in head:	Power Typ ral Gas Tractor PTO Setting Depth: Pump Test Data for reet Below Land Surface Feet Below Land Surface Steel tape Pump Test Data	e (check one) UNINGMII DOther (80' Dor Non Flowing Well Duration of Pump Te Pumping Water Leve ce Test Pumping Ra be DAir line DOther for Flowing Well	_ feet Nu est (minim el (B): ate: (describe	umber of S um 4 hour):	rs): Feet Below Land Gallons P	_ Hours d Surface er Minute
Electric Diesel Gasoline Nature Horse Power Rating of Motor: 60 Date Well Tested: Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (check one): Measured shut in head:	Power Typ ral Gas Tractor PTO Setting Depth: Pump Test Data for ret Below Land Surface Feet Below Land Surfac Steel tape Feet a drawdown of	e (check one) UNINGMII DOther (80' Dor Non Flowing Well Duration of Pump Te Pumping Water Leve ce Test Pumping Ra be DAir line DOther for Flowing Well	_ feet Nu est (minim el (B): ate: (describe	umber of S um 4 hour):	rs): Feet Below Land Gallons P	_ Hours d Surface er Minute
Electric Diesel Gasoline Nature Horse Power Rating of Motor: Date Well Tested: Static Water Level (A): Trawdown [(B) - (A)]: Method of measurement (check one): Measured shut in head: Well yielded GPM with a	Power Typ ral Gas Tractor PTO Setting Depth: Pump Test Data for ret Below Land Surface Feet Below Land Surfac Steel tape Feet a drawdown of	e (check one) Windmill D Other (80' Tor Non Flowing Well Duration of Pump Te Pumping Water Leve ce Test Pumping Ra be Air line Other for Flowing Well feet after stallation	_ feet Nu	um 4 hou	rs): Feet Below Lan Gallons P	_ Hours d Surface er Minute
Electric I Diesel Gasoline Natures Horse Power Rating of Motor: 60 Date Well Tested: Static Water Level (A): Fee Drawdown [(B) - (A)]: Method of measurement (check one): Measured shut in head: Well yielded GPM with a Meter Manufacturer:	Power Typ ral Gas Tractor PTO Setting Depth: Pump Test Data for ret Below Land Surface Feet Below Land Surface Steel tape Pump Test Data Feet a drawdown of Meter In	e (check one) Windmill D Other (80' Tr Non Flowing Well Duration of Pump Te Pumping Water Leve Ce Test Pumping Ra De Air line Other for Flowing Well feet after stallation Meter Serial Num	_ feet Nu	um 4 hou	rs): Feet Below Land Gallons P	_ Hours d Surface er Minute
Electric I Diesel Gasoline Nature Horse Power Rating of Motor: 60 Date Well Tested: Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement (check one): Measured shut in head: Well yielded GPM with a Meter Manufacturer: Meter Model Number/Name:	Power Typ ral Gas Tractor PTO Setting Depth: Pump Test Data for ret Below Land Surface Feet Below Land Surfac Steel tape Feet a drawdown of Meter In	e (check one) Windmill D Other (80' Tor Non Flowing Well Duration of Pump Te Pumping Water Lev Ce Test Pumping Ra De Air line Other for Flowing Well feet after stallation Meter Serial Num Type of Meter:	_ feet Nu	umber of S um 4 hour	rs): Feet Below Lan Gallons P	_ Hours d Surface er Minute
Electric Diesel Gasoline Nature Horse Power Rating of Motor: Date Well Tested: Static Water Level (A): Tested: Method of measurement (check one): Measured shut in head: Well yielded GPM with a Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier Factor	Power Typ ral Gas Tractor PTO Setting Depth: Pump Test Data for eet Below Land Surface Feet Below Land Surface Steel tape Electric tap Pump Test Data Feet a drawdown of Meter In tor (AF x .001, gal x 1000)	e (check one) Windmill D Other (80' Tor Non Flowing Well Duration of Pump Te Pumping Water Leve Ce Test Pumping Rater De Air line Other for Flowing Well feet after stallation Meter Serial Num Type of Meter: D, etc):	_ feet Nu	um 4 hou	rs): Feet Below Land Gallons P	_ Hours d Surface er Minute ng
Electric Diesel Gasoline Nature Horse Power Rating of Motor: Date Well Tested: Static Water Level (A): Tested: Method of measurement (check one): Measured shut in head: Well yielded GPM with a Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier Factor	Power Typ ral Gas Tractor PTO Setting Depth: Pump Test Data for eet Below Land Surface Feet Below Land Surface Steel tape Feet a drawdown of Meter In tor (AF x .001, gal x 1000 Meter installed by:	e (check one) Windmill D Other (80' Tor Non Flowing Well Duration of Pump Te Pumping Water Leve Ce Test Pumping Rater De Air line Other for Flowing Well feet after stallation Meter Serial Num Type of Meter: D, etc):	_ feet Nu	um 4 hou	rs): Feet Below Land Gallons P	_ Hours d Surface er Minute ng
Electric I Diesel Gasoline Nature Horse Power Rating of Motor: 60 Date Well Tested: Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement (check one): Measured shut in head: Well yielded GPM with a Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier Fact Installation Date: Is This Meter (check one): New Re Important: By submitting the above	Power Typ ral Gas Tractor PTO Setting Depth: Pump Test Data for et Below Land Surface Feet Below Land Surface Steel tape Electric tap Pump Test Data Feet a drawdown of Meter In tor (AF x .001, gal x 1000 Meter installed by: paired Replacement	e (check one) Windmill D Other (80' Tor Non Flowing Well Duration of Pump Te Pumping Water Leve Ce Test Pumping Rater Leve Ce Test Pumping Rater Dother for Flowing Well feet after feet after Stallation feet Serial Num Type of Meter: D, etc):		um 4 hou	rs): Feet Below Land Gallons P	_ Hours d Surface er Minute ng
Electric Diesel Gasoline Nature Horse Power Rating of Motor: Date Well Tested: Static Water Level (A): Trawdown [(B) - (A)]: Method of measurement (check one): Method of measurement (check one): Measured shut in head: Well yielded GPM with Meter Manufacturer: Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier Fact Installation Date: Is This Meter (check one): New Reasure Important: By submitting the above For agricule	Power Typ ral Gas Tractor PTO Setting Depth: Pump Test Data for ret Below Land Surface Feet Below Land Surface Steel tape Feet a drawdown of Keter In tor (AF x .001, gal x 1000 Meter installed by: paired Replacement information you are cert ltural wells, a list of appr	e (check one) I Windmill I Other (80' Tr Non Flowing Well Duration of Pump Te Pumping Water Leve Ce Test Pumping Ra De I Air line I Other feet after feet after feet after tifying that this meter v for end meters is on the 1		um 4 hou	rs): Feet Below Land Gallons P	_ Hours d Surface er Minute ng
Electric Diesel Gasoline Nature Horse Power Rating of Motor: Date Well Tested: Static Water Level (A): Static Water Level (A): Tester Manufacture (Check one): Meter Manufacture GPM with a Meter Manufacture GPM with a Meter Model Number/Name: Totalizer Register Unit and Multiplier Fact Installation Date: Is This Meter (check one): New Re Important: By submitting the above	Power Typ ral Gas Tractor PTO Setting Depth: Pump Test Data for ret Below Land Surface Feet Below Land Surface Steel tape Feet a drawdown of Keter In tor (AF x .001, gal x 1000 Meter installed by: paired Replacement information you are cert ltural wells, a list of appr	e (check one) I Windmill I Other (80' Tr Non Flowing Well Duration of Pump Te Pumping Water Leve Ce Test Pumping Ra De I Air line I Other feet after feet after feet after tifying that this meter v for end meters is on the 1		um 4 hou	rs): Feet Below Land Gallons P	_ Hours d Surface er Minute ng
Electric Diesel Gasoline Nature Horse Power Rating of Motor: Date Well Tested: Static Water Level (A): Totalizer Register Unit and Multiplier Factor Static Water Register Unit and Multiplier Factor Static Register (check one): New Refer Manufacture: Static Register (check one): New Refer Manufacture: Static Register (check one): New Refer Important: By submitting the above stated HEREBY CERTIFY that the above stated Date Manufacture Register Context Stated HEREBY CERTIFY that the above stated Context State Register Context State Register Certify that the above stated State Register Certify	Power Typ ral Gas Tractor PTO Setting Depth: Pump Test Data for ret Below Land Surface Feet Below Land Surface Steel tape Feet a drawdown of Feet a drawdown of Meter In tor (AF x .001, gal x 1000 Meter installed by: paired Replacement information you are cert fural wells, a list of appr ements are true to the be	e (check one) Windmill □ Other (80' Tor Non Flowing Well Duration of Pump Te Pumping Water Leve Ce Test Pumping Ra De □ Air line □ Other for Flowing Well feet after feet after feet after feet after istallation Type of Meter: o, etc): ifying that this meter v set of my knowledge.		umber of S um 4 hou):): (led to man bsite.	rs): Feet Below Land Gallons P	_ Hours d Surface er Minute ng urds.

• • • •