| County: | Sunflower | | |
|-----------|---------------------------|--|--|
| Permit #: | GW-45886 | | |
| Driller: | Irrigation Equipment | | |
| | ing completed: 04/28/2012 | | |

State Well Report Part 1 – Driller's Log

Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 2309
Jackson, MS 39225
(601) 961-5210
(601) 961-5228 (fax)

| For Office Use Only: | | |
|----------------------|------|--|
| Aquifer: _ | | |
| Well #: | G164 | |
| L.S. Elevatio | n: | |
| E-log #: | | |

State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole.

| Information on Well Owner | |)wner | Well or Borehole Location |
|---|-----------------------------|----------------------------|---|
| | ner if borehole is not fo | | TO DEL VE SPOT DELL'AND SPORTER SE |
| Owner Name | Jerry Gentry | | Latitude: 33 ° 39 ' 22 " Longitude: 90 ° 35 ' 50 " |
| Mailing Address: | 918 Hwy 442 | | Method of Lat/Long (check one): Conventional Survey, |
| _ | | | ☐ USGS quad, ☑ Hand-held GPS, ☐ Survey-grade GPS |
| - | Shaw | Ms 38773 | NE 1/4 NW 1/4 Sec 22 / Twn 21N Rng 4W |
| , | City | State Zip code | Distance Direction Nearest Town |
| Telephone No. | () - | | 1 Miles <u>East</u> of <u>Linn</u> |
| | | Well / Be | prehole Data |
| Date drilling started | i: 04/28/2012 Date | e drilling completed: 04/2 | 28/2012 Hole depth: 125 Hole diameter: 18" |
| Location of the sour | rce of any surface water us | sed for drilling: Surface | Water |
| | nd volume of Chlorine use | | |
| | | n 🛮 Electric 🔲 Gamma | Ray Density Sonic Neutron Other: |
| Name of organization | | | |
| Purpose of borehole | e (check one): Water | Well Geotechnical | //Geological Investigation |
| | Seismi | . — | |
| | | | nstruction, skip the remainder of this block |
| Purpose of Well (ch | eck one) | Industrial Public Sup | oply 🛛 Irrigation 🗌 Fish Culture 🔲 Other: |
| If flowing, method | of flow regulation: Valve | Other (de | scribe) |
| Static Water Level: | 57 feet above or | r below (check one) 🗌 lar | nd ⊠ surface Date measured: 04/30/2012 |
| Method of Measure | ment (check one) 🛛 stee | l tape | air line Other: |
| Well depth: 125 Well grouted to a depth of 10 feet Type of grout (check one): Neat Cement 🛛 Bentonite 🗌 Mix | | | |
| Casing length: 125 85 feet Casing diameter: 10 inches Type of casing: PVC | | | |
| Screen length: 4 | D feet Scre | en diameter: 10 | inches Type of screen: PVC |
| Screen slot size: | .050 inches | Setting depth: From | 86 feet to 125 feet |
| Type of completion | (check all applicable): | ☑ Gravel packed ☐ U | Inderreamed Telescoped Open hole Natural Development |
| | ĺ | Other (describe): | |
| Top of lap pipe or re | eduction in casing: | feet. If | telescoped or more than one screen, describe on next page |

RECEIVED WR-SWR-1A (04/08)

MAY 0 9 2012

BY: OLWR

| If well telescopes, show depths on sketch. Ground level Description of Formations Encountered From (depth) To (depth) | The sketch below only required for water wells | wells and boreholes, unless specifically exempte | | |
|--|---|--|--------------|---------|
| Ground level Description of Formations Encountered From (depth) To (dep | <u>If well telescopes, show depths on sketch.</u> | | | |
| | Ground level | Description of Formations Encountered | From (depth) | To (dep |

| Description of Formations Encountered | From (depth) | To (depth) |
|---------------------------------------|--------------|------------|
| Clay | Ground level | 24 |
| Fine Sand | 25 | 38 |
| Fine Sand & Gravel | 39 | 49 |
| Medium Sand & Gravel | 50 | 125 |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | 1 |
| | | |

If more than one screen, show location of each on sketch

| aid in | | ion; 2) any permanent structures on the property that may her items that may aid in locating the property and the well; |
|--|---|---|
| 4) 4.1 | ordination. | |
| | | |
| | | |
| | | RECEIVED |
| | | MAY 0 9 2012 |
| | | BY: OLWR |
| Landowner Name: | Jerry Gentry | |
| I certify that the well/bo Mississippi Department | rehole was drilled, constructed, and completed in ac of Environmental Quality and the Mississippi Depa | Form: OLWR-SWR-1A (04/08) cordance with all applicable requirements of the rtment of Health regulations, if applicable, and state |

04/30/2012

signature of Licensee

Date

0695

Print Name of Responsible Licensee and License No.

laws.

Patrick Chism

STATE WELL REPORT

Part 2 **Pump Installer's Completion Report**

Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 2309 Jackson, MS 39225 (601) 961-5210

| For Office Use Only: | | |
|----------------------|---|---|
| Aquifer: _ | | _ |
| Well#: | G164 | _ |
| Elevation: | - Annual State of the State of | _ |

Date drilling completed: 04/28/2012 Copy information from block on Part 1 (601) 961-5228 (fax)

County: Sunflower Permit #: GW-45886

Driller: Irrigation Equipment

| Well Owner Information | | ation | Well Location | |
|----------------------------------|---------------------------------|--------------------------------|--|--|
| Owner Name: _J | erry Gentry | | Latitude: 33 39' 22 N Longitude: 90 35' 50 W | |
| Mailing Address: | 918 Hwy 442 | | Method of Lat/Long (check one): Conventional Survey, | |
| ļ | | | ☐ USGS quad, ☑ Hand-held GPS, ☐ Survey-grade GPS | |
| | Shaw | Ms 38773 | NE 1/4 NW 1/4 Sec 22 T 21N R 4W | |
| | City | State Zip code | Distance Direction Nearest Town | |
| Telephone No. | () - | | 1 Miles East of Linn | |
| | Pump Type Check one | | Power Type Check one | |
| ☐ Air Lift | ☐ Jet | Submersible | Diesel Engine Gasoline Engine Natural Gas | |
| Bucket | Piston | ☐ Turbine | ⊠ Electric Motor | |
| Centrifugal | Rotary | Flowing Well | Windmill Other (specify): | |
| Other (specify): | | | Horse Power Rating of Motor: 15 | |
| Date Pump Install | ed: 04/30/2012 | | Setting Depth: 80 feet | |
| Rated Pump Capa | city <u>550+/-</u> | Gallons Per Minute | Number of Stages: 1 | |
| | Pump Test Dat | a . | Method of Measuring Water Level Check one | |
| Date Well Tested: | | | ☐ Air Line ☐ Electric Measuring Line ☐ Steel Tape | |
| Static Water Level | I (A): | Feet Below Land Surface | Other (specify): | |
| Pumping Water Le | evel (B): | Feet Below Land Surface | | |
| Drawdown [(B) - | (A)]: | Feet Below Land Surface | For flowing well, measured shut in head: feet | |
| Test Pumping Rate | e: | Gallons Per Minute | Well yielded GPM with a drawdown of | |
| Duration of Pump | Test (minimum 4 hours): | hours | feet after hours of pumping | |
| This is for (| check one): Nev | v Well Replacen | nent of Existing Pump Repair of Existing Pump | |
| I HEREBY CERT | TIFY that the above statem | ents are true to the best of m | ny knowledge | |
| Patrick Chism Print Name of P | n Pump Installer and License | No. (if applicable) | Signature of the CEIVED RECEIVED | |
| | O- A Dist. 044.049.04 | 20 . FormaOn A Dials norm | MAY 0 9 2012 | |
| Form provided by Fa | orms On-A-Disk · 214-340-942 | SA . LOUDKINGINER com | | |

BY: OLWR BY: OLWR