County:	Sunflower	
Permit #:	GW-4626	3 /
Driller:	Irrigation	Equipment_
Date drilli	ing completed:	06/28/2012

## State Well Report Part 1 – Driller's Log

Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 2309
Jackson, MS 39225
(601) 961-5210

(601) 961-5228 (fax)

For Office Use Only:

State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department, at the above address within 30 days of completion of drilling of the well or borehole.

Department at the above address within 30 days of	· · · · · · · · · · · · · · · · · · ·
Information on Well Owner (Landowner if borehole is not for a water well)	Well or Borehole Location
` '	Latitude: 33 ° 39 ' 29 " Longitude: 90 ° 36 ' 31 "
	Method of Lat/Long (check one):   Conventional Survey,
Maining House of Control of Contr	
	☐ USGS quad, ☐ Hand-held GPS, ☐ Survey-grade GPS
Boyle Ms 38730 City State Zip code	NE 1/4 NE 1/4 Sec 21 Twn 21N Rng 4W
	Distance Direction Nearest Town
Telephone No(	4 Miles West of Doddsville
Well / Bor	ehole Data
Date drilling started: 06/28/2012 Date drilling completed: 06/28	Hole depth: 117 Hole diameter: 24"
Location of the source of any surface water used for drilling: Surface V	
Method of dosing and volume of Chlorine used in drilling and development	
Logs run (check all applicable):   No log run ☐ Electric ☐ Gamma F  Name of organization running log(s):	Aay Density Sonic Neutron Other:
Purpose of borehole (check one): Water Well Geotechnical/O	Geological Investigation Ground Source Heat Pump
Seismic Survey Other (de	scribe)
<u> </u>	struction, skip the remainder of this block
Purpose of Well (check one)	ly 🛮 Irrigation 🗆 Fish Culture 🗎 Other:
If flowing, method of flow regulation: Valve Other (desc	ribe)
Static Water Level: 54 feet above or below (check one) 🔲 land	☑ surface Date measured:06/29/2012
Method of Measurement (check one) ⊠ steel tape □ electric tape □	air line
Well depth: 117 Well grouted to a depth of 10 feet	Type of grout (check one): Neat Cement Bentonite Mix
Casing length: 77 feet Casing diameter: 16	inches Type of casing: PVC
Screen length: 40 feet Screen diameter: 16	inches Type of screen: PVC
Screen slot size:050 inches Setting depth: From _	78 feet to feet
Type of completion (check all applicable):	derreamed    Telescoped    Dpen hole    Natural Development
Other (describe):	
Top of lap pipe or reduction in casing: feet. If te	lescoped or more than one screen, describe on next page

Form: OLWR-SWR-1A (04/08)



BY: OLWA

The sketch	below	only required for	r water wells

Ground level

skeich delow only required for water wells	Description of formations encountered must be provided for the
	wells and boreholes, unless specifically exempted by regulations
il talasconas, show danths on skatch	

Description of Formations Encountered	From (depth)	To (depth)
Clay	Ground level	18
Fine Sand	19	27
Fine Sand & Gravel	28	55
Medium Sand & Gravel	56	114
Clay	115	117
	******	
	<del></del>	
		<u> </u>

If more than one screen, show location of each on sketch

Sketch the property	layout and include the fo	ollowing: 1) the well locati	on; 2) any permanent structures	on the property that may
4) a	n locating the well; 3) an north arrow.	ly roads, power lines, or ot	her items that may aid in locatin	g the property and the well;
Landowner Name:	Dielm Demm			
Landowner Name.	Ricky Downs			
certify that the well/b	orehole was drilled, const	ructed, and completed in ac	cordance with all applicable requi	Form: OLWR-SWR-1A (04/0
ississippi Departmen ws.	t of Environmental Qualit	ty and the Mississippi Depar	tment of Health regulations, if ap	plicable, and state
atrick Chism	0695	08/01/2012	Value	
and Minimum of The control of the Title	censee and License No.	Date	Signature of Licensee	

## STATE WELL REPORT

## Part 2 **Pump Installer's Completion Report**

County: Sunflower Permit #: GW-46263

Driller: Irrigation Equipment

Date drilling completed: 06/28/2012

Copy information from block on Part 1

Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 2309 Jackson, MS 39225 (601) 961-5210 (601) 961-5228 (fax)

For Office Use Only:		
Aquifer:		
Well #:		
Elevation:	******	

This part of the report must be completed by a licensed water well report must be attached and both parts filed with the Department		
Well Owner Information	Well Location	
Owner Name: Ricky Downs	Latitude: 33 39' 29.7 N Longitude: 90 36' 31.9 W	
Mailing Address: 63 Oakridge Road	Method of Lat/Long (check one):   Conventional Survey,	
	☐ USGS quad,   ☐ Hand-held GPS,   ☐ Survey-grade GPS	
Boyle Ms 38730	NE 1/4 NE 1/4 Sec 21 T 21N R 4W	
City State Zip code	Distance Direction Nearest Town	
Telephone No(	Miles of Doddsville	
Pump Type Check one	Power Type Check one	
☐ Air Lift ☐ Jet ☐ Submersible	☐ Diesel Engine ☐ Gasoline Engine ☐ Natural Gas	
☐ Bucket ☐ Piston ☐ Turbine	☑ Electric Motor ☐ Hand ☐ Tractor PTO	
☐ Centrifugal ☐ Rotary ☐ Flowing Well	☐ Windmill ☐ Other (specify):	
Other (specify):	Horse Power Rating of Motor: 40	
Date Pump Installed: 06/29/2012	Setting Depth: 90 feet	
Rated Pump Capacity 1400+/- Gallons Per Minute	Number of Stages: 1	
Pump Test Data	Method of Measuring Water Level Check one	
Date Well Tested:	☐ Air Line ☐ Electric Measuring Line ☐ Steel Tape	
Static Water Level (A): Feet Below Land Surface	Other (specify):	
Pumping Water Level (B): Feet Below Land Surface		
Drawdown [(B) - (A)]: Feet Below Land Surface	For flowing well, measured shut in head: feet	
Test Pumping Rate: Gallons Per Minute	Well yielded GPM with a drawdown of	
Duration of Pump Test (minimum 4 hours): hours	feet after hours of pumping	
This is for (check one): New Well Replacement of Existing Pump Repair of Existing Pump		
I HEREBY CERTIFY that the above statements are true to the best of my knowledge		
Patrick Chism 0695		
Print Name of Pump Installer and License No. (if applicable)	Signature of Pump Installer	