	State Well Report	
county: Sunflower	Part 1 – Driller's Log	For Office Use Only:
Mississ	ippi Department of Environmental Quality	Aquifer: <u>197</u>
Irrigation Equipment	mice of Land and Water Resources	
Driller:	P.O. Box 2309 Jackson, MS 39225	Well #:
Date drilling completed: 4-27-10	(601)961-5210	L. S. Elevation:
	(601)961- 5228 (fax)	E-log #:
State Law requires that this report be prep. Department at the above address within 3	ared by the license holder responsible for	
	days of completion of drilling of the wel	l or borehole.
Information on Well Owner (Landowner if borehole is not for a water		orchole Location
Owner Name Arant Farms	Latitude: $33 \circ 41 \cdot 25$.	<u> 3</u> Longitude: <u>91 • 28 - 23.9</u>
Mailing Address: 397 Blaine R	Method of Lat/Long (circle o	ne): Conventional Survey,
	USGS quad, Hand-held	I GPS) Survey-grade GPS
E CI INA		- J. Twn 2/N Rng 3W
Juntluwer Ms. 3		
Sun fluwer Ms. 3 City State Z Telephone No. 662-88.7-646	Sip Code Distance Direction Miles	of <u>Doddsville</u>
	Well / Borehole Data	
Date drilling started: <u>4-27-10</u> Date drilling comp	leted: <u>4-27-10</u> Hole depth: <u>127</u>	Hole diameter: 24"
Location of the source of any surface water used for a Method of dosing and volume of Chlorine used in dr	1.1111 Care 6	
	ming and development: <u>50 PPM</u>	
Logs run (circle all applicable): No log run Electric Name of organization running log(s):	Gamma Ray Density Sonic Neutron	Other:
Purpose of borehole (check one): Water Well Cec	stechnical/Goological Investigation	
		Source Heat Pump
Seismic Survey	Other (describe)	
	vell construction, skip the remainder of this bla	
Purpose of Well (check one): Home Industrial	_Public SupplyIrrigationFish Culture	Other:
If a flowing well, method of flow regulation: Valye	Other (describe)	
		11 200 1
	(circle one) land surface Date measured:	4-28-10
Method of Measurement (circle one) steel tape	electric tape air line other:	
Well depth: <u>127</u> Well grouted to a depth of <u>10</u>	feet Type of grout (circle one): Neat Cem	ent Bentonite) Mix
Casing length: 87 feet Casing diameter:		PVC
Screen length: <u>40</u> feet Screen diameter		OVC
Screen slot size: .050_inches Setting of	lepth: From 88 feet to 1	27 feet
Type of completion (circle all applicable): Gravel part		
Other (dea		hole Natural Development
Top of lap pipe or reduction in casing:		
	feet. If telescoped or more than one scree	n, describe on next page
		Form: OLWR-SWR-1A (04/08)
		THE OR AND EN
·		NAM 0 5 9010

, 1

•

MAY 0 5 2010

The sketch below only required for water wells

If well telescopes, show depths on sketch. Ground Level

Description of formations encountered mus <u>ded for all</u> wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
Clay	Ground Level	127
Fine Sand	28	1.25
Fine Sand + Gravel Medium Sand + Gravel	39	45
Medium Sand + Gravel	46	+ 13-
	1.5	<u>+ '2/</u>
	·····	+
	·	+
		+
		<u> </u>
	†	<u> </u>
	+	
		4
	·	
		4
· · · · · · · · · · · · · · · · · · ·		1
· · · · · · · · · · · · · · · · · · ·		
	l	
		, <i>1</i>

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) a north arrow. rant Farms Landowner Name: Form: OLWR-SWR-1A (04/08) I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Alealth regulations, if applicable, and state laws

Patrick M. Chism 0695

V a

Print Name of Responsible Licensee and License No.

Date

Signature of Licensee

MAY 0.5 2010

RYONR

county: Sun flower STA	TE WELL REPORT		
County. DUNINWER	Part 2	For Office Use Only:	
Irrigation Equipmont Mississipt	ap Installer's Completion Report pi Department of Environmental Quality fice of Land and Water Resources	Aquifer: H197	
Date completed:	P.O. Box 2309	Well #:	
	Jackson, MS 39225 (601)961-5210	Elevation:	
Corr information from block on Part 1	(601)961-5228 (fax)		
This part of the report must be completed by a licensed report must be attached and both parts filed with the D	water well contractor or a linear d	L	
report must be attached and both parts filed with the D Well Owner Information	epartment at the above address within 30	installer. A copy of Part 1 of the days of well completion	
	W	ell Location	
Owner Name: Arant Farms	Latitude:	Longitude:	
Mailing Address: 397 Blaine Rea		Method of Lat/Long (check one): Conventional Survey	
Su flar Mr 20	776 Aug Hand-hel	d GPS Survey-grade GPS	
Sunfluwer Ms. 38 City State Zip C	$\frac{10}{\text{ode}} \frac{NE}{NE} \frac{1}{NE} $	14 T 21NR 3W	
Telephone No. ()		Distance Direction Nearest Town 	
,	- <u>S</u> Miles <u>NF</u>	of Doddsville	
Pump Type			
Circle one		ower Type Circle one	
Air Lift Jet Submersible		ine Engine Natural Gas	
Bucket Piston Turbine	Electric Motor Hand	Tractor PTO	
Centrifugal Rotary Flowing We	ell Windmill Other		
Other (specify):		(specify):	
Date Pump Installed:	Horse Power Rating of Moto		
	_ Setting Depth:	50feet	
Rated Pump Capacity: <u>2300</u> Gallons Per N	Minute Number of Stages:	2	
Pump Test Data		easuring Water Level	
Static Water Leval (A)	Air Line Electric Me	Circle one asuring Line Steel Tape	
Static Water Level (A):Feet Below Land S	Surface		
Pumping Water Level (B):Feet Below Land S	urface	· · · · · · · · · · · · · · · · · · ·	
Drawdown [(B) - (A)]:Feet Below Land S		hut in head: feet	
Cest Pumping Rate:Gallons Per N	• , -	GPM with a drawdown of	
Duration of Pump Test (minimum 4 hours):			
	noursfeet after _	hours of pumping	
This is for (circle one): New Well Replacer	nent of Existing Pump Repair of E	xisting Pump	
	<u>∧_</u>		
HEREBY CERTIFY that the above statements are true to	o the best of my included.		
Patrick M. Chism 0695	1 L		
rint Name of Pump Installer and License No. (if applicab	ble) Signature of Pump h	nstaller	
		Form: OLWR-SWR-1C (07-	

• • •

BYCIMP