	State W	ell Report			
County: Surelower	Part 1 – Driller's Log		For Office Use Only:		
A D	Mississippi Department of Environmental Quality		Aquifer: 0210		
Permit #: 5 - 44440	Office of Land and Water Resources		Well #: H208		
Driller: COR Drilling Co., Mc.	P.O. Box 2309 Jackson, MS 39225				
Date drilling completed: 7-15-10	(601)	961- 5210	L. S. Elevation:		
	(601)96	1- 5228 (fax)	E-log #:		
State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole.					
Information on Well Owner			prehole Location 39		
(Landowner if borehole is not for a water well)		Latitude: 33 38.83	" Longitude: 70° 29, 652		
Owner Name Roa Nay H. Walker farmer Partnership Mailing Address: 74 Cacker Mon Road		Method of Lat/Long (circle or	ne): Conventional Survey,		
		USGS quad, Hand-held GPS, Survey-grade GPS			
Draw NS. 28777		NW/4 NE 1/4 Sec 2	Twn 2/N Rng 3 W		
<u>Ahan MS. 38773</u> City State Zip Code		Distance Direction	A Nearest Town . of Dard Kills MS		
Telephone No. 662) 843-1753		Miles	of Data Ville		
	Well / Bore	hole Data			
Date drilling started: Date dril	Date drilling started: 7-15 Date drilling completed: 7/5 Hole depth: 120 Hole diameter. 26				
Location of the source of any surface water	used for drilling:				
Method of dosing and volume of Chlorine used in drilling and development:					
Logs run (circle all applicable): No log run Name of organization running log(s):			Other:		
Purpose of borehole (check one): Water We	Il Geotechnical/Geol	ogical Investigation Ground	Source Heat Pump		
	urveyOther (describe to water well construction)	ock		
Purpose of Well (check one): Home In	dustrial Public Supply	Irrigation Fish Culture	Other:		
If a flowing well, method of flow regulation	: Valve O	other (describe)			
Static Water Level: 58 feet above or below (circle one) land surface Date measured: 716					
Method of Measurement (circle one) steel tape electric tape air line other:					
Well depth: 120 Well grouted to a depth of feet Type of grout (circle one): Neat Cement Bentonite Mix					
Casing length: 80 feet Casing diameter: 16 inches Type of casing: DUC					
Screen length: <u>40</u> feet Screen diameter: <u>16</u> inches Type of screen: <u>PUC</u>					
Screen slot size:, 050 inches Setting depth: From 80 feet to 120 feet					
Type of completion (circle all applicable): (Gravel packed) Underreamed Telescoped Open hole Natural Development					
	Other (describe):	•			
Top of lap pipe or reduction in casing: feet. If telescoped or more than one screen, describe on next page					
			Form: OLWR-SWR-1A (04/08		

*

AUG 2 3 2010 BY: OLWR

A210 H208

AUG 2 3 2010

RV·NI

The sketch below only required for water wells

If well telescopes, show depths on sketch. Ground Level. 5 \$Ó 40

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
Clav	Ground Level	130
sand (71hd)	30	60
Grade +sind	60	120.
	+	
- A		1
- ik		
		1
9	1	1
47		1
•	· · ·	
		1

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) a north arrow. 14 W alker farmed Ta Landowner Name: Form: OLWR-SWR-1A (04/08)

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

28 7-15-10 Nev Signature of Licensee

Print Name of Responsible Licensee and License No.

Date

ia.

STATE WELL REPORT				
	rt 2 For Office Use Only:			
LI 4444 Mississinni Denartment	Completion Report of Environmental Quality Aquifer:			
Office of Land a	nd Water Resources			
Driller. Upt Hutter Jackson	Box 2309 MS 39225 Well#: H208			
	961-5210 Elevation:			
Copy information from block on Part 1 (601)961-5228 (fax)				
Capy information provide the second s				
Well Owner Information				
Owner Name: Rod May H. Wal Kes Farmer Partnership	Latitude: <u>33 38 936</u> Longitude: <u>90 29652</u>			
Mailing Address: 74 Cockerfram Rd.	Method of Lat/Long (check one): Conventional Survey,			
	USGS quad, Hand-held GPS, Survey-grade GPS			
Shaw MS. 38773 City State Zip Code	<u>14 14 Sec 27 T2/NR03W</u>			
City State Zip Code	Distance Direction Nearest Town			
Telephone No. (662) 843-1753	3 Miles 52 of Dorbille			
Telephone No. (664) 873-7733				
	Power Type			
Pump Type Circle one	Circle one			
Air Lift Jet Submersible	Diesel Engine Gasoline Engine Natural Gas			
Bucket Piston Turbine	Electric Motor Hand Tractor PTO			
Centrifugal Rotary Flowing Well	Windmill Other (specify):			
Other (specify):	Horse Power Rating of Motor: 60			
Date Pump Installed: $2 - 16 - 10$	Setting Depth: 80 feet			
Rated Pump Capacity: <u>2400</u> Gallons Per Minute	Number of Stages:			
Pump Test Data	Method of Measuring Water Level Circle one			
Date Well Tested:	Air Line Electric Measuring Line Steel Tape			
Static Water Level (A): 58 Feet Below Land Surface	i Other (specify):			
Pumping Water Level (B):Feet Below Land Surface				
Drawdown [(B) – (A)]:Feet Below Land Surface	For flowing well, measured shut in head:feet			
Test Pumping Rate:Gallons Per Minute	Well yielded GPM with a drawdown of			
Duration of Pump Test (minimum 4 hours):hours	feet afterhours of pumping			
I HEREBY CERTIFY that the above statements are true to the best of my knowledge.				
COOK_DRILLING CS. INC. 289 Signature of Pump Installer				
Print Name of Pump installer and License No. (If applicable)	Form: OLWR-SWR-1B (04/06			

55

AUG 2 3 2010 BY: OLWR