Sunflower		
GW-45671		
Irrigation Equipment		
Date drilling completed: 01/20/2012		

State Well Report Part 1 – Driller's Log


Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 2309
Jackson, MS 39225
(601) 961-5210
(601) 961-5228 (fax)

	For Office Use Only:	
Aquifer:	5191	
Well #:		
L.S. Elev	ation:	
E-log #:		

State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department, at the above address within 30 days of completion of drilling of the well or borehole.

D	epartment at the above address within 30 days	of completion of drilling of the well or borehole.
/T J	Information on Well Owner	Well or Borehole Location
•	wner if borehole is not for a water well)	I with Jun 22 0 22 1 54 11 I applitude: 00 0 45 1 22 11
Owner Name	TKT Farms	Latitude: 33 ° 33 ' 54 " Longitude: 90 ° 45 ' 32 "
Mailing Address:	836 Fairview Road	Method of Lat/Long (check one): Conventional Survey,
		☐ USGS quad, ☐ Hand-held GPS, ☐ Survey-grade GPS
	Shaw Ms 38773	NW 1/4 SW 1/4 Sec 19 Twn 20N Rng 5W
	City State Zip code	
		Distance Direction Nearest Town
Telephone No.	() -	Miles of Shaw
	XVAII / D	ovehole Dete
	Well / Bo	orehole Data
Date drilling starte	ed: 01/20/2012 Date drilling completed: 01/2	20/2012 Hole depth: 125 Hole diameter: 18"
	urce of any surface water used for drilling: Surface	
Method of dosing	and volume of Chlorine used in drilling and developm	nent: 50 PPM
	ll applicable): No log run	a Ray
Purpose of boreho	le (check one): Water Well Geotechnical	V/Geological Investigation Ground Source Heat Pump
•	Seismic Survey Other (a	•
		nstruction, skip the remainder of this block
Purpose of Well (c		pply Irrigation Fish Culture Other:
If flowing, method	of flow regulation: Valve Other (de	scribe)
Static Water Level	: 40 feet above or below (check one) la	nd ⊠ surface Date measured: 01/31/2012
Method of Measur	rement (check one) 🛮 steel tape 🔲 electric tape	air line other:
		Type of grout (check one): ☐ Neat Cement ☒ Bentonite ☐ Mix
Casing length:	feet Casing diameter: 10	inches Type of casing: PVC
Screen length:	feet Screen diameter: 10	inches Type of screen: PVC
Screen slot size:	.050 inches Setting depth: From	86 feet to 125 feet
Type of completion	n (check all applicable): 🛛 Gravel packed 🔲 U	Inderreamed Telescoped Open hole Natural Development
	Other (describe):	
Top of lap pipe or	reduction in casing: feet. If	telescoped or more than one screen, describe on next page

Form: OLWR-SWR-1A (04/08)



The sketch	helow only	required fo	r water wells

If wall talescopes	chow deaths on sketch	

If well telescopes,	skow	depths on	sketch.
TI THESE SCHOOLS AND	****	****	*****

If well telescopes, sh	ow depths on	<u>sketch</u>
Ground level		

If well telescopes,	skow	depths on	sketch.
---------------------	------	-----------	---------

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
Clay	Ground level	25
Fine Sand	26	45
Medium Sand	46	75
Medium Sand & Gravel	76	85
Course Sand & Gravel	86	125
		1

If more than one screen, show location of each on sketch

aid in			on; 2) any permanent structure er items that may aid in locati	
Landowner Name:	TKT Farms			
I certify that the well/bo Mississippi Department	rehole was drilled, construct	ed, and completed in acc	ordance with all applicable requirement of Health regulations, if a	Form: OLWR-SWR-1A (04/08) sirements of the
laws. Patrick Chism/Irrigat		02/01/2012	ment of result regulations, if a	ppiicabie, and state

Date

Signature of Licensee

FEB 07 2012 64 OLWR

Print Name of Responsible Licensee and License No.

STATE WELL REPORT

Part 2 Pump Installer's Completion Report

County: Sunflower Pump Installer's Completion Report

Permit #: GW-45671 Mississippi Department of Environmental Quality

Office of Land and Water Resources
P.O. Box 2309

Jackson, MS 39225

(601) 961-5210

(601) 961-5228 (fax)

For Office Use Only:			
Aquifer:			
Well #:	J191		
Elevation:			
	•		

This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the

	· Information	t at the above address within 30 days of well completion. Well Location
Owner Name: TKT Farms		Latitude: 33 33' 54 N Longitude: 90 45' 32 W
Mailing Address: 836 Fairview	Road	Method of Lat/Long (check one): Conventional Survey,
		☐ USGS quad, ☐ Hand-held GPS, ☐ Survey-grade GPS
Shaw	Ms 38773	NW 1/4 SW 1/4 Sec 19 T 20N R 5W
City	State Zip code	Distance Direction Nearest Town
Telephone No. () -		Miles of Shaw
	Type k one	Power Type Check one
☐ Air Lift ☐ Jet	Submersible	☐ Diesel Engine ☐ Gasoline Engine ☐ Natural Gas
☐ Bucket ☐ Piston	☐ Turbine	☑ Electric Motor ☐ Hand ☐ Tractor PTO
☐ Centrifugal ☐ Rotary	☐ Flowing Well	Windmill Other (specify):
Other (specify):		Horse Power Rating of Motor: 15
Date Pump Installed: 01/31/2012		Setting Depth: 70 feet
Rated Pump Capacity 550+/-	Gallons Per Minute	Number of Stages: 1
Pump T	est Data	Method of Measuring Water Level Check one
Date Well Tested:		Air Line Electric Measuring Line Steel Tape
Static Water Level (A):	Feet Below Land Surface	Other (specify):
Pumping Water Level (B):	Feet Below Land Surface	
Drawdown [(B) - (A)]:	Feet Below Land Surface	For flowing well, measured shut in head:
Test Pumping Rate:	Gallons Per Minute	Well yielded GPM with a drawdown of
Duration of Pump Test (minimum 4	hours): hours	feet after hours of pumping
This is for (check one):	New Well Replacen	nent of Existing Pump Repair of Existing Pump
I HEREBY CERTIFY that the above Patrick Chism/Irrigation Eq	ve statements are true to the best of m uipment 0695	y knowledge
Print Name of Pump Installer and	License No. (if applicable)	Signature of Pump Installer